



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

1/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product identifier**

**Trade name** MAXFORCE® FLY SPOT BAIT

**Product code (UVP)** 80993730

**SDS Number** 102000027252

**EPA Registration No.** 432-1455

**Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide

**Restrictions on use** See product label for restrictions.

**Information on manufacturer**

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Emergency telephone no.**

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)

**Product Information Telephone Number** 1-800-331-2867

**SDS Information or Request** SDSINFO.BCS-NA@bayer.com

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification in accordance with regulation HCS 29CFR §1910.1200**

This material is not hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

**Other hazards**

No particular hazards known.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

<b>Hazardous Component Name</b>	<b>CAS-No.</b>	<b>Concentration % by weight</b>
Imidacloprid	138261-41-3	10.00



## MAXFORCE® FLY SPOT BAIT

Version 1.0 / USA  
102000027252

2/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

### SECTION 4: FIRST AID MEASURES

#### Description of first aid measures

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

#### Most important symptoms and effects, both acute and delayed

<b>Symptoms</b>	If large amounts are ingested, the following symptoms may occur: Dizziness, Abdominal pain, Nausea
-----------------	---

#### Indication of any immediate medical attention and special treatment needed

<b>Treatment</b>	There is no specific antidote. Appropriate supportive and symptomatic treatment as indicated by the patient's condition is recommended.
------------------	---

### SECTION 5: FIREFIGHTING MEASURES

#### Extinguishing media

<b>Suitable</b>	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
<b>Unsuitable</b>	High volume water jet

<b>Special hazards arising from the substance or mixture</b>	In the event of fire the following may be released: Hydrogen chloride (HCl), Hydrogen cyanide (hydrocyanic acid), Carbon monoxide (CO), Nitrogen oxides (NOx)
--	---

#### Advice for firefighters

<b>Special protective equipment for fire-fighters</b>	In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.
---	--

<b>Further information</b>	Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses.
----------------------------	--



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

3/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

---

<b>Flash point</b>	not applicable
<b>Autoignition temperature</b>	345 °C / 653 °F
<b>Lower explosion limit</b>	not applicable
<b>Upper explosion limit</b>	not applicable
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113

---

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Precautions** Keep unauthorized people away. Isolate hazard area. Avoid contact with spilled product or contaminated surfaces.

**Methods and materials for containment and cleaning up**

**Methods for cleaning up** Avoid dust formation. Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

---

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Use only in area provided with appropriate exhaust ventilation.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

4/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

**Advice on common storage** Keep away from food, drink and animal feedingstuffs.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Imidacloprid	138261-41-3	5ug/m3 (AN ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	50ug/m3 (ST ESL)	07 2011	TX ESL
Imidacloprid	138261-41-3	0.7 mg/m3 (TWA)		OES BCS*
Synthetic amorphous silica	112926-00-8	6 mg/m3 (REL)	2010	NIOSH
Synthetic amorphous silica	112926-00-8	6 mg/m3 (TWA)	1989	OSHA Z1A
Synthetic amorphous silica	112926-00-8	6 mg/m3 (TWA)	06 2008	TN OEL
Synthetic amorphous silica (Particulate.)	112926-00-8	2ug/m3 (AN ESL)	02 2013	TX ESL
Synthetic amorphous silica (Particulate.)	112926-00-8	27ug/m3 (ST ESL)	02 2013	TX ESL
Synthetic amorphous silica	112926-00-8	20millions of particles per cubic foot of air (TWA)	2000	Z3
Synthetic amorphous silica	112926-00-8	0.8 mg/m3 (TWA)	2000	Z3
Sucrose	57-50-1	10 mg/m3 (TWA)	02 2012	ACGIH
Sucrose (Respirable.)	57-50-1	5 mg/m3 (REL)	2010	NIOSH
Sucrose (Total)	57-50-1	10 mg/m3 (REL)	2010	NIOSH
Sucrose (Total dust.)	57-50-1	15 mg/m3 (PEL)	02 2006	OSHA Z1
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (PEL)	02 2006	OSHA Z1
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (TWA)	1989	OSHA Z1A
Sucrose (Total dust.)	57-50-1	15 mg/m3 (TWA)	1989	OSHA Z1A
Sucrose (Respirable fraction.)	57-50-1	5 mg/m3 (TWA)	06 2008	TN OEL
Sucrose (Total dust.)	57-50-1	15 mg/m3 (TWA)	06 2008	TN OEL
Sucrose	57-50-1	50ug/m3	02 2013	TX ESL



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

5/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

(Particulate.)		(ST ESL)		
Sucrose (Particulate.)	57-50-1	5ug/m3 (AN ESL)	02 2013	TX ESL

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

<b>Respiratory protection</b>	When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.
<b>Hand protection</b>	Chemical resistant nitrile rubber gloves
<b>Eye protection</b>	Safety glasses with side-shields
<b>Skin and body protection</b>	Wear long-sleeved shirt and long pants and shoes plus socks.
<b>General protective measures</b>	Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water. Keep and wash PPE separately from other laundry.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	white to beige
<b>Physical State</b>	granular
<b>Odor</b>	weak characteristic
<b>Odour Threshold</b>	no data available
<b>pH</b>	4.5 - 6.5 at 1 % (23 °C) (CIPAC D water (342ppm))
<b>Vapor Pressure</b>	no data available
<b>Vapor Density (Air = 1)</b>	no data available
<b>Specific Gravity</b>	no data available
<b>Evaporation rate</b>	not applicable
<b>Boiling Point</b>	not applicable
<b>Melting / Freezing Point</b>	181 °C / 357.8 °F
<b>Water solubility</b>	dispersible
<b>Minimum Ignition Energy</b>	no data available
<b>Decomposition temperature</b>	> 420 °C , Heating rate: 0.5 K/min



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

6/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

---

<b>Partition coefficient: n-octanol/water</b>	no data available
<b>Viscosity</b>	not applicable
<b>Flash point</b>	not applicable
<b>Autoignition temperature</b>	345 °C / 653 °F
<b>Lower explosion limit</b>	not applicable
<b>Upper explosion limit</b>	not applicable
<b>Explosivity</b>	Not explosive 92/69/EEC, A.14 / OECD 113
<b>Other information</b>	Further safety related physical-chemical data are not known.

---

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**

<b>Thermal decomposition</b>	> 420 °C, Heating rate: 0.5 K/min
<b>Self heating</b>	not self-heating
<b>Chemical stability</b>	Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	No hazardous reactions when stored and handled according to prescribed instructions.
<b>Conditions to avoid</b>	Extremes of temperature and direct sunlight.
<b>Incompatible materials</b>	no data available
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>Exposure routes</b>	Ingestion, Skin contact, Eye contact
<b>Immediate Effects</b>	
<b>Eye</b>	May cause mild irritation to eyes.
<b>Ingestion</b>	Harmful if swallowed.
<b>Information on toxicological effects</b>	
<b>Acute oral toxicity</b>	LD 50 cut-off (rat) > 5,000 mg/kg



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

7/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

---

<b>Acute inhalation toxicity</b>	ATE (rat) > 5 mg/l Exposure time: 4 h calculated ATE – acute toxicity estimate
<b>Acute dermal toxicity</b>	ATE (rat) > 5,000 mg/kg Calculation method ATE – acute toxicity estimate
<b>Skin irritation</b>	No skin irritation (rabbit)
<b>Eye irritation</b>	Minimally irritating. (rabbit)
<b>Sensitisation</b>	Non-sensitizing. (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

**Assessment repeated dose toxicity**

Imidacloprid did not cause specific target organ toxicity in experimental animal studies.

**Assessment Mutagenicity**

Imidacloprid was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment Carcinogenicity**

Imidacloprid was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH**

None.

**NTP**

None.

**IARC**

None.

**OSHA**

None.

**Assessment toxicity to reproduction**

Imidacloprid caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Imidacloprid is related to parental toxicity.

**Assessment developmental toxicity**

Imidacloprid caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Imidacloprid are related to maternal toxicity.

**Further information**

Acute toxicity studies have been bridged from a similar formulation(s).  
The non-acute information pertains to the active ingredient(s).

---



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

8/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

---

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Toxicity to fish</b>	LC50 (Rainbow trout ( <i>Oncorhynchus mykiss</i> )) 211 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient imidacloprid.
<b>Toxicity to aquatic invertebrates</b>	EC50 (Water flea ( <i>Daphnia magna</i> )) 85 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient imidacloprid.  EC10 ( <i>Chironomus riparius</i> (non-biting midge)) 2,09 µg/l Exposure time: 28 d The value mentioned relates to the active ingredient imidacloprid.
<b>Toxicity to aquatic plants</b>	EC50 ( <i>Desmodesmus subspicatus</i> ) > 10 mg/l Growth rate; Exposure time: 72 h The value mentioned relates to the active ingredient imidacloprid.
<b>Biodegradability</b>	Not applicable for this mixture.
<b>Bioaccumulation</b>	Not applicable for this mixture.
<b>Mobility in soil</b>	Not applicable for this mixture.
<b>Additional ecological information</b>	No other effects to be mentioned.
<b>Environmental precautions</b>	Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area. Apply this product as specified on the label.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

<b>Waste treatment methods</b>	
<b>Product</b>	Pesticide, spray mixture or rinse water that cannot be used according to label instructions may be disposed of on site or at an approved waste disposal facility.
<b>Contaminated packaging</b>	Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.





**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

9/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

**RCRA Information**

Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

**SECTION 14: TRANSPORT INFORMATION**

**49CFR** Not dangerous goods / not hazardous material

**IMDG**

UN number **3077**  
Class **9**  
Packaging group **III**  
Marine pollutant **YES**  
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE)**

**IATA**

UN number **3077**  
Class **9**  
Packaging group **III**  
Environm. Hazardous Mark **YES**  
Proper shipping name **ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (IMIDACLOPRID MIXTURE )**

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

---

**SECTION 15: REGULATORY INFORMATION**

**EPA Registration No.** 432-1455

**US Federal Regulations**

**TSCA list**

None.

**US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)**

None.

**SARA Title III - Section 302 - Notification and Information**

None.

**SARA Title III - Section 313 - Toxic Chemical Release Reporting**

None.

**US States Regulatory Reporting**

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause



**MAXFORCE® FLY SPOT BAIT**

Version 1.0 / USA  
102000027252

10/10  
Revision Date: 08/15/2014  
Print Date: 02/09/2015

reproductive harm.

**US State Right-To-Know Ingredients**

None.

**Canadian Regulations**

**Canadian Domestic Substance List**

None.

**Environmental**

**CERCLA**

None.

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed.  
Avoid contact with skin, eyes and clothing.  
Wash thoroughly with soap and water after handling.

---

**SECTION 16: OTHER INFORMATION**

**NFPA 704 (National Fire Protection Association):**

Health - 1      Flammability - 1      Instability - 0      Others - none

**HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)**

Health - 1      Flammability - 1      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

**Reason for Revision:** New Safety Data Sheet.

**Revision Date:** 08/15/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.