



TEMPO® ULTRA WP INSECTICIDE

Version 4.0 / USA
102000016285

1/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product identifier

Trade name TEMPO® ULTRA WP INSECTICIDE
Product code (UVP) 03545575
SDS Number 102000016285
EPA Registration No. 432-1304

Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide
Restrictions on use See product label for restrictions.

Information on supplier

Supplier Bayer Environmental Science
2 T.W. Alexander Drive
Research Triangle PK, NC 27709
United States
Responsible Department Email: SDSINFO.BCS-NA@bayer.com
Emergency telephone no.
Emergency Telephone Number (24hr/ 7 days) 1-800-334-7577
Product Information Telephone Number 1-800-331-2867

SECTION 2: HAZARDS IDENTIFICATION

Classification in accordance with regulation HCS 29CFR §1910.1200

Eye irritation: Category 2B
Acute toxicity(Oral): Category 4



Signal word: Warning

Hazard statements

Causes eye irritation.
Harmful if swallowed.

Precautionary statements

Wash face, hands and any exposed skin thoroughly after handling.
Do not eat, drink or smoke when using this product.

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
1020000162852/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Rinse mouth.

Dispose of contents/container in accordance with local regulation.

Other hazards

No other hazards known.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous Component Name	CAS-No.	Concentration % by weight
Beta-Cyfluthrin	68359-37-5	10.0
Sodium lignosulphonate	8061-51-6	4.00
Crystalline quartz (respirable)	14808-60-7	3.95

SECTION 4: FIRST AID MEASURES**Description of first aid measures**

General advice	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
Skin contact	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
Eye contact	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim unattended.

Most important symptoms and effects, both acute and delayed

Symptoms To date no symptoms are known.

Indication of any immediate medical attention and special treatment needed

Treatment Appropriate supportive and symptomatic treatment as indicated by the

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
1020000162853/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

patient's condition is recommended. There is no specific antidote.

SECTION 5: FIREFIGHTING MEASURES**Extinguishing media****Suitable** Water, Dry chemical**Unsuitable** None known.**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.**Advice for firefighters****Special protective equipment for fire-fighters** Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.**Further information** Keep out of smoke. Fight fire from upwind position. Do not allow run-off from fire fighting to enter drains or water courses.**Flash point** not applicable**Autoignition temperature** no data available**Lower explosion limit** not applicable**Upper explosion limit** not applicable**Explosivity** no data available**Dust explosion class** no data available

SECTION 6: ACCIDENTAL RELEASE MEASURES**Personal precautions, protective equipment and emergency procedures****Precautions** Avoid dust formation. Do not breathe dust. Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.**Methods and materials for containment and cleaning up****Methods for cleaning up** Sweep up or vacuum up spillage and collect in suitable container for disposal. Clean contaminated floors and objects thoroughly, observing environmental regulations. Contaminated soil may have to be removed and disposed.**Additional advice** Do not allow to enter soil, waterways or waste water canal. Use personal protective equipment.**Reference to other sections** Information regarding safe handling, see section 7.

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
1020000162854/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE**Precautions for safe handling**

Advice on safe handling Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

Hygiene measures Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.
Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Wash thoroughly and put on clean clothing.

Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers Protect from freezing.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Beta-Cyfluthrin	68359-37-5	5ug/m3 (AN ESL)	03 2014	TX ESL
Beta-Cyfluthrin	68359-37-5	50ug/m3 (ST ESL)	03 2014	TX ESL
Beta-Cyfluthrin	68359-37-5	0.01 mg/m3 (TWA)		OES BCS*
Crystalline quartz (respirable) (Respirable fraction.)	14808-60-7	0.025 mg/m3 (TWA)	02 2012	ACGIH
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.05 mg/m3 (REL)	2010	NIOSH
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.1 mg/m3 (TWA)	1989	OSHA Z1A

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
1020000162855/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.1 mg/m3 (TWA)	06 2008	TN OEL
Crystalline quartz (respirable)	14808-60-7	0.27ug/m3 (AN ESL)	03 2014	TX ESL
Crystalline quartz (respirable)	14808-60-7	14ug/m3 (ST ESL)	03 2014	TX ESL
Crystalline quartz (respirable) (Respirable dust.)	14808-60-7	0.1 mg/m3 (TWA PEL)	08 2010	US CA OEL
Crystalline quartz (respirable) (Total dust.)	14808-60-7	0.3 mg/m3 (TWA PEL)	08 2010	US CA OEL
Crystalline quartz (respirable) (Respirable.)	14808-60-7	0.1 mg/m3 (TWA)	2000	Z3
Crystalline quartz (respirable) (Total dust.)	14808-60-7	0.3 mg/m3 (TWA)	2000	Z3
Crystalline quartz (respirable) (Respirable.)	14808-60-7	2.4millions of particles per cubic foot of air (TWA)	2000	Z3
Sodium lignosulphonate	8061-51-6	50ug/m3 (ST ESL)	03 2014	TX ESL
Sodium lignosulphonate	8061-51-6	5ug/m3 (AN ESL)	03 2014	TX ESL

*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

Exposure controls**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

Hand protection

Chemical resistant nitrile rubber gloves

Eye protection

Goggles

Skin and body protection

Wear long-sleeved shirt and long pants and shoes plus socks.

General protective measures

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.
Keep and wash PPE separately from other laundry.



TEMPO® ULTRA WP INSECTICIDE

Version 4.0 / USA
102000016285

6/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	tan
Physical State	powder
Odor	characteristic
Odour Threshold	no data available
pH	no data available
Vapor Pressure	no data available
Vapor Density (Air = 1)	no data available
Bulk density	19 - 26 lb/ft ³
Evaporation rate	not applicable
Boiling Point	not applicable
Melting / Freezing Point	not applicable
Water solubility	no data available
Minimum Ignition Energy	no data available
Decomposition temperature	no data available
Partition coefficient: n-octanol/water	no data available
Viscosity	not applicable
Flash point	not applicable
Autoignition temperature	no data available
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Explosivity	no data available
Dust explosion class	no data available

SECTION 10: STABILITY AND REACTIVITY

Reactivity	
Thermal decomposition	no data available
Chemical stability	Stable under recommended storage conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
1020000162857/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

Conditions to avoid	Exposure to moisture. Heat, flames and sparks.
Incompatible materials	Bases, Methanol
Hazardous decomposition products	No decomposition products expected under normal conditions of use.

SECTION 11: TOXICOLOGICAL INFORMATION**Exposure routes** Eye contact, Skin Absorption, Skin contact, Inhalation, Ingestion**Immediate Effects****Eye** Moderate eye irritation.**Skin** Harmful if absorbed through skin.**Ingestion** Harmful if swallowed.**Inhalation** Harmful if inhaled.**Information on toxicological effects****Acute oral toxicity** LD50 (male rat) 3,084 mg/kg
LD50 (female rat) 1,733 mg/kg**Acute inhalation toxicity** LC50 (rat) > 1.18 mg/l
Exposure time: 4 h
Determined in the form of dust.
LC50 (rat) > 4.72 mg/l
Exposure time: 1 h
Determined in the form of dust.
Extrapolated from the 4 hr LC50.**Acute dermal toxicity** LD50 (rabbit) > 2,000 mg/kg**Skin irritation** Mild skin irritation. (rabbit)**Eye irritation** Mild eye irritation. (rabbit)**Sensitisation** Non-sensitizing. (guinea pig)**Assessment repeated dose toxicity**

The toxic effects of Beta-Cyfluthrin are related to transient hyperactivity typical for pyrethroid neurotoxicity.

Assessment mutagenicity

Beta-Cyfluthrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

Beta-Cyfluthrin was not carcinogenic in lifetime feeding studies in rats and mice.

ACGIH

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
1020000162858/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

Crystalline quartz (respirable)	14808-60-7	Group A2
NTP		
Crystalline quartz (respirable)	14808-60-7	
IARC		
Crystalline quartz (respirable)	14808-60-7	Overall evaluation: 1
OSHA		
None.		

Assessment toxicity to reproduction

Beta-Cyfluthrin caused reproduction toxicity in a two-generation study in rats only at dose levels also toxic to the parent animals. The reproduction toxicity seen with Beta-Cyfluthrin is related to parental toxicity.

Assessment developmental toxicity

Beta-Cyfluthrin caused developmental toxicity only at dose levels toxic to the dams. The developmental effects seen with Beta-Cyfluthrin are related to maternal toxicity.

Further information

Acute toxicity studies have been bridged from a similar formulation(s).
The non-acute information pertains to the active ingredient(s).

SECTION 12: ECOLOGICAL INFORMATION

Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) 0.000068 mg/l Exposure time: 96 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to aquatic invertebrates	EC50 (Daphnia magna (Water flea)) 0.00029 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient beta-cyfluthrin.
Toxicity to aquatic plants	EC50 (Desmodesmus subspicatus (green algae)) > 0.01 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient beta-cyfluthrin. No acute toxicity was observed at its limit of water solubility.
Biodegradability	Beta-Cyfluthrin: not rapidly biodegradable
Koc	Beta-Cyfluthrin: Koc: 508 - 3179
Bioaccumulation	Beta-Cyfluthrin: Bioconcentration factor (BCF) 506 Does not bioaccumulate.
Mobility in soil	Beta-Cyfluthrin: Immobile in soil
Environmental precautions	Do not apply directly to water, to areas where surface water is present



TEMPO® ULTRA WP INSECTICIDE

Version 4.0 / USA
102000016285

9/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

or to intertidal areas below the mean high water mark.
Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.
Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water.
Apply this product as specified on the label.
Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting the treatment area.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product	Dispose in accordance with all local, state/provincial and federal regulations. Follow advice on product label and/or leaflet.
Contaminated packaging	Do not re-use empty containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
RCRA Information	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

SECTION 14: TRANSPORT INFORMATION

49CFR	Not dangerous goods / not hazardous material
IMDG	
UN number	3077
Class	9
Packaging group	III
Marine pollutant	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (BETA-CYFLUTHRIN MIXTURE)
IATA	
UN number	3077
Class	9
Packaging group	III
Environm. Hazardous Mark	YES
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.



TEMPO® ULTRA WP INSECTICIDE

Version 4.0 / USA
102000016285

10/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

(BETA-CYFLUTHRIN MIXTURE)

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN POISON

SECTION 15: REGULATORY INFORMATION

EPA Registration No. 432-1304

US Federal Regulations

TSCA list

Sodium lignosulphonate 8061-51-6

Crystalline quartz (respirable) 14808-60-7

US. Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)

None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Beta-Cyfluthrin 68359-37-5

US States Regulatory Reporting

CA Prop65

This product contains a chemical known to the State of California to cause cancer.

Crystalline quartz (respirable) 14808-60-7

This product does not contain any substances known to the State of California to cause reproductive harm.

US State Right-To-Know Ingredients

Beta-Cyfluthrin 68359-37-5 NJ, RI

Crystalline quartz (respirable) 14808-60-7 MN

Canadian Regulations

Canadian Domestic Substance List

None.

Environmental

CERCLA

None.

Clean Water Section 307 Priority Pollutants

None.

Safe Drinking Water Act Maximum Contaminant Levels

None.

EPA/FIFRA Information:

**TEMPO® ULTRA WP INSECTICIDE**Version 4.0 / USA
10200001628511/11
Revision Date: 10/06/2015
Print Date: 10/07/2015

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

Signal word: Caution!

Hazard statements: Moderate eye irritation.
Harmful if swallowed, inhaled or absorbed through the skin.
Do not get in eyes, on skin, or on clothing.
Avoid breathing dust or spray mist.

SECTION 16: OTHER INFORMATION**Abbreviations and acronyms**

49CFR	Code of Federal Regulations, Title 49
ACGIH	US. ACGIH Threshold Limit Values
CAS-Nr.	Chemical Abstracts Service number
EINECS	European inventory of existing commercial substances
ELINCS	European list of notified chemical substances
IARC	US. IARC Monographs on Occupational Exposures to Chemical Agents
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
N.O.S.	Not otherwise specified
NTP	US. National Toxicology Program (NTP) Report on Carcinogens
OECD	Organization for Economic Co-operation and Development
TDG	Transportation of Dangerous Goods
TWA	Time weighted average
UN	United Nations
WHO	World health organisation

NFPA 704 (National Fire Protection Association):

Health - 2 Flammability - 1 Instability - 1 Others - none

HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)

Health - 1 Flammability - 1 Physical Hazard - 1 PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard

Reason for Revision: The following sections have been revised: Section 15: Regulatory information.**Revision Date:** 10/06/2015

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.