

# SAFETY DATA SHEET

## CB-80 Insecticide

**SDS # :** 6545-A  
**Revision date:** 2015-04-13  
**Format:** NA  
**Version** 1.01



### 1. PRODUCT AND COMPANY IDENTIFICATION

#### Product Identifier

**Product Name** CB-80 Insecticide

#### Other means of identification

**Product Code(s)** 6545-A

**Synonyms** Pyrethrins and Pyrethroids, Pyrethrum PIPERONYL BUTOXIDE:  
Butylcarbityl(6-propylpiperonyl) ether, 1,3-Benzodioxole,  
5-[[2-(2-butoxyethoxy)ethoxy]methyl]-6-propyl-

**Active Ingredient(s)** Piperonyl Butoxide, Pyrethrins

#### Recommended use of the chemical and restrictions on use

**Recommended Use:** Insecticide

**Restrictions on Use:** Use as recommended by the label

#### Manufacturer Address

FMC Corporation  
1735 Market Street  
Philadelphia, PA 19103  
(215) 299-6000 (General Information)  
msdsinfo@fmc.com (E-Mail General Information)

#### Emergency telephone number

For leak, fire, spill or accident emergencies, call:  
1 800 / 424 9300 (CHEMTREC - U.S.A.)  
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)  
Medical Emergencies:  
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)  
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

### 2. HAZARDS IDENTIFICATION

#### Classification

#### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Serious eye damage/eye irritation	Category 2
Skin sensitization	Category 1
Specific target organ toxicity (single exposure)	Category 3
Aspiration toxicity	Category 1
Flammable Aerosols	Category 2

**GHS Label elements, including precautionary statements****EMERGENCY OVERVIEW****Danger****Hazard Statements**

H304 - May be fatal if swallowed and enters airways  
 H313 - May be harmful in contact with skin  
 H317 - May cause an allergic skin reaction  
 H319 - Causes serious eye irritation  
 H332 - Harmful if inhaled  
 H335 - May cause respiratory irritation  
 H336 - May cause drowsiness or dizziness

**Precautionary Statements - Prevention**

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray  
 P264 - Wash face, hands and any exposed skin thoroughly after handling  
 P272 - Contaminated work clothing should not be allowed out of the workplace  
 P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking  
 P211 - Do not spray on an open flame or other ignition source  
 P251 - Do not pierce or burn, even after use  
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
 P337 + P313 - If eye irritation persists: Get medical advice/ attention  
 P302 + P352 - IF ON SKIN: Wash with plenty of water and soap  
 P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention  
 P363 - Wash contaminated clothing before reuse  
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing  
 P312 - Call a POISON CENTER or doctor if you feel unwell  
 P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor  
 P331 - Do NOT induce vomiting

**Precautionary Statements - Storage**

P405 - Store locked up  
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed  
 P410 + P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F

**Precautionary Statements - Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

**Hazards not otherwise classified (HNOC)**

No hazards not otherwise classified were identified.

**Other Information**

May be harmful if swallowed  
 Harmful to aquatic life with long lasting effects

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS-No	Weight %
Piperonyl butoxide	51-03-6	4
Pyrethrins	8003-34-7	0.5

1,1-Difluoroethane	75-37-6	65-75
Isopropanol	67-63-0	10-15
Petroleum distillates, hydrotreated light	64742-47-8	5-15

Synonyms are provided in Section 1.

**4. FIRST AID MEASURES**

<b>Eye Contact</b>	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
<b>Skin Contact</b>	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
<b>Ingestion</b>	Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person.
<b>Most important symptoms and effects, both acute and delayed</b>	Central nervous system effects.
<b>Indication of immediate medical attention and special treatment needed, if necessary</b>	Treat symptomatically. Contains petroleum distillate. May pose an aspiration pneumonia hazard.

**5. FIRE-FIGHTING MEASURES**

<b>Suitable Extinguishing Media</b>	Foam. Carbon dioxide (CO <sub>2</sub> ). Dry chemical. Water spray.
<b>Specific Hazards Arising from the Chemical</b>	Contents under pressure.
<b>Explosion data</b>	
<b>Sensitivity to Mechanical Impact</b>	Not sensitive.
<b>Sensitivity to Static Discharge</b>	Not sensitive.
<b>Protective equipment and precautions for firefighters</b>	Isolate fire area. Evaluate downwind. In the event of fire, wear self contained breathing apparatus.

**6. ACCIDENTAL RELEASE MEASURES**

<b>Personal Precautions</b>	Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment.
<b>Other</b>	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
<b>Environmental Precautions</b>	See Section 12 for additional Ecological Information.
<b>Methods for Containment</b>	Prevent further leakage or spillage if safe to do so.
<b>Methods for cleaning up</b>	Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.

**7. HANDLING AND STORAGE**

<b>Handling</b>	Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.
<b>Storage</b>	Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.
<b>Incompatible products</b>	Strong oxidizing agents. Bases. Powdered earth metals.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
Pyrethrins 8003-34-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	IDLH: 5000 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>	Mexico: TWA 5 mg/m <sup>3</sup> Mexico: STEL 10 mg/m <sup>3</sup>
Isopropanol 67-63-0	STEL 400 ppm TWA: 200 ppm	TWA: 400 ppm TWA: 980 mg/m <sup>3</sup>	IDLH: 2000 ppm TWA: 400 ppm TWA: 980 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1225 mg/m <sup>3</sup>	Mexico: TWA 400 ppm Mexico: TWA 980 mg/m <sup>3</sup> Mexico: STEL 500 ppm Mexico: STEL 1225 mg/m <sup>3</sup>
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Pyrethrins 8003-34-7	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
Isopropanol 67-63-0	TWA: 200 ppm STEL: 400 ppm	TWA: 400 ppm TWA: 985 mg/m <sup>3</sup> STEL: 500 ppm STEL: 1230 mg/m <sup>3</sup>	TWA: 200 ppm STEL: 400 ppm	TWA: 200 ppm TWA: 492 mg/m <sup>3</sup> STEL: 400 ppm STEL: 984 mg/m <sup>3</sup>
Petroleum distillates, hydrotreated light 64742-47-8	TWA: 200 mg/m <sup>3</sup> Skin	-	-	-

**Appropriate engineering controls**

<b>Engineering measures</b>	Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.
-----------------------------	--

**Individual protection measures, such as personal protective equipment**

<b>Eye/Face Protection</b>	If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.
----------------------------	--

<b>Skin and Body Protection</b>	Wear long-sleeved shirt, long pants, socks, and shoes.
---------------------------------	--

<b>Hand Protection</b>	Protective gloves
------------------------	-------------------

<b>Respiratory Protection</b>	If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.
-------------------------------	--

<b>Hygiene measures</b>	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
-------------------------	---

**General information**

If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Appearance</b>	yellow, Aerosolized liquid
<b>Physical State</b>	Liquid Aerosol
<b>Color</b>	Yellow
<b>Odor</b>	Pyrethrins
<b>Odor threshold</b>	No information available
<b>pH</b>	No information available
<b>Melting point/freezing point</b>	Not applicable
<b>Boiling Point/Range</b>	No information available
<b>Flash point</b>	14.4 °C / 58 °F (Flame extension 5" - no flashback)
<b>Evaporation Rate</b>	No information available
<b>Flammability (solid, gas)</b>	No information available
<b>Flammability Limit in Air</b>	
<b>Upper flammability limit:</b>	No information available
<b>Lower flammability limit:</b>	No information available
<b>Vapor pressure</b>	No information available
<b>Vapor density</b>	No information available
<b>Density</b>	7.29 lb/gal
<b>Specific gravity</b>	0.8746
<b>Water solubility</b>	No information available
<b>Solubility in other solvents</b>	No information available
<b>Partition coefficient</b>	No information available
<b>Autoignition temperature</b>	No information available
<b>Decomposition temperature</b>	No information available
<b>Viscosity, kinematic</b>	No information available
<b>Viscosity, dynamic</b>	No information available
<b>Explosive properties</b>	No information available
<b>Oxidizing properties</b>	No information available
<b>Molecular weight</b>	No information available
<b>Bulk density</b>	No information available

## 10. STABILITY AND REACTIVITY

<b>Reactivity</b>	None under normal use conditions.
<b>Chemical Stability</b>	Stable under recommended storage conditions.
<b>Possibility of Hazardous Reactions</b>	None under normal processing.
<b>Hazardous polymerization</b>	Hazardous polymerization does not occur.
<b>Conditions to avoid</b>	Keep away from open flames, hot surfaces and sources of ignition.
<b>Incompatible materials</b>	Strong oxidizing agents. Bases. Powdered earth metals.
<b>Hazardous Decomposition Products</b>	Carbon oxides (COx), Hydrogen fluoride, Carbonyl fluoride.

## 11. TOXICOLOGICAL INFORMATION

### Product Information

<b>LD50 Oral</b>	2,370 mg/kg (rat)
<b>LD50 Dermal</b>	> 2000 mg/kg (rabbit)
<b>LC50 Inhalation</b>	2.5 mg/L (rat)
<b>Eye Contact</b>	Slightly or non-irritating (rabbit)
<b>Skin Contact</b>	Slightly or non-irritating (rabbit)

**Sensitization** Sensitizer.

**Information on toxicological effects**

**Symptoms** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Intentional misuse by deliberately concentrating and inhaling contents may be harmful or fatal.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

**Mutagenicity** Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.  
**Carcinogenicity** n-Octyl bicycloheptene dicarboximide was negative in a chromosome aberration assay, Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).  
**Reproductive toxicity** No information available.  
**Developmental toxicity** Isopropanol has been reported to cause teratogenicity in laboratory animals.  
**STOT - single exposure** Not classified.  
**STOT - repeated exposure** Not classified.  
**Target organ effects** Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and multinucleated cells. Kidney damage was also seen.  
**Aspiration hazard** No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Piperonyl butoxide 51-03-6		Group 3		
Isopropanol 67-63-0		Group 3		

**12. ECOLOGICAL INFORMATION**

**Ecotoxicity**

Piperonyl butoxide (51-03-6)				
Active Ingredient(s)	Duration	Species	Value	Units
Piperonyl Butoxide	LC50	Fish	3.94	ppm
	LD50	Bee	25	µg/bee
	LD50	Bobwhite quail	>2250	mg/kg
	LD50	Mallard duck	>5620	ppm

**Persistence and degradability** No information available.

**Bioaccumulation** No information available.

**13. DISPOSAL CONSIDERATIONS**

**Waste disposal methods** Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

**Contaminated Packaging** Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

**14. TRANSPORT INFORMATION**

**DOT**

**CB-80 Insecticide**

**SDS # : 6545-A**  
**Revision date: 2015-04-13**  
**Version 1.01**

**UN/ID no** 17 oz. Container: UN1950  
 13 lb. Cylinder: UN1954  
**Proper Shipping Name** 17 oz. Container: Consumer Commodity  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 17 oz. Container: ORM-D  
 13 lb. Cylinder: 2.1

**TDG**

**UN/ID no** 17 oz. Container: UN1950  
 13 lb. Cylinder: UN1954  
**Proper Shipping Name** 17 oz. Container: Aerosols  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 2.1

**ICAO/IATA**

**UN/ID no** 17 oz. Container: ID8000  
 13 lb. Cylinder: UN 1954  
**Proper Shipping Name** 17 oz. Container: Consumer Commodity  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 17 oz. Container: 9  
 13 lb. Cylinder: 2.1

**IMDG/IMO**

**UN/ID no** 17 oz. Container: UN1950  
 13 lb. Cylinder: UN1954  
**Proper Shipping Name** 17 oz. Container: Aerosols  
 13 lb. Cylinder: Compressed gas, flammable, n.o.s. (1,1-Difluoroethane, Isopropyl alcohol)  
**Hazard class** 2.1

**15. REGULATORY INFORMATION**

**U.S. Federal Regulations**

**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

**SARA 311/312 Hazard Categories**

<b>Acute health hazard</b>	Yes
<b>Chronic health hazard</b>	Yes
<b>Fire hazard</b>	Yes
<b>Sudden release of pressure hazard</b>	No
<b>Reactive Hazard</b>	No

**Clean Water Act**

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Pyrethrins 8003-34-7	1 lb			

**CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Pyrethrins 8003-34-7	1 lb		RQ 1 lb final RQ RQ 0.454 kg final RQ

FIFRA Information

**CB-80 Insecticide**

**SDS # :** 6545-A  
**Revision date:** 2015-04-13  
**Version** 1.01

*This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:*

**CAUTION**

*Contains petroleum distillates. Causes moderate eye irritation. Harmful if swallowed, inhaled, or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.*

**US State Regulations**

**California Proposition 65**

This product does not contain any Proposition 65 chemicals.

**U.S. State Right-to-Know Regulations**

This product does not contain any substances regulated by state right-to-know regulations

**International Inventories**

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Piperonyl butoxide 51-03-6 ( 4 )	X	X	X	X	X	X	X	X
Pyrethrins 8003-34-7 ( 0.5 )		X	X		X	X	X	X
1,1-Difluoroethane 75-37-6 ( 65-75 )	X	X	X	X	X	X	X	X
Isopropanol 67-63-0 ( 10-15 )	X	X	X	X	X	X	X	X
Petroleum distillates, hydrotreated light 64742-47-8 ( 5-15 )	X	X	X	X	X	X	X	X

**Mexico - Grade** Serious risk, Grade 3

**WHMIS Hazard Class**  
 A - Compressed gases  
 B5 - Flammable aerosol  
 D1B - Toxic materials  
 D2B - Toxic materials



**16. OTHER INFORMATION**

<b>NFPA</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 3	<b>Instability</b> 0	<b>Special Hazards</b> -
<b>HMIS</b>	<b>Health Hazards</b> 2	<b>Flammability</b> 3	<b>Physical hazard</b> 0	<b>Personal Protection</b> X

**Revision date:** 2015-04-13  
**Revision note** Format Change



**Disclaimer**

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

**End of Safety Data Sheet**