

16cm

Kills Destructive Lawn Pests:

Pocket Gophers,
Moles,
Ground Squirrels,
Norway Rats**,
Skunks,
Woodchucks*



CONTAINS 6 GASSERS
Contiene 6 cartuchos de gas

ACTIVE INGREDIENTS:
Potassium Nitrate 45.0%
Sulphur 45.0%
Carbon 8.0%
OTHER INGREDIENTS: 2.0%
TOTAL: 100.0%

AMDRO Gopher Gasser

NET CONTENTS SIX 0.75 OZ (21.27 g) GASSERS
TOTAL NET WT. 4.5 OZ (127.6 g)

KEEP OUT OF REACH OF CHILDREN/MANTENER FUERA DEL ALCANCE DE LOS NIÑOS
WARNING/ADVERTENCIA See back panel for additional Precautionary Statements & First Aid
Vea el panel posterior para consultar los avisos de precaución adicionales y primeros auxilios

*Not for use on woodchucks in California/No lo use para marmotas en California.
**Use in North Carolina on Norway rats only/En Carolina del Norte, úselo para ratas noruegas solamente.

2cm

10.8cm

1.5cm

13cm

28cm

16cm

AMDRO Gopher Gasser

KILLS POCKET GOPHERS, GROUND SQUIRRELS, MOLES, SKUNKS, WOODCHUCKS* & NORWAY RATS**

KEEP OUT OF REACH OF CHILDREN WARNING

ACTIVE INGREDIENTS:
Potassium Nitrate 45.0%
Sulphur 45.0%
Carbon 8.0%
OTHER INGREDIENTS: 2.0%
TOTAL: 100.0%

*Not for use on woodchucks in California **Use in North Carolina on Norway rats only.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS
WARNING: Causes eye irritation. Harmful if absorbed through skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. After ignition, cartridge produces toxic gasses. Fumes may be harmful if inhaled.

FIRST AID

If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor immediately for treatment advice.

If inhaled:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.
- Call a poison control center or doctor immediately for further treatment advice.

If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.
- Call a poison control center or doctor immediately for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact 1-800-265-0761 for emergency medical treatment information.

ENVIRONMENTAL HAZARDS
This product is highly toxic to wildlife. Check all burrows for signs of non-target species. If present, do not treat burrows.

ENDANGERED SPECIES CONSIDERATIONS

General Considerations
NOTICE: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. See the Endangered Species section in the Directions For Use section of this labeling. The killing of a member of an endangered species due to the use of gas cartridges may result in a fine and/or imprisonment under the Endangered Species Act. All users of this product must determine whether endangered species are known to occur or might occur in the intended use areas. Consult the nearest U.S. Fish and Wildlife Service regional office or the appropriate State agency for current information on habitats occupied by endangered species.

Specific Considerations
Use this product according to these instructions AND the instructions in the Endangered Species Protection Bulletin (see the "Use Restrictions" found under the "Directions For Use" section) to protect endangered and threatened species.

- Black-Footed Ferret (Mustela nigripes):** To limit risks to the black-footed ferret and to avoid destruction of its prey base, do not use this product within 4.3 miles (7 kilometers) of any prairie dog town unless the colony is an isolated black-tailed prairie dog town less than 80 acres in size or an isolated white-tailed or Gunnison prairie dog town less than 200 acres in size, or unless the town has been appropriately surveyed, using methods acceptable to the U.S. Fish and Wildlife Service, and found not to contain black-footed ferrets and found by the FWS not to be a suitable site for ferret reintroductions.
- Use of this product within the occupied habitats of the organisms listed immediately below is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California state or Federal agencies, or agents of county agricultural offices or university extension offices.
 - Fresh kangaroo rat (Dipodomys nitratoides exilis)** in Fresno, Merced, Kern, Kings, and Madera Counties, California.
 - Giant kangaroo rat (D. ingens)** in Merced, Fresno, Kings, Tulare, Kern, San Luis Obispo, and Santa Barbara Counties, California.
 - Stephen's kangaroo rat (D. stephensi)** in Riverside, San Diego, and San Bernardino Counties, California.
 - Tipton kangaroo rat (D. n. nitratoides)** in Kings, Tulare, Kern, and Fresno Counties, California.
 - Point Arena mountain beaver (Aplodontia rufa nigra)** in Mendocino County, California.
 - San Joaquin kit fox (Vulpes macrotis mutica)** unless authorized by the U.S. Fish and Wildlife Service in Alameda, Contra Costa, Fresno, Kern, Kings, Merced, Monterey, San Benito, San Joaquin, San Luis Obispo, Santa Barbara, Santa Clara, Stanislaus, or Tulare Counties, California.
 - Desert tortoise (Gopherus agassizii)** in Arizona, southern California, southern Nevada, and southern Utah.
- Do not use this product within the occupied habitats of the endangered animals listed immediately below.
 - Moran Bay kangaroo rat (D. heermanni moranensis)** in San Luis Obispo County, California.
 - Coachella Valley fringe-toed lizard (Uma inornata)** in the Coachella Valley area of southern California.
 - Island night lizard (Xantusia riversiana)** on Santa Barbara, San Clemente, and San Nicolas Islands, California.
- Blunt-nosed leopard lizard (Gambelia silus):** Do not use this product within the occupied habitat of the blunt-nosed leopard lizard in Fresno, Kern, Kings, Merced, Monterey, San Benito, San Luis Obispo, Santa Barbara, Santa Clara, and Stanislaus Counties, California, from October 1 to April 15 unless a specific blunt-nosed lizard protection plan for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species from April 15 through September 30 is limited to daylight hours when air temperatures are 77-95°F (20-30°C).
- San Francisco garter snake (Thamnophis sirtalis tetrastriatus):** Do not use this product within the occupied habitat of the San Francisco garter snake in San Mateo, San Francisco, Santa Clara, and Santa Cruz Counties, California from November 1 to March 30 unless a specific San Francisco garter snake protection program for this period is approved by the U.S. Fish and Wildlife Service and fully implemented. Use of this product in occupied habitat of this species under such an approved program or from April 1 through October 31 is limited to qualified individuals who have been trained to distinguish dens and burrows of target species from those of nontarget species. Such individuals may be wildlife biologists, certified applicators, representatives of California State or Federal agencies, or agents of county agricultural offices or university extension offices.
- Eastern Indigo Snake (Drymarchon corais couperi):** Do not use this product within habitat type and locales known to support the Eastern indigo snake throughout Florida and the coastal plain of Georgia.

CHEMICAL HAZARDS
Once ignited by the fuse, this cartridge will burn vigorously until completely spent and is capable of causing severe burns to exposed skin and clothes, and of igniting dry grass, leaves and other combustible materials.

DIRECTIONS FOR USE
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.
USE RESTRICTIONS: FOR OUTDOOR USE ONLY. This product may only be used to control pocket gophers (Thomomys talpoides, Talpoides), moles (Moles), woodchucks* (Marmota), Norway rats** (R. norvegicus), skunks (Mephitis), and ground squirrels (Squirrels) in residential areas including lawns, ornamental and flower gardens, and open fields. Do not use cartridges inside or under buildings, homes, porches, or other structures due to possible fire hazard. Do not use cartridges where vegetation is dry and likely to catch fire. Do not use where use of gas cartridges is prohibited by local ordinances. AMDRO® Gopher Gasser will not control tree squirrels.

Endangered Species: It is a Federal offense to use any pesticide in a manner that results in the death of an endangered species. Use of this product may pose a hazard to endangered species or threatened species. When using this product, you must follow the measures contained in the Endangered Species Protection Bulletin for the area in which you are applying the product. To obtain Bulletins, no more than six months before using this product, consult <http://www.epa.gov/esa> OR CALL 1-844-447-3813. You must use the Bulletin valid for the month in which you will apply the product. Please note: Additional endangered or threatened species obligations are listed under "Endangered Species Considerations" on this label.

When used as directed, the toxic gasses produced will travel through unplugged burrow systems to kill the pests. In order for gas-producing cartridges to be effective on the pest species, a sufficient concentration of gas must be retained in the burrow system over a sufficient period of time. Damp soil tends to retain toxic gasses within a burrow system better than dry soil and, therefore, may enhance the effectiveness of this product. Use under conditions of extremely dry soil and vegetation can decrease product effectiveness and may increase the risk of starting brush fires.

PRIOR TO APPLICATION
Carefully observe areas to be treated. Apply cartridges only to burrow systems or dens currently being used by target species. Do not apply cartridges to burrows or dens known or believed to contain non-target vertebrate animals. Ensure the cartridge will pass easily into opening (carefully check tunnel entry, if necessary); and that enough soil, rocks, sod or other non-combustible material is on hand to close burrows.

For Moles (Talpidae): Identify the main runway for treatment, by looking for fresh conical mounds of dirt. Select the freshest of these, remove plug and dig in the direction of the main runway. If lateral to the mound is plugged, dig past the plug, or probe the ground around the plug until little or no resistance is found to locate the main runway.

For Norway Rats (R. norvegicus):** Use only where burrows are isolated from homes, barns, and other man-made structures. DO NOT USE inside buildings or anywhere that gasses could enter buildings.

For Pocket Gophers (Thomomys, Geomys, Pappogonyx): Burrow systems usually consist of a main burrow 4-20" (10-50cm) below the ground surface and variable numbers of lateral burrows off of the main underground runway. Deeper branches off of the main runway are used as nests and for food caches. Burrow diameter ranges from 2-5" (5-12cm) and varies with the size of species. Locate characteristic fan-shaped soil mounds, which have signs of recent activity (e.g., recently excavated soil) at their plugged entrances. Remove soil plug from center of each burrow entrance. Return the next day to see if the burrow opening has been re-plugged, indicating active use by a pocket gopher. DO NOT treat burrows that remained unplugged. Find the horseshoe-shaped depression on one side of the plugged mound. Locate the main runway by probing the ground 15-18" (38-46cm) from the mound, starting on the same side as the depression. The main runway has been located when friction on the probe is released and it falls into the runway. Using a shovel or trowel, dig down to the main runway, taking care not to block it with soil. Treat all active mounds. One cartridge placed in the end of a runway should be sufficient. One or more additional cartridges must be used if treatment takes place in the middle of runway or if a runway is "T-shaped". Otherwise, there is a 50% chance that the pocket gopher will be on the untreated side of the plugged runway. Within 5 days of treatment, check area for appearance of fresh mounds, which could be the work of survivors or gophers that have moved into the treated area. Retreat all systems with evidence of new pocket gopher activity.

For Ground Squirrels (Sciuridae): Burrow design varies with the species, soil type, habitat, and climate. Burrows may be as much as 9' deep (nearly 3m). Burrow diameter varies with the body size of the species (and other factors) and may range from 2-10" (2-25cm). It is preferable to treat ground squirrel burrows during the spring breeding season. Observe the area in early morning before treating burrows to confirm that ground squirrels are actively using the site. DO NOT treat unoccupied burrows. DO NOT treat burrows with evidence that a snake or weasel has entered in pursuit of prey. Within 5 days of treatment, check area for appearance of live ground squirrels or opened burrow systems which could be the work of survivors or squirrels that have moved into the treated area. Retreat all systems with evidence of residual activity.

For Skunks (Mephitidae): Locate all entrances to den. Do not treat dens under inhabited structures or buildings where toxic gasses could reach humans, pets, or domestic animals including livestock.

For Woodchucks* (Marmotae): Locate all burrow entrances. Select one for use and close all other entrances with rock and dirt.

APPLICATION

- Read and follow "Prior to Application" label directions for specific pest to be controlled.
- Have sufficient non-combustible materials close at hand to close treated burrows.
- Position yourself so that you can hold AMDRO® Gopher Gasser cartridge away from your body.
- Lightly tip of fuse with a match or lighter with a small flame.
- Note: Never light the cartridge directly, or within 2 inches of face, nor hold a burning cartridge in your hand. The minimum fuse burn time is 5 seconds when it is lit at the tip. DO NOT INHALE TOXIC FUMES.
- Working quickly, insert the lit cartridge. Use end first, into one side of the open runway, burrow or den.
- Immediately close the opening with non-combustible material. Tamp lightly to prevent gasses from escaping. Immediately cover all openings from which gas escape is visible.

For larger listed animals, or for longer or multiple runways, use more than one cartridge. Proceed to the next runway, burrow or den entrance and treat as above.

STORAGE AND DISPOSAL
Do not contaminate water, food or feed by storage or disposal.
Pesticide Storage: Store only in original container, in a dry place inaccessible to children and pets.
Pesticide Disposal & Container Handling: Nonrefillable container. Do not reuse or refill this container.
If empty: Place in trash or offer for recycling if available. If partly filled: Do not dispose of unused cartridges, soak in water, crush, and bury in at least 6" of loose soil. Never place unused product down any indoor or outdoor drain.

*Not for use on woodchucks in California
**Use in North Carolina on Norway rats only

NOTICE: To the extent consistent with applicable law, seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. To the extent consistent with applicable law, buyer assumes all risk of use and/or handling of this product when such use and/or handling is contrary to label instructions.

For more information, please visit our website at www.amdro.com
Amdro, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

Manufactured for AMBRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
EPA Reg. No. 25342-8, EPA Est. 088733-CNN-001
1-800-365-0761
gardendivision@central.com
www.amdro.com
Made in China

AM487V4 100525532 - 12/16

8 13576 00860 4

approval sign-off: date: _____

colors: CMYK SPOT COLORS PMS # 000 PMS # 000

client: **AMDRO**

date submitted: **XX/XX/16**

version date: **12/20/16**

requested finish: **XX/XX/16**

file name: **AM487 - AMDRO Gopher Gasser**

version #: **4**

requester: **KD**

designer: **SHAK**

CONTROLS

NEW REVISIONS OTHER

This color print is for content and matching only.
Use Contract Proof for Process-Color positioning.
Use Ink Drawdowns for Spot-Color matching.

CENTRAL Garden & Pet
CENTRAL GARDEN & PET | 4/2/13

2cm

10.8cm

1.5cm

13cm

28cm

1" end for fold



3 1/2"



3/4"



6 5/8"



Gopher Gasser

KILLS POCKET GOPHERS, MOLES AND OTHER LISTED PESTS*

*PARA ELIMINAR TALTUZAS, TOPOS Y OTRAS PLAGAS MENCIONADAS

KEEP OUT OF REACH OF CHILDREN WARNING
IMPORTANT: SEE PRECAUTIONARY STATEMENTS ON BACK OF PACKAGE AND FOLLOW ENTIRE DIRECTIONS FOR USE AND USE RESTRICTIONS ON ENCLOSED INSERT BEFORE USING.

AFTER IGNITION, CARTRIDGE PRODUCES TOXIC GASSES. FUMES MAY BE HARMFUL IF INHALED.
5 SECONDS MINIMUM FUSE BURN TIME WHEN LIT AT TIP

MANTENER FUERA DEL ALCANCE DE LOS NIÑOS ADVERTENCIA
IMPORTANTE: CONSULTE LOS AVISOS DE PRECAUCIÓN EN LA PARTE DE ATRÁS DEL EMPAQUE Y SIGA TODAS LAS INSTRUCCIONES Y RESTRICCIONES DE USO QUE ESTÁN EN EL FOLLETO ADJUNTO ANTES DE USAR EL PRODUCTO.

DESPUÉS DE ENCENDERLO, EL CARTUCHO PRODUCE GASES TÓXICOS. LOS VAPORES PUEDEN SER TÓXICOS SI SE INHALAN.
TIEMPO MÍNIMO DE 5 SEGUNDOS PARA QUE SE QUEME EL FUSIBLE CUANDO SE ENCIENDE EN LA PUNTA.

ACTIVE INGREDIENTS:

Potassium Nitrate	45.0%
Sulphur	45.0%
Carbon	8.0%
OTHER INGREDIENTS:	2.0%
TOTAL:	100.0%

Manufactured for AMBRANDS
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
1-800-265-0761

EPA Reg. No. 73342-B
EPA Est. 088733-CHN-001
Made in China
AM487v4 • 100525332 - 12/16

© 2013, 2016 Central Garden & Pet Company. Amdro is a registered trademark of Central Garden & Pet Company.