

# 0.48% Barricade® on DG<sup>PRO</sup>



Professional Turf™  
Products

## FEATURES & USE TIPS:

- Utilizes Barricade® preemergent herbicide.
- Provides preemergent control of crabgrass and other listed annual grasses and broadleaf weeds.
- Small particle formulation provides more particles per square inch.
- Contains DGPro carrier that “disappears” upon contact with moisture.

## PRODUCT SPECIFICATIONS:

**Active Ingredient:** Prodiamine (0.48%)

## PRODUCT CODE:

**APTDG48BR5.1**

Date: 011409  
Supersedes: 062804  
Label: A8

## PRODUCT CHARACTERISTICS:

### **Product Type:**

Barricade® Herbicide  
on granular carrier

### **Particle Size:**

SGN: 150

### **Net Weight:**

50 lbs.

### **Coverage:**

14,200 sq. ft. @  
medium rate

*Following is a specimen label that may at some point be revised or otherwise become out of date. It is intended as a guide in providing general information regarding the use of this product. Always read and follow the label on the product container.*

The Andersons logo and DG Pro are registered trademarks of The Andersons, Inc.; Professional Turf is a trademark of The Andersons, Inc.; Barricade is a registered trademark of Syngenta Crop Protection

*To order, contact your local  
Andersons Lawn Products  
distributor.*

*For more information, contact  
Andersons at our website:  
[www.andersonslawnproducts.com](http://www.andersonslawnproducts.com)  
or call 1-800-225-2639.*



Fir species\*\* (Balsam, Fraser, Noble, etc.)  
Abelia: Sherwood  
Japanese Maple  
Norway Maple  
Yarrow: King Edward  
Kiwi\*  
Lily-of-the-Nile (African Lily)  
Five-Leaf or Chocolate Vine  
Lady's Leek, Nodding Onion  
Japanese Anemone  
Aquilegia: Red and gold  
Vine Hill Manzanita  
Cape Weed  
Wormwood: Silver Mound, Castle  
Japanese Aucuba  
Barberry  
Aster: Bonny Blue, Purple Dome  
Lady Fern; Fern Lady  
Fibrous Begonia; Hardy Grandis  
Barberry  
Wintergreen Barberry  
Mentor Barberry  
Japanese Barberry  
Warty Barberry  
Snowbank  
Bougainvillea  
Butterfly-Bush (Dwarf Blue); Royal Red  
Japanese Boxwood  
Crimson Bottlebrush  
Weeping Bottlebrush  
Scotch Heather  
Tussock Bellflower; (White Clips)  
Trumpet Creeper, Trumpet Flower; Madame Galen  
Hottentot Fig (Ice Plant)  
Feathery Cassia  
Wild Lilac  
False Cypress  
Cleyera  
Citrus species\*  
Coreopsis (Calliopsis); Early Sunrise  
Moonbean  
Flowering Dogwood  
American Dogwood  
Pampas Grass  
Cranberry Cotoneaster  
Cotoneaster  
Bearberry Cotoneaster  
Rockspray Cotoneaster  
Hawthorn  
Lucifer  
Italian Cypress  
White Trailing Ice Plant  
Cooperi Pink  
Larkspur; Blue Elf  
Dianthus, Maiden Pinks 'Zing'  
Cheddar Pink  
Hop Bush  
Coneflower, Purple; Magnus  
Silverberry  
Wintercreeper  
Japanese Spindle Tree (Evergreen Euonymus)  
Spreading Euonymus  
Japanese Aralia  
Border Forsythia  
Weeping Forsythia  
Greenstem Forsythia  
Gallaria, Blanket Flower: 'Goblin'  
Gardenia, Cape-Jasmine; Radicans  
Gentian  
Cranesbill  
Gladolius species\*\*  
Baby's Breath  
English Ivy  
Sunrose  
Daylily; Aztec Gold, Stella De Oro, Tender Love  
Coral Bell; Bridget Bloom  
Rose of Sharon\*\*  
Chinese Hibiscus  
Mallow; Disco Belle White  
Hosta, Plantain Lily (Fragrant)  
Hosta, 'Searsucker'  
Bigleaf Hydrangea  
Chinese Holly  
Japanese Holly; Helleri  
American Holly  
Holly  
Yaupon Holly; Schillings  
Sword-Leaved Iris; Jodlesong  
Siberian Iris; Cabernet  
Iris species\*\*  
Winter Jasmine  
Chinese Juniper; Nick's Compact, Parsonii  
Shore Juniper; Blue Pacific  
Parsonii  
Creeping Juniper  
Walnut\*  
Shrimp Plant  
Crape Myrtle  
Crape Myrtle; Tuscarora  
Weeping Lantana  
Lavender; Munstead  
Edleweiss  
Chinese Privet; Variegata  
Amur Privet  
Japanese Privet  
Glossy Privet (Wax-Leaf)

Lily; Jazz  
Big Blue Lillyturf; Turf, Silver Mound, Evergreen Giant  
Liriope, Variegated  
Liriope, Creeping  
Cardinal Flower, Indian Pink  
Japanese Honeysuckle  
Tatarian Honeysuckle  
Burgundy  
Loosestrife; Modern Pink  
Magnolia species\*\*  
Ice Plant  
Crabapple\*  
Yaku Jima, Silberfeder  
Heavenly Bamboo  
Narcissus species\*\*  
Oleander  
Evening Primrose  
Olive\* Mondo Grass  
Osmanthus (False Holly); Gulf Tide  
Trailing African Daisy  
Sourwood  
Tree Peony  
Fountain Grass (Dwarf)  
Avocado\*  
Fraser's Photinia (Redtip)  
Dragonhead; False; Vivid  
Spruce species\*\* (Colorado Blue, Norway, etc.)  
Lily-of-the-Valley Shrub  
Calabrian Pine  
Canary Island Pine  
Slash Pine  
Aleppo Pine  
Austrian Black Pine  
Longleaf Pine  
Monterey Pine  
Japanese Black Pine  
Eastern White Pine  
Scotch Pine  
Loblolly Pine  
Virginia Pine  
Pistachio\*  
Queensland Pittosporum  
Japanese Pittosporum  
Japanese Yew  
English Laurel  
Almond, Apricot, Nectarine,  
Peach, Plum and Prune\*  
Douglas Fir\*\*  
Firethorn Scarlet  
Firethorn  
Firethorn  
Bradford Pear spp.  
Oak, Shumard's Red  
Oak species  
Indian Hawthorn  
Yedda Hawthorn  
Rhododendron (including Azalea)  
'Coral Bells'  
'Delaware Valley White'  
'Flame Creeper'  
'Formosa'  
'Girard Crimson'  
'George I. Tabor'  
'Hino-crimson'  
'PJM'  
'Roseum Elegans'  
Wakeiebisu  
White Gumbo  
Lady Bank's Rose  
Rosemary\*  
Black-Eyed Susan; Goldstrum  
Leatherleaf Fern  
Santolina  
Saxifrage; Purple Dome  
Pincushion Flower  
Stoncrop; Lidakense, Dragon's Blood  
Spirea; Anthony Waterer  
Australian Brushcherry  
Japanese Yew  
Yew  
Germander  
Meadow Rue  
American Arborvitae  
Star Jasmine  
Canada Hemlock  
Tulip species  
Veronica Speedwell; Sunny Border  
Japanese Viburnum  
Sweet Viburnum  
Japanese Snowball  
Canary Island Viburnum  
Arrowwood Viburnum  
Laurustinus  
Cranberry Bush  
Leatherleaf Viburnum  
Greater Periwinkle, Vinca  
Common Periwinkle, Vinca  
Grape\*  
Old Fashioned Weigela  
Spanish Bayonet, Yucca  
Adam's Needle, Yucca

\*Do not use on food producing trees, vines, or plants.  
\*\*Not for use on container grown plants.

#### VEGETATION MANAGEMENT

This product may be applied to soil surfaces for preemergence control of many grass and broadleaf weeds in non-cropland areas on or surrounding:

- Non-crop areas on or surrounding managed rights-of-way for transportation systems and utilities (including roadways, roadsides, railways & equipment yards)
- Facilities including substations, tankfarms, pumping stations, parking and storage areas and ungrazed fencerows

Most effective weed control in ornamentals will be obtained when this product is activated by at least 0.5 inch of rainfall or irrigation, or with shallow (1 to 2 inch) mechanical incorporation, prior to weed seed germination and within 14 days following application.

Apply this product at 3.1 to 7.1 lbs./1,000 sq. ft. (135 to 312 lbs./A) in fall and/or spring. Use higher rate of application for longer control periods. Sequential applications may be made so long as the total amount of product applied does not exceed the maximum annual application rate of 7.1 lbs./1,000 sq. ft. (312 lbs./A).

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in original container away from fertilizer, feed, or food stuffs and separated from other pesticides.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**Container Disposal:** Completely empty container into application equipment. Then dispose of empty bag or box in a sanitary landfill or at an incineration facility; or, if allowed by state and local authorities, by burning locally. If burned, stay out of smoke.

#### IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

#### WARRANTY DISCLAIMER and LIMITATION OF LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

#### LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

#### Manufactured by:

**The Andersons  
Lawn Fertilizer Division, Inc.  
P. O. Box 119, Maumee, OH 43537**

The Andersons logo and DG Pro are registered trademarks of The Andersons, Inc.; Professional Turf is a trademark of The Andersons, Inc.; Barricade is a registered trademark of Syngenta Crop Protection

**Net. Wt. 50 Lbs. (22.68 kg)**

# APTDG48BR5.1

**A8 (APTBLKPBRNB) - Back**