# THE VERY BEST MADE HERE

Here in California, our state-of-the-art facilities enable us to control every step of the manufacturing process, ensuring that the highest quality of premium pavers, walls, outdoor living kits and packaged concrete products are delivered to you.



FOLLOW US











#### basalite.com

605 Industrial Way Dixon, CA 95620 800-776-6690


11888 West Linne Rd. Tracy, CA 95376 800-776-6690

1201 Golden State Blvd. Selma, CA 93662 559-896-0753


©2024 Basalite® Concrete Products. All trademarks ® are registered trademarks. Bayfield® and Brisa® wall systems are manufactured under license from Anchor Wall Systems, Inc. (AWS). "Bayfield", "Brisa" and "Torpedo" are trademarks of AWS. The wall system blocks are covered by the AWS Limited Warranty. For a complete copy, visit your local dealer or see anchorwall.com. Stonewall® II is a registered trademark of WestBlock Systems and a licensed product of WestBlock Development, LLC. Stonewall® II is protected under U.S. Patent D652:153, D652:154, D652:155, D652:531.

Additional Patents pending in the U.S. and Canada. BA502-CA 20,000 5/23/2024









# BUILDING VALUES

For almost 40 years, Basalite\* has worked on growing our business by building relationships. We have created strong bonds with our dealers, masons, architects, engineers and licensed contractors. From working together with the common purpose of installing the finest hardscape products available, we have seen our products placed in settings that range from practical to magical. At Basalite\*, we are committed to being the best in the industry. Our focus now, just as it was when we opened our doors all those years ago, is on service, quality and innovation. Those are the values that have made us the industry leader we are today and the same principles that will guide us far into the future.










#### **CONTENTS**

Grand Island 8' Bar/Grill & Door Kit


Grand Island 4' Bar Kit

INTRODUCTION		WATER FEATURES	
Inspiring Outdoor Spaces	03	Grand Waterfall Kit	7
		Compact Waterfall Kit	7
PAVERS			
Sierra Collection	09	fire pits	
Premier Slab	11	Grand Fire Ring Kit	7
Premier Slate	13	Victorian Fire Ring Kit	7
Premier Smooth	15	StoneWall* II Fire Pit Kit	7
Artisan Slate	17		
Italian Renaissance	19	SEAT WALLS	
Plank Paver	21	Lakeland Seatwall Kit	7
Artisan Cobblestone	23		
Circle Kits	25	PILLARS	
Bullnose	27	24" Pillar Kit	8
Wood Grain	29	20" Pillar Kit	8
Mission	30	20" Pillar with Glass Kit	8
Classic	31		
Universal	32	THE KITCHEN	
		Introduction & Stock Colors	8
PERMEABLE PAVERS		40" Sizzler Grill Cabinet Kit	8
Permeable Mission	33	32" Sizzler Grill Cabinet Kit	8
SF Rima™	35	The Island Cabinet Kit	8
Permeable Plank Paver	36	Side Burner Cabinet Kit	8
		Refrigerator Cabinet Kit	8
WALL SYSTEMS		Prep Center Cabinet Kit	9
StoneWall* II	37	Trash Cabinet Kit	9
StoneWall® II Column Kit	39	Smoker Cabinet Kit	9
Column Cap	40	Corner Cabinet Kit	9
Bayfield® Retaining Wall	41	Two Drawer Cabinet Kit	9
Bayfield® Freestanding Wall	43		
Brisa® Random Retaining Wall	45	ACCESSORIES	
Brisa® Random Freestanding Wall	47	Alliance Gator Products	9
Lakeland Standard and Lakeland II	49		
Estate Wall Ashlar	51	PACKAGED & LANDSCAPE PRODUC	:75
Estate Wall	53	Packaged Products	9
Terrace Wall	55	Bagged Decorative Rock	9
		Stepping Stones	9
ENGINEERED WALLS		Edging	9
Geowall Pro & Max	57	Block	9
Geowall Straight Beveled	59	2.con	,
Seeman straight Bevereu	0,	PATTERNS	
OUTPOOR LIVING KITS		Paver Patterns	9
Introduction & Stock Colors	61	. avo. rationio	,
	٥.	NSTALLATION INSTRUCTIONS	
FIREPLACES		Typical Paver Installation	9
Grand Fireplace Kit & Accessories	63	Permeable Paver Installation	9
Victorian Fireplace Kit & Accessories	65	StoneWall II Installation	9
Compact Fireplace Kit & Accessories	67	Typical Retaining Wall Installation	10
Colonial Fireplace Kit & Accessories	69	Brisa Freestanding Wall Installation	10
·		_	
BARS & GRILLS	74	BUALITY	4.0
Grand Island 8' Bar Kit	71	Pavers vs. Concrete	10
Grand Island 8' Bar/Refrigerator Opening Kit		Quality	10
Grand Island Corner Return Kit	71		
Grand Island Grill Surround Kit	71		

71





























## **SIERRA** COLLECTION

## THE Stay-True™ **DIFFERENCE**

**Pre-Treated Stain Resistant Paver** 















Sq. Ft./Pallet Metric Units U.S. Customary Units Units/Pallet Name Weight 148<sub>mm</sub> W x 148<sub>mm</sub> L x 60<sub>mm</sub> H 5.83" W x 5.83" L x 2.375" H 6x6 7 lbs 6x9 148mm W x 223mm L x 60mm H 148mm W x 298mm L x 60mm H 5.83" W x 11.73" L x 2.375" H 108 223mm W x 298mm L x 60mm H 8.78" W x 11.73" L x 2.375" H 115 298mm W x 298mm L x 60mm H 11.73" W x 11.73" L x 2.375" H 122 12x18 | 298mm W x 448mm L x 60mm H | 11.73" W x 17.64" L x 2.375" H |

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

60% 9x12, 30% 6x9 and 10% 6x6

3 Piece Pattern #1

For additional patterns turn to page 97 and 98 or visit basalite.com















Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
24x24	594mm W x 594mm L x 60mm H	23.5" W x 23.5" L x 2.375" H	106 lbs	32	123

24x24 | 594mm W x 594mm L x 60mm H | 23.5" W x 23.5" L x 2.3/5" H | 106

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

Running Bond Pattern 100% Premier Slab										













Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
	148mm W x 298mm L x 60mm H			96 (6x12), 64 (9x12),	
9x12	223mm W x 298mm L x 60mm H	8.78" W x 11.73" L x 2.375" H	3,378 lbs	32 (12x12) for a full	121.9
12x12	298mm W x 298mm L x 60mm H	11.73" W x 11.73" L x 2.375" H		pallet qty. of 192	
*6x9	148mm W x 223mm L x 60mm H	5.83" W x 8.78" L x 2.375" H	9.4 lbs	280	100
*12x18	298mm W x 448mm L x 60mm H	11.73" W x 17.64" L x 2.375" H	37.5 lbs	64	92

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers. \*6x9 and 12x18 are palletized and sold separately.

3 Piece Combo Pattern 100% Combo Pallet	4 Piece Combo Pattern 73% Combo Pallet and 27% 12x18

























3 Piece
















Name



Make your space unique by using a sailor and soldier patterned border.










....

Rectangl

Mega

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.



Random 1


For additional patterns turn to page 97 and 98 or visit basalite.com.







 $Printed \ colors \ shown \ in \ this \ brochure \ may \ vary \ from \ actual \ product \ colors. \ We \ recommend \ selecting \ colors \ from \ actual \ product \ samples.$ 










Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.








The tumbling process that creates a antique look will cause random chips, scratches and broken corners. Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.





Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
*3x9	73mm W x 223mm L x 100mm H	2.87" W x 8.78" L x 3.94" H	8 lbs	420	75.6
3x12	73mm W x 298mm L x 100mm H	2.87" W x 11.73" L x 3.94" H	12 lbs	336	77.2
*3x18	73mm W x 448mm L x 100mm H	2.87" W x 17.64" L x 3.94" H	16 lbs	168	60

For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers. \*3x9 and 3x18 are special order. Contact your dealer for lead time.

Running Bond 100% 3x12

For additional patterns visit basalite.com.
















Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Square	138mm W x 138mm L x 60mm H	5.43" W x 5.43" L x 2.375" H	6 lbs	512	107
Rectangle	138mm W x 208mm L x 60mm H	5.43" W x 8.19" L x 2.375" H	8 lbs	384	121
Mega	208mm W x 278mm L x 60mm H	8.19" W x 10.94" L x 2.375" H	19 lbs	160	102


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.







POSITANO



















Rectangle

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Center Stone	139mm W x 139mm L x 60mm H	5.47" W x 5.47" L x 2.375" H	4.3 lbs	6 (Center Stone), 8	
	156mm W x 139mm L x 60mm H				Makes one
Large Circle	130mm W x 139mm L x 60mm H	5.11" W x 5.47" L x 2.375" H	4.2 lbs	Circle), 120 (Square),	11 foot circle
Square	139mm W x 139mm L x 60mm H	5.47" W x 5.47" L x 2.375" H	5.5 lbs		
Rectangle	119mm W x 139mm L x 60mm H	4.69" W x 5.47" L x 2.375" H	4.7 lbs	quantity of 448 pieces	
















Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Bullnose	98mm W x 300mm L x 60mm H	3.86" W x 11.81" L x 2.375" H	8 lbs	128	42.5

For design consideration add 1.5mm or .06" to the W and L dimensions.

















## WOOD GRAIN

















Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Wood Grain	148mm W x 448mm L x 60mm H	5.83" W x 17.64" L x 2.375" H	20 lbs	112	80

For design consideration add 1.5mm or .06  $\!\!^{\prime\prime}$  to the W and L dimensions to allow for the spacers.

Running Bond 100% Wood Grain Paver


For additional patterns visit basalite.com.

Missio


Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Mission	98mm W x 198mm L x 60mm H	3.85" W x 7.795" L x 2.375" H	7 lbs	528	113


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers.

45° Herringbone



97 and 98 or visit basalite.com.










PESIGN FEATURE Universal/80 is suitable for

light-duty and commercial vehicular projects.



Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Classic	154mm W x 220mm L x 60mm H	6.06" W x 8.66" L x 2.375" H	7.5 lbs	400	104

Classic 100% Classic



Universal/60 \*Universal/80

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Universal/60	109mm W x 222mm L x 60mm H	4.29" W x 8.74" L x 2.375" H	8 lbs	400	108
Universal/80	109mm W x 222mm L x 80mm H	4.29" W x 8.74" L x 3.125" H	10 lbs	300	81


For design consideration add 1.5mm or .06" to the W and L dimensions to allow for the spacers. \*Universal/80 is special order. Contact your dealer for lead time.

Running Bond




For additional patterns visit basalite.com.





Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
4x8	94mm W x 194mm L x 80mm H	3.70" W x 7.64" L x 3.125" H	5.2lbs	512	82.6
8x8	194mm W x 194mm L x 80mm H	7.64" W x 7.64" L x 3.125" H	16 lbs	216	90

For design consideration add 2.75mm or .11" to the W and L dimensions to allow for the spacers. \*8x8 is special order. Contact your dealer for lead time.













Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
SF Rima	196mm W x 196mm L x 80mm H	7.71" W x 7.71" L x 3.18" H	17 lbs	180	84

For design consideration add 12mm or .47" to the W and L dimensions to allow for the spacers. \*SF Rima is special order. Contact your dealer for lead time.











Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
A	84mm W x 237mm L x 100mm H	3.31" W x 9.33" L x 3.93" H	8 lbs	30 (A), 30 (B),	86.4
B	84mm W x 277mm L x 100mm H	3.31" W x 10.91" L x 3.93" H	9.3 lbs	30 (C), 30 (D),	
C	84mm W x 317mm L x 100mm H	3.31" W x 12.48" L x 3.93" H	10.6 lbs	30 (E), 30 (F),	
D	84mm W x 357mm L x 100mm H	3.31" W x 14.06" L x 3.93" H	12 lbs	30 (G) & 30 (H)	
E	114mm W x 237mm L x 100mm H	4.48" W x 9.33" L x 3.93" H	10.8 lbs	for a full pallet	
F	114mm W x 277mm L x 100mm H	4.48" W x 10.91" L x 3.93" H	12.6 lbs	quantity of	
G	114mm W x 317mm L x 100mm H	4.48" W x 12.48" L x 3.93" H	14.4 lbs	240 pieces	

For design consideration add 9.5mm or .37" to the W and L dimensions to allow for the spacers. \*Permeable Plank is special order. Contact your dealer for lead time.

Random Running Bond







<sup>\*</sup>Torpedo™ 279mm W x 102mm H x 400mm L 11" W x 4" H x 15.75" L 47 lbs







<sup>\*</sup> Palletized and sold separately.
















**COLUMN** 









Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet
6" Rectangle	153mm W x 153mm H x 267mm L	6" W x 6" H x 10.5" L	28 lbs	24 (6"Rectangle) and 24 (15" Rectangle)
15" Rectangle	381mm W x 153mm H x 267mm L	15" W x 6" H x 10.5" L	70 lbs	for a full pallet quantity of 48 pieces

Each column is 21" x 21" square. Kit makes two, 3-foot tall columns.





	Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet
	Small Cap	610mm W x 51mm H x 610mm L	24" W x 2" H x 24" L	106 lbs	12
	Large Cap	762mm W x 51mm H x 762mm L	30" W x 2" H x 30" L	158 lbs	6
-	<u> </u>				

# BAYFIELD® RETAINING WALL



#### DESIGN IDEA

Incorporate planters into your design to add color and texture with flowers and shrubs.






















Units/Pallet	Sq. Ft./Palle
n each size for a vallet quantity of 72 pieces.	36

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large	457mm W x 153mm H x 254mm L	18" W x 6" H x 10" L	59 lbs	24 in each size for a	
Medium	305mm W x 153mm H x 254mm L	12" W x 6" H x 10" L	43 lbs	full pallet quantity of	36
Small	153mm W x 153mm H x 254mm L	6" W x 6" H x 10" L	21 lbs	72 pieces.	
*Column/Corner	457mm W x 153mm H x 229mm L	18" W x 6" H x 9" L	75 lbs	20	
*Cap	203mm W x 76mm H x 330mm L	8" W x 3" H x 13" L	22 lbs	126	78 LF
*Bullnose Cap	98mm W x 60mm H x 300mm L	3.86" W x 2.375" H x 11.81" L	8 lbs	128	43
*Torpedo™	279mm W x 102mm H x 400mm L	11" W x 4" H x 15.75" L	47 lbs	48	63 LF

<sup>\*</sup> Palletized and sold separately.























Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large	457/406mm W x 153mm H x 229mm L	18/16" W x 6" H x 9" L	70 lbs	24 in each size for a	
Medium	305/254mm W x 153mm H x 229mm L	12/10" W x 6" H x 9" L	45 lbs	full pallet quantity of	33
Small	153/102mm W x 153mm H x 229mm L	6/4" W x 6" H x 9" L	20 lbs	72 pieces.	
*Column/Corner	457mm W x 153mm H x 229mm L	18" W x 6" H x 9" L	75 lbs	20	
*Cap	203mm W x 76mm H x 330mm L	8" W x 3" H x 13" L	22 lbs	126	78 LF
*Bullnose Cap	98mm W x 60mm H x 300mm L	3.86" W x 2.375" H x 11.81" L	8 lbs	128	43
*Torpedo™	279mm W x 102mm H x 400mm L	11" W x 4" H x 15.75" L	47 lbs	48	63 LF
•					

<sup>\*</sup> Palletized and sold separately.













Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Large Medium Small	406mm W x 153mm H x 178mm L 254mm W x 153mm H x 178mm L 153mm W x 153mm H x 178mm L	16" W x 6" H x 8" L 10" W x 6" H x 8" L 6" W x 6" H x 8" L	52 lbs 31 lbs 20 lbs	30 (Large), 15 (Medium) & 15 (Small) for a full pallet quantity of 60 pieces.	30
*Column/Corner	406mm W x 153mm H x 178mm L	16.75" W x 6" H x 8" L	75 lbs	20	28
*Cap	178/203mm W x 76mm H x 330mm L	7/8" W x 3" H x 13" L	22 lbs	126	78 LF
*Torpedo™	279mm W x 102mm H x 400mm L	11" W x 4" H x 15.75" L	47 lbs	48	63 LF

<sup>\*</sup> Palletized and sold separately.























Base Block





\*Wall End \*Wall End Cap

U.S. Customary Units Name Metric Units Units/Pallet Sq. Ft./Pallet 60 (Large), 30 (Medium) & Large 406mm W x 153mm H x 102mm L 16" W x 6" H x 5" L 30 (Small) for a full pallet Medium 254mm W x 153mm H x 102mm L 10" W x 6" H x 5" L quantity of 120 pieces. Small 153mm W x 153mm H x 102mm L 6" W x 6" H x 5" L 13 lbs 406mm W x 153mm H x 178mm L \*Column/Corner 16.75" W x 6" H x 8" L 178/203mm W x 76mm H x 330mm L 7"/8" W x 3" H x 13" L 126 78 LF 279mm W x 102mm H x 400mm L 11" W x 4" H x 15.75" L 48 63 LF 184mm W x 76mm H x 305mm L 8" W x 3" H x 13" L 78 LF 10.5" W x 6" H x 8" L 28 LF





<sup>\*</sup> Palletized and sold separately. NOTE: One pallet constructs 30 sq ft of finished Freestanding Wall.















\*Lakeland™ Standard

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Small Medium	102mm W x 102mm H x 203mm L 203mm W x 102mm H x 203mm L	4" W x 4" H x 8" L 8" W x 4" H x 8" L	10 lbs 20 lbs	80 in each size for a full pallet quantity of 160 pieces.	26.4
*Standard	305mm W x 102mm H x 203mm L	12" W x 4" H x 8" L	31 lbs	80	26.4

<sup>\*</sup>Palletized and sold separately.







The tumbling process that creates a antique look will cause random chips, scratches and broken corners.

Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.





Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Left Score	406mm W x 153mm H x 264mm L	16" W x 6" H x 10.375" L	50 lbs	15	
Right Score	406mm W x 153mm H x 264mm L	16" W x 6" H x 10.375" L	50 lbs	15	40
Standard	406mm W x 153mm H x 264mm L	16"W x 6" H x 10.375" L	50 lbs	30	
*Cap	305/203mm W x 76mm H x 254mm L	12/8" W x 3" H x 10" L	24 lbs	112	93 lineal feet
*Bullnose	98mm W x 60mm H x 300mm L	3.86" W x 2.375" H x 11.81" L	8 lbs	128	43

<sup>\*</sup>Palletized and sold separately.









Tri-Plan

\*Cap

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Tri-Plane	406mm W x 153mm H x 264mm L	16" W x 6" H x 10.375" L	50 lbs	60	40
*Cap	305/203mm W x 76mm H x 254mm L	12/8" W x 3" H x 10" L	24 lbs	112	93 LF

<sup>\*</sup>Stock colors for the cap are Tan and Grey.













Tri-Plan


Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Sq. Ft./Pallet
Tri-Plane	295mm W x 103mm H x 229mm L	11.625" W x 4" H x 9" L	22 lbs	100	33






















Max Straight Face





Tri-plane Corner







8" Straight Cap (Straight Face)

DESIGN FEATURE

Geowall™ has two setback positions for near-vertical or battered wall construction.



Classic Corner









(Tri-plane Face)



Tapered Side Cap (Tri-plane Face)

Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet	Face Area/Unit
Pro Straight Face	457mm W x 203mmH x 305mm L	18" W x 8" H x 12" L	105 lbs	45	1 SF
Max Straight Face	457mm W x 203mm H x 546mm L	18" W x 8" H x 21.5" L	105 lbs	30	1 SF
Pro Tri-plane	457mm W x 203mm H x 305mm L	18" W x 8" H x 12" L	75lbs	45	1 SF
Max Tri-plane	457mm W x 203mm H x 546mm L	18" W x 8" H x 21.5" L	95 lbs	30	1 SF
Classic Corner	457mm W x 203mm H x 229mm L	18" W x 8" H x 9" L	60 lbs	50	1 SF
Tri-plane Corner	457mm W x 203mm H x 229mm L	18" W x 8" H x 9" L	60 lbs	50	1 SF
Pins (Included)	12.7 <sub>mm</sub> W x 95 <sub>mm</sub> L	.50" W x x3.75" L	-	-	-
4" Straight Cap (Straight Face)	457mm W x 102mm H x 267mm L	18" W x 4" H x 10.5" L	31 lbs	80	1/2 SF
8" Straight Cap (Straight Face)	457mm W x 203mm H x 267mm L	18" W x 8" H x 10.5" L	75 lbs	50	1 SF
4" Straight Side Cap (Tri-plane Face)	457mm W x 102mm H x 267mm L	18" W x 4" H x 10.5" L	31 lbs	80	1/2 SF
4" Tapered Side Cap (Tri-plane Face)	356/457mm W x 102mm H x 267mm L	14/18" W x 4" H x 10.5" L	31 lbs	80	1/2 SF
8" Straight Side Cap (Tri-plane Face)	457mm W x 203mm H x 267mm L	18" W x 8" H x 10.5" L	75 lbs	50	1 SF
8" Tapered Side Cap (Tri-plane Face)	356/457mm W x 203mm H x 267mm L	14/18" W x 8" H x 10.5" L	75 lbs	50	1 SF

<sup>\*</sup>Please specify how many left or right corners needed when ordering.




















Beveled Cap

Pins





Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.



Necessories<sup>™</sup> Outdoor Living Kits is a collection of affordable, ready-to-assemble outdoor fireplaces, waterfalls, bars, tables fire pits, pillars, seat walls and outdoor kitchens.








# NECESSORIES™ **GRAND FIREPLACE**


#### GRAND FIREPLACE KIT



- 4' stainless stovepipe chimney
- Spark suppressor cap
- FMI Products Tuscan 36" stainless steel, wood-burning insert, log rack and spark curtain.


Name	Metric Units	U.S. Customary Units	Weight	Pallets
Grand Fireplace Kit	1524mm W x 2591mm H x 914mm L	60" W x 102" H x 36" L	9667 lbs	5

#### GRAND FIRETLACE ACCESSORIES - SOLD SEPARATELY





- Available left or right side
- Optional Gas burner/log set



Grand Hearth Kit




Rack and Burner

- 18" match throw
- Natural gas • Part# BXSS18MT-N
- Gas Burning & Log Kit


  18" iron log rack
  Grand Canyon Log Set
  burner, 52,000 max BTU's
  Specify natural gas or
- liquid propane

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Grand Wood Box Kit	1016mm W x 1270/1067mm H x 914mm L	40" W x 50"/42" H x 36" L	4051 lbs	2
Grand Hearth Kit	1524mm W x 254mm H x 508mm L	60" W x 10" H x 20" L	699 lbs	1
Rack and Burner	457mm L	18″ L	-	-
Gas Burning & Log Kit	457mm L	18″ L	-	-

Special Order Custom Color





#### VICTORIAN FIREPLACE KIT




Name	Metric Units	U.S. Customary Units	Weight	Pallets
Victorian Fireplace Kit	1321mm W x 2235mm H x 813mm L	52" W x 88" H x 32" L	4600 lbs	3

#### VICTORIAN FIREPLACE ACCESSORIES - SOLD SEPARATELY







Victorian Hearth Kit



Rack and Burner • 18" match throw

- Natural gas
   Part# BXSS18MT-N



Gas Burning & Log Kit
• 18" iron log rack

- Grand Canyon Log Set 2 burner, 52,000 max BTU's
- Specify natural gas or


Name	Metric Units	U.S. Customary Units	Weight	Pallets
Victorian Wood Box Kit	813mm W x 1067mm H x 813mm L	32" W x 42" H x 32" L	2090 lbs	1
Victorian Hearth Kit	1219mm W x 254mm H x 406mm L	48" W x 10" H x 16" L	699 lbs	1
Rack and Burner	457 <sub>mm</sub> L	18" L	-	-
Gas Burning & Log Kit	457 <sub>mm</sub> L	18" L	-	-

## NECESSORIES™

## COMPACT FIREPLACE





#### COMPACT FIREPLACE KIT




Name	Metric Units	U.S. Customary Units	Weight	Pallets
Compact Fireplace Kit	1016mm W x 1778mm H x 813mm L	40" W x 70" H x 32" L	3725 lbs	2

#### COMPACT FIREPLACE ACCESSORIES - SOLD SEPARATELY







Compact Hearth Kit



Rack and Burner

- 18" match throw
- Natural gas
- Part# BXSS18MT-N




Gas Burning & Log Kit


- 18" iron log rack
- Grand Canyon Log Set • 2 burner, 52,000 max BTU's
- Specify natural gas or liquid propane

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Compact Wood Box Kit	813mm W x 864mm H x 813mm L	32" W x 34" H x 32" L	1655 lbs	1
Compact Hearth Kit	1016mm W x 159mm H x 305mm L	40" W x 6.25" H x 12" L	285 lbs	1
Rack and Burner	457mm L	18" L	-	-
Gas Burning & Log Kit	457mm L	18" L	-	-

### NECESSORIES™ COLONIAL FIREPLACE





#### COLONIAL FIREPLACE KIT




Name	Metric Units	U.S. Customary Units	Weight	Pallets
Colonial Fireplace Kit	1016mm W x 1778mm H x 813mm L	40" W x 70" H x 32" L	3725 lbs	2

#### COLONIAL FIREPLACE ACCESSORIES - SOLD SEPARATELY







Colonial Hearth Kit



Rack and Burner

- 18" match throw
- Natural gas
- Part# BXSS18MT-N



- Gas Burning & Log Kit


  18" iron log rack

  Grand Canyon Log Set

  burner, 52,000 max BTU's
- Specify natural gas or liquid propane


Name	Metric Units	U.S. Customary Units	Weight	Pallets
Colonial Wood Box Kit	813mm W x 864mm H x 813mm L	32" W x 34" H x 32" L	1655 lbs	1
Colonial Hearth Kit	1016mm W x 159mm H x 305mm L	40" W x 6.25" H x 12" L	285 lbs	1
Rack and Burner	457mm L	18" L	-	=.
Gas Burning & Log Kit	457 <sub>mm</sub> L	18" L	-	-

### NECESSORIES™ **GRAND ISLAND BAR**







### GRAND ISLAND BARKITS - EACH KIT SOLD SEPARATELY



Grand 8' Island Bar Kit




Grand Grill Surround Kit • For standing grills, 60" open-




Grand 8' Bar with Grill & Refrigerator Opening Kit
• Summerset Sizzler 32" grill

- Stainless steel double doors




Grand 8' Bar with Grill & Door Kit

- Summerset Sizzler 32" grill
- Stainless steel double doors



Grand Corner Return Kit • Makes L-shaped bar/grill





Grand 4' Bar Kit • Left or right facing

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Grand 8' Island Bar Kit	2337mm W x 965/1168mm H x 914mm L	92" W x 38"/46" H x 36" L	7261 lbs	2
Grand Grill Surround Kit	2337mm W x 965/1168mm H x 914mm L	92" W x 38"/46" H x 36" L	4905 lbs	3
Grand 8' Bar With Grill & Refrigerator Opening Kit	2337mm W x 965/1168mm H x 914mm L	92" W x 38"/46" H x 36" L	7331 lbs	4
Grand 8' Bar With Grill & Door Kit	2337mm W x 965/1168mm H x 914mm L	92" W x 38"/46" H x 36" L	7331 lbs	4
Grand Corner Return Kit	1219mm W x 1168mm H x 1219mm L	48" W x 46" H x 48" L	5130 lbs	2
Grand 4' Bar Kit	1118mm W x 965/1168mm H x 914mm L	44" W x 38"/46" H x 36" L	3770 lbs	2

### NECESSORIES™ WATER FEATURES








### Grand Waterfall Kit

- 1,350 gph mag drive pump48" half-round basin

- 23" stainless steel spillway
  Optional 23" light, blue or white (sold separately)

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Grand Waterfall Kit	2337mm W x 559/813mm H x 1241mm L	92" W x 22/32" H X 47.875" L	3465 lbs	2



- Compact Waterfall

   850 gph mag drive pump

   26" square basin


   11" stainless steel spillway

   Optional 11" light, blue or white (sold separately)

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Compact Waterfall Kit	914/1626mm W x 711mm H X 1016mm L	36/64" W x 28" H X 40" L	1650 lbs	1

# NECESSORIES™ FIRE PIT KITS


### GRAND AND VICTORIAN FIRE PIT KITS - EACH KIT SOLD SEPARATELY





• Interior: 31" diameter

• Heavy gauge, U.S. Park Service quality solid steel insert protects block




Victorian Fire Pit Kit With Ring

Four-piece, heavy gauge, solid steel insert protects block

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Grand Fire Ring Kit	1219mm W x 305mm H	448" W x 12" H	1050 lbs	1
Victorian Fire Pit Kit With Ring	1219mm W x 305mm H x 1219mm L	48" W x 12" H x 48" L	1000 lbs	1

### GRAND AND VICTORIAN ACCESSORIES - SOLD SEPARATELY





- 52" dia., 2.25" thick
- Sold as a full set of 8 pieces
- Silver Creek chiseled edge in limestone
- Approximate weight 31 lbs
- 1 pallet



Grand E-Z Access Spark Screen

- 40" W x 18" H.
- Approximate weight 22 lbs.
- Keeps ash and sparks in, debris outHinged for easy access




Grand Firegear 29" Round Pan With 22" Stainless Steel Burning Spur

Match throw ignition kit



Grand Galvanized Steel Cover

- Keeps children, animals and debris out
- Heavy galvanized steel covers interior
- With or without slot for cooking grate.



Victorian Firegear 32" Square Pan With 22" Stainless Steel Burning Spur

• Match throw ignition kit



Swivel Cooking Grate

- Heavy guage welded steel construction
- ADA compliant
- Removable
- Anti-theft feature
- For use with Grand or Victorian Fire Pits



Fire Pits Log Set (log set only)

- Grand Canyon logs
- For use with Grand or Victorian Fire Pits


75

Special Order Custom Color










Name	Metric Units	U.S. Customary Units	Weight	Units/Pallet
15" Tall Kit Unit F	153/102mm W x 153mm H x 267mm L	6/4" W x 6" H x 10.5" L	21 lbs	58 (Unit F) and 14 (Cap) for a full
15" Kit Cap	305/203mm W x 76mm H x 254mm L	13-5/8" W x 3" H x 12" L	24 lbs	pallet quantity of 72 pieces
21" Kit Unit F	153/102mm W x 153mm H x 267mm L	6/4" W x 6" H x 10.5" L	21 lbs	87 (Unit F) and 14 (Cap) for a full
21" Kit Cap	305/203mm W x 76mm H x 254mm L	13-5/8" W x 3" H x 12" L	24 lbs	pallet quantity of 101 pieces
*Firegear Round Pan	864mm Diameter	34" Diameter	i	-






 $Printed \ colors \ shown \ in \ this \ brochure \ may \ vary \ from \ actual \ product \ colors. \ We \ recommend \ selecting \ colors \ from \ actual \ product \ samples.$ 

# NECESSORIES™ SEATWALLS




### LAKELAND SEATWALL KITS - EACH KIT SOLD SEPARATELY




• Creates a 6' straight wall

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Lakeland Seatwall	1829mm W x 508mm H x 203mm L	72" W x 20" H x 8" L	1060 lbs	1

### LAKELAND SEATWALL - SOLD SEPARATELY





- Straight Seatwall Cap
   Silver Creek limestone top with hand-chiseled edges front and back
- For use with Lakeland Seatwall

- Straight Seatwall End Cap

   Silver Creek limestone top with hand-chiseled edges front, back and side


   For use with Lakeland Seatwall


Name	Metric Units	U.S. Customary Units	Weight
		· · · · · · · · · · · · · · · · · · ·	vveignt
Straight Seatwall Cap	305mm W x 57mm H x 610mm L	12" W x 2.25" H x 24" L	52 lbs
Straight Seatwall End	305mm W x 57mm H x 610mm L	12" W x 2.25" H x 24" L	52 lbs

### PILLAR KITS - EACH KIT SOLD SEPARATELY










• 2.25" H chiseled cap

• 2.25" H chiseled cap



- 20" Pillar with Glass
   8" glass block
   2.25" H chiseled cap
   Lights not included

Name	Metric Units	U.S. Customary Units	Weight	Pallets
20" Pillar	508mm W x 965mm H X 1829mm L	20" W x 38" H x 20" L	1250 lbs	1
24" Pillar	610mm W x 991mm H X 610mm L	24" W x 39" H x 24" L	1655 lbs	1
20" Pillar with Glass	508mm W x 978mm H X 508mm L	20" W x 38.5" H x 20" L	1140 lbs	1



A collection of granite-topped cabinets for backyard baking, grilling, dining and entertaining. Elegant, functional and affordable, these quality components and cabinets come with everything you need and are ready to assemble in any configuration you can imagine.












Printed colors shown in this brochure may vary from actual product colors. We recommend selecting colors from actual product samples.



### 40" SIZZLER GRILL CABINET KIT




- 5 main burners
- 985 sq. in. cooking surface
- #443 stainless steel construction
- Push-to-turn knob ignition, 3" temp guage
  14,000 BTU #304 stainless steel burners
- 12,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
- Easy-clean briquette system for even heat
- 30" double stainless doors
- Choice of granite and block color

Optional 40" Deluxe Rotisserie - sold separately

Name	Metric Units	U.S. Customary Units	Weight	Pallets
40" Sizzler Grill Cabinet	1829mm W x 762mm H x 508mm L	56" W x 37" H x 28" L	2980 lbs	2

### 32" SIZZLER GRILL CABINET KIT




- 4 main burners
- 795 sq. in. cooking surface
- #443 stainless steel construction
- Push-to-turn knob ignition, 3" temp guage 14,000 BTU #304 stainless steel burners
  12,000 BTU infrared back burner
- Natural gas or propane fuel
- Double-lined hood assures optimal airflow
- 8mm cooking grates won't warp or rust
   Easy-clean briquette system for even heat
- 30" double stainless doors
- Choice of granite and block color

Optional 32" Deluxe Rotisserie - sold separately

Name	Metric Units	U.S. Customary Units	Weight	Pallets
32" Sizzler Grill Cabinet	1219mm W x 762mm H x 508mm L	48" W x 37" H x 28" L	2625 lbs	2








- Granite top measures 90" x 45" Two easy-glide stainless steel drawers and
- Available with or without 15" Stainless Steel Sink
- Choice of granite and block color

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Island Cabinet Kit	1651mm W x 940mm H x 825.5mm L	65" W x 37" H x 32.5" L	4410 lbs	3




- #304 stainless steel construction
- Push-to-turn knob ignition
- Easy-glide, enclosed stainless steel drawers
- 24,000 BTU solid brass burners
- 19.5" x 10.5" cooking surface
- Protective stainless steel cover
- Choice of granite and block color

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Side Burner Cabinet Kit	813mm W x 940mm H x 711mm L	32" W x 37" H x 28" L	1995 lbs	1

## THE KITCHEN™ REFRIGERATOR CABINET








- 24"W x 24"D x 36"H opening
- Choice of granite and block color

Refrigerator - Sold Separately

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Refrigerator Cabinet Kit	813mm W x 940mm H x 711mm L	32" W x 37" H x 28" L	1125 lbs	1
Refrigerator	610mm W x 914mm H x 610mm L	24" W x 36" H x 24" L	155 lbs	1



- Two easy-glide stainless steel drawers and magnetic close door
- Choice of granite and block color


Drop In Sink - Sold Separately

- 15" L x 15" W x 6" D basin stainless sink
- Double handle valve stainless faucet
- Stopper/strainer

Name	Metric Units	U.S. Customary Units	Weight	Pallets
The Prep Center Cabinet Kit	1219mm W x 940mm H x 711mm L	48" W x 37" H x 28" L	2385 lbs	2


# THE KITCHEN™ **SMOKER & CABINETS**

### SMOKER, TRASH, CORNER AND TWO PRAWER CABINET KITS - EACH KIT SOLD SEPARATELY






- #304 stainless steel construction
- Easy-glide drawer accommodates 12 gal. trash can
  Choice of granite and block color




- Smoker Cabinet Kit
   24" W x 24" D opening
- Ideal for your smokerChoice of granite and block color

Green Egg - Sold Separately



- Corner Cabinet Kit
   Creates L-shaped kitchen designs
- Choice of granite and block color



- Two Drawer Cabinet Kit
   Easy-glide, enclosed stainless steel drawers
- Choice of granite and block color

Name	Metric Units	U.S. Customary Units	Weight	Pallets
Trash Cabinet Kit	711mm W x 940mm H x 711mm L	28" W x 37" H x 28" L	2385 lbs	1
Smoker Cabinet Kit	1016mm W x 940mm H x 711mm L	40" W x 37" H x 28" L	2310 lbs	1
Corner Cabinet Kit	711mm W x 940mm H x 711mm L	28" W x 37" H x 28" L	2025 lbs	1
Two Drawer Cabinet Kit	813mm W x 940mm H x 711mm L	32" W x 37" H x 28" L	2205 lbs	1



### GATOR MAXX G2

For residential or commercial applications. This new generation of intelligent polymers neutralizes haze and dust. No blower is needed and the intelligent polymeric sand requires only one watering.

Available in Beige, Slate Grey, Ivory (special order) and Black Diamond (special order).



### SUPERSAND G2

For residential applications. This new generation of intelligent polymers neutralizes haze and dust. No blower is needed and the intelligent polymeric sand requires only one watering. Supersand G2 is recommended for a variety of uses including pool decks, patios, footpaths, driveways, parking spaces, pavements, etc. Available in Beige and Slate Grey.



### GATOR DUST POLYMERIC STONE DUST

For natural stone joints 1/2" to 6". It's ideal for pedestrian patios, walkways, pool decks and many more scenarios. Available in Beige or Grey.



### **GATOR NITRO SAND**

Gator Nitro Sand is the ideal air cure, permeable jointing material. It is a ready-to-use mixture of calibrated sand and proprietary resin formula which cures when exposed to air, hardening from top to bottom of the joint. The product can be installed in wet or dry weather. Available in Black, Beige, Silver or Grey.




### **GATOR BASE**

Gator Base replaces concrete foundations and is engineered to replace 6" of crushed stone. The interlocking panels distribute all dynamic and static loads to a very wide area, practically eliminating any pressure on the ground.



### GATOR BLOCK XP XTRA POLYURETHANE ADHESIVE

XP XTRA performance polyurethane adhesive, low VOC is one of the strongest polyurethane adhesives on the market. It is specially formulated for overlays, pool copings, steps and wall caps, concrete pavers, wet cast, natural stones, retaining



### **GATOR EDGE FLEX AND RIGID**

Made with 100% Polypropylene Copolymer giving this edging great strength and flexibility. Both the Rigid and Flex can be locked together with the "Twist & Lock" connection system. The Rigid could be transformed in a partial Flex by cutting the bridge support.



### GATOR TILE EDGE

Gator Tile Edge is the fully customizable solution to run around the perimeter of your finished porcelain tile installation, providing stability and strong lateral support. Made with 100 % polyethylene.



### **GATOR BASE SCREWS**

Fastening Gator Edge with the Gator Base Screws through the Gator Base reinforces the outside perimeter, creating a strong lateral support. Gator Base Screws are a required component on any Gator Base install.



### **GATOR NAILS**

Alliance Gator Nails are high quality 10" common models. Gator Nails are designed for use with all Gator Edge types.



### GATOR ROCK BOND LIQUID BINDING AGENT

Gator Rock Bond is a one component binder, that when mixed with clean and dry riverstone, granite, limestone or marble creates a durable yet solid permeable and decorative surface. Great for garden pathways where erosion and drainage is a concern.



### **GATOR ROCK AND BINDER KIT**

Gator Rock Bond is a one component binder, that when mixed with riverstone creates a durable yet solid permeable and decorative surface. Great for garden pathways where erosion and drainage is a concern. Kits comes with Liquid Binding agent (473ml) and Riverstone (18 kg / 40 lb).



### GATOR STONE BOND LIQUID STONE STABILIZER

Gator Stone Bond liquid stone stabilizer is a unique blend of polymers designed to bind together a wide variety of small aggregates commonly referred to as decomposed granites (dg): pathway mixes, crusher runs, concrete sand, etc.



### **GATOR FABRIC GF4.4 NON-WOVEN**

Gator Fabric GF 4.4 Non-Woven geotextile is ideal for drainage and filtration allowing water to flow. Use for staircase, patios, walkways, driveways and retaining wall applications. It is non-biodegradable and resistant to most soil chemicals.



### **GATOR FABRIC GF5 WOVEN FABRIC**

Gator Fabric GF5 is a woven geotextile made from polypropylene yarns. Use for driveways, parking lots, poor soil foundation reinforcement, (clay soils), retaining walls and permeable paver applications. It is inert to biological degradation and resistant to naturally occurring chemicals, alkali and acid.



### **GATOR FABRIC GF20**

Gator Fabric GF20 polyspun is an excellent geotextile that protects against the growth of weeds. It is specially formulated to resist deterioration due to exposure to ultraviolet light and is inert to commonly encountered soil chemicals. GF 20 will not rot or mildew, and is non-biodegradable. Comes with a 20-year warranty.



### GATOR CLEAN SHAMPOO

Gator Clean Shampoo removes ground-in dirt from the surface of concrete pavers, wet cast products and natural stones. It will make the pavers, patio slabs, walls & natural stones look clean and vibrant.



### **GATOR CLEAN EFFLORESCENCE CLEANER**

Gator Efflorescence Cleaner will remove any efflorescence stains trapped in the concrete pavers, wet cast products and natural stone pores. It makes the surface look clean and vibrant without discoloring or damaging the surface.



### **GATOR SPACER (3 JOINT SIZES)**

Provides uniform spacing, alignment with horizontal and vertical stability to porcelain tile installations. Spacers can be cut into half or quarter-units (using a utility knife) and used along the edge of a building or Gator Tile Edge. Available in 3 joint sizes: Black - 1/4" (6.4 mm), Grey - 3/16 (4.8 mm) and Blue - 1/8" (3.2 mm). 50 units per pack.

GARDEN

### PACKAGED PRODUCTS



### **SAKRETE HIGH STRENGTH**

Coverage	Bag Weight
.45 ft³ at 2" deep	60 lbs
.60 ft³ at 2" deep	80 lbs

SAKRETE MULTI PURPOSE SAND





SETTING CONCRETE MI



### SAKRETE FENCE POST

Coverage	Bag Weight
.38 ft <sup>3</sup>	50 lbs
1.4 ft <sup>3</sup>	100 lbs



### BASALITE PORTLAND TYPE II-V

Coverage	Bag Weight
Varies	47 & 94 lbs



### SAKRETE LEVELING SAND

Coverage	Bag Weight	Coverage	Bag Weigh
6 ft² at 1" Deep	60 lbs	9 bags cover	50 lbs
	00.00	50 ft² at 1" deep	50 lbs



SAKRETE PAVER BASE

Coverage	Bag Weight
9 bags cover 50 ft² at 1" deep	50 lbs



RIVERSIDE PLASTIC CEMENT

Coverage	Bag Weight	
Varies	47 lbs	



SAKRETE PLAY SAND

Coverage	Bag Weight
7 ft² at 1" Deep	60 lbs



SAKRETE ALL PURPOSE SAND

Coverage	Bag Weight
6 ft² at 1" Deep	60 lbs



SAKRETE ALL PURPOSE GRAVEL

Coverage	Bag Weight
3 ft² at 2" Deep	60 lbs



Coverage	Bag Weight
Varies	50 & 100lbs



### SAKRETE MORTAR TYPE S

Coverage	Bag Weight
9, 8" Blocks with 1/4" to 1/2" joints	60 lbs
12, 8"Blocks with 1/4" to 1/2" joints	80 lbs



### SAKRETE STONE VENEER MORTAR

Coverage	Bag Weight
13 ft³ at 3/8" to 1/2" deep	80 lbs



BASALITE 12, 16, 20, 30 & 60 MESH SAND

### BAGGED DECORATIVE ROCK



**MEXICAN BEACH** Rock Size: 1-2 inch



RIVER PEBBLES Rock Size: 1-2 inch



POND PEBBLES Rock Size: 1.5 inch



MOUNTAIN GRANITE Rock Size: .5 inch



MARBLE CHIPS Rock Size: 2-4 inch



RED LAVA, LARGE Rock Size: 1.5 inch



**BLACK LAVA** Rock Size: .75 inch

### STEPPING STONES



**16" BRICK PATTERN** 



16" SQUARE COBBLE



16" SARATOGA



2" OR 16" ROUND Exposed Aggregate



12" OR 16" SQUARE Exposed Aggregate

### EDGING



12" EDGE Grey or Tan



17" BRICKFACE EDGING



16" SCALLOPS



BENDA BOARD Teak and other colors available



UTILITY



**CONCRETE BRICK** Grey, Red or Antique



**FIRE BRICK** Full: 4.5 x 2.5 x 9 or Split: 4.5 x 1.25 x 9



**PARK BUMPER** 36" or 48"





SPLASH BLOCK 18" or 30"

### SIERRA COLLECTION


60% 9x12, 30% 6x9 and 10% 6x6

3 Piece Pattern #1







3 Piece Pattern #3





6 Piece Pattern #1




3 Piece Pattern #4











SIERRA COLLECTION













60% 12x18, 20% 12x12 and 20% 6x12

3 Piece Pattern #10









Random 1

ARTISAN SLATE/ARTISAN COBBLE/ITALIAN RENAISSANCE




Random Cobble



\*Instructions and illustrations shown are a basic overview of paver and wall installation methods. Because installation methods vary per product, please refer to the Basalite product specific installation guide, the Standard ICPI installation method, ICPI.org or visit www.basalite.com.


### \*TYPICAL PAVER INSTALLATION

- 1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area which has been cleared. Backfill and level with dense graded aggregate suitable for base material (typically 4"-6" for pedestrian and 6"-10" for driveway applications), or as otherwise directed by site engineer/architect/landscape architect.
- 2. Install edge restraint using concrete curb, concrete toe or edging.
- 3. Place bedding course of sharp, normal-weight screening or concrete sand to a uniform depth of approximately 1" leveled to grade.
- 4. Install Basalite Pavers hand tight with joints approximately 1/8". Where required, cut stones with an approved cutter to fit accurately.
- 5. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.
- 6. Fill voids in joints by sweeping dry, fine, sharp sand over pavers.




### \*PERMEABLE PAVER INSTALLATION

- 1. Excavate unsuitable, unstable or unconsolidated subgrade material and compact the area in accordance to ICPI guidelines. Backfill and level Sub-base with No. 2 aggregate 2-1/2" crushed. Backfill and level base layer with No. 57 aggregate 3/4" crushed. The joint material and the foundation (paver bed, subbase, subgrade) must be permeable. 60mm thick pavers may be used in pedestrian applications.
- 2. Install edge restraint using concrete curb, concrete toe or edging.
- 3. Place bedding course of No. 8 aggregate  $3/8^{\prime\prime}$  leveled to grade.
- 4. Install Pavers in closed assembly with spacer on stone for water drainage. Fill joints with gravel. Where required, cut stones with an approved cutter to fit accurately.
- 5. Tamp pavers with mechanical vibrator, uniformly level, true to grade and free of movement. Textured pavers require a rubber pad for the vibrator to reduce scuffing.
- 6. Fill voids in joints by sweeping dry ASTM No. 8, 89 or 9 stones.




### \*STONEWALL II INSTALLATION



A. Prepare Base Leveling Pad Excavate trench 20" wide and 12" deep along the length of wall, assuring depth provides proper unit embedment. On sloped sites, step up 6"

to change elevation. Place 6" of 3/4"-1/2" crushed aggregate in the trench. Level, then compact to 95% or greater of standard proctor.



B. Set & Align Base Course Starting at lowest elevation, ideally a corner, place and level the block using a string line and 2' level. Follow the suggested patterns as shown, or create your

own. Make sure the recess next to the center core is placed top up. Place alignment plugs into the center core following the guidelines below. Lay out the entire bottom course before proceeding to the next courses. Place perforated drain pipe onto leveling pad, behind base course (retaining wall) then backfill, 12" deep, to top of wall with crushed aggregate. Stack additional courses altering the pattern course to course.

\*Bayfield and Brisa Retaining Wall Systems can be used for gravity walls up to 3 feet high, including buried course, but excluding the cap. Taller walls can be built with the Retaining Wall System using geosynthetic reinforcement when designed by a qualified engineer. Height assumes level backfill and clean, compacted sand or gravel and no surcharge. Bayfield\* and Brisa\* Freestanding Wall Systems can be used for walls up to 3 feet high, including buried course, but excluding the cap.


### \*TYPICAL RETAINING WALL INSTALLATION



### A. Prepare Base Leveling Pad

Excavate for the leveling pad. The trench should be at least 12 inches wider than the block you are installing and 6 inches deeper than the height of the block. Use a compactible base material of 3/4-inch minus (with fines) for the leveling pad. The pad must extend at least 6 inches in front of and behind the first course of

block, and be at least 6 inches deep after compaction. If the planned grade along the wall front will change elevation, the leveling pad may be stepped up in 6-inch increments to match the grade change. Start at the lowest level and work upward whenever possible. Compact the aggregate and make sure it's level front to back and side to side. Mist lightly with water before compaction.



### B. Base Course

Begin laying block at the lowest elevation of the wall. For quick-leveling, use the Torpedo™ base block with the hand-holds down, or you can remove the rear lip of the block by hitting from the back so it will lie flat on the leveling pad. Place the first block level, front to back and side to side; lay subsequent blocks in the same man-


ner, flush against each other. Make sure they are in full contact with the leveling pad. If the wall is on an incline, don't slope the blocks; step them up so they remain consistently level. For multiple-piece products, use the largest unit, 18 inches wide, for the base course. Complete the base course before proceeding to the second course. A drainage pipe should be placed at rear base of first course.



### C. Stacking and Fill

Place the second course of blocks on top of the base course. Remember to keep the wall on bond by placing units in a staggered relationship to the course beneath. Pull each block forward as far as possible to ensure the correct setback. Backfill with drainage aggregate directly

behind the block, adding 6 inches at a time, followed by proper compaction. Add soil fill behind the aggregate. Compact before the next course is laid. With the top units dry and clean, stack the caps on top of the final row and use a masonry construction adhesive.



### C. 3-Way Alignment Plug (3WAP)

After stacking the block course, place a 3WAP into the core of each unit, assuring that the flange on the plug rests within the recess adjacent to the core. Orient the plug to achieve your desired wall batter. Use the setback position for retaining walls to achieve a 7.3 degree batter, the vertical position for bench walls, and the reveal position to occasionally highlight a unit.

### \*BRISA" FREESTANDING WALL INSTALLATION



### A. Prepare Base Leveling Pad

Excavate a trench for the leveling pad to the lines and grades shown on the approved plans. The trench should be a minimum of 24 inches wide and 10 inches deep. Should the grade along the wall change elevation, step the trench up in equal block height increments so as to match the change of grade. Always start at

the lowest point and work upwards. Place a 3/4-inch minus crushed aggregate into the excavated trench; assure aggregate depth is at least 6 inches, and extends beyond the front and back of the block by a minimum of 6 inches. After placing the aggregate into the excavated trench, level the material and compact to 95% standard proctor.



### B. Base Course

Place a level string line along the length of a wall and to the back top edge of the desired location of the blocks. Assure that the string is level and at the desired height of the first course of blocks.

Begin stacking the blocks at the lowest point in the wall, work upwards by placing the Torpedo<sup>TM</sup> base block with the


hand-holds down to ensure proper contact with the leveling pad. As the blocks are placed, use a small level to assure that the blocks are level front to back and side to side. Utilize a 4-foot level to assure that a group of blocks are level side to side.



### C. Stacking and Fill

Build the next course and glue to the base blocks. Work from the appropriate side of the pattern as you face the wall.
Use 1/2-inch-diameter of glue 3 inches apart in the front half of the block. Build a separate wall on each side of the base unit. Maintain a consistent gap of roughly 1 inch between the parallel walls.

Continue to build one layer of the pattern on each side of the wall, maintaining a uniform distance between the two walls. Check horizontal and vertical levels of each wall. Periodically check the distance between the wall faces to ensure consistent spacing. Gaps will vary on curves. Flip blocks over on curves as needed. This reduces the need to cut blocks. Sweep all debris from the top course. Lay out all the caps onto the wall before gluing. Confirm the blocks are dry, then place a bead of masonry/concrete construction adhesive onto the top course of block, at the front and back of the block and along the entire length of the wall. Place the caps onto the adhesive and into the desired position.



### D. Capping the Wall

Adhere clean and dry cap blocks to the wall using silicon concrete construction adhesive. Place cap flush to the wall face or with an overhang.

### PAVERS vs. CONCRETE

### DURABLE

Pavers are designed to meet or exceed 8000+ PSI. Standard concrete achieves only 2500-3000 PSI. This means the lifetime on your investment is much longer than a poured concrete or an asphalt application.

### ATTRACTIVE/INCREASED CURB APPEAL

Pavers come in a wide variety of colors, shapes and textures providing limitless design advantages. Pavers are esthetically pleasing and a feature selling point of any home.

### LONGEVITY

Paver installations are designed to last 50+ years and look great with minimum maintenance. Poured concrete typically needs to be replaced or have extensive maintenance every 20-30 years.

### FLEXIBILTY

Tree roots are concretes #1 enemy, with a paver system, if any invasive roots disrupt the system, it can be pulled back, addressed and re installed.

### HOME VALUE IMPROVEMENT


Homes with paver patios or driveways typically generate an increase in home value equal to investment made.

### SAFETY

Pavers are slip-resistant and designed for vehicular or pedestrian applications and are great for a pool deck.







### QUALITY

BASALITE® products are manufactured to conform to current California Building Code and ASTM standards and can be produced to conform to individual job specification by special order.

Variations in color and shade range are inherent in concrete products due to the variations in composition of aggregates, cement, oxide, and other variables resulting from the manufacturing and curing process. Submitted samples are to establish color range, size and texture. Subsequent shipments may vary from such sample. Split face units may vary in the degree of feature aggregates due to the mechanical distribution of aggregates and age of units at the time of splitting.

Efflorescence is a whitish residue that may appear on the surface of concrete products. The concrete is experiencing a natural process which is not harmful to Basalite pavers, walls or masonry products, this is not a defect.

Manufactured concrete products such as pavers, walls and cmu may become scratched/scuffed or "bruised". Common causes are transportation, handling, and vibratory plate compaction. This is normal and not considered a manufactures defect. These marks will disappear over time.

It is the customer's responsibility to inspect all units delivered before installation. Any questions regarding quality, sizing, color uniformity within a shipment, or matching to prior shipments must be addressed by a BASALITE® representative BEFORE installation.



This product can expose you to chemicals including Silica, crystalline (airborne particles of respirable size), which is known to the State of California to cause cancer, and Lead and Lead Compounds, which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.