

# SAFETY DATA SHEET

FILE NO.: BPTCAPLUS800-2021Q1

NAME OF PRODUCT: **Calcium Plus™ 8-0-0**

Preparation Date: 05/29/1997

Revision: 02/26/2021

## SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT CODES:** BPT-CAPLUS800  
**PRODUCT NAME:** Calcium Plus 8-0-0  
**SYNONYMS:** plant nutrient blend (Nitrogen, Calcium)

**MANUFACTURER:** BioPro Technologies, LLC  
**ADDRESS:** 4060 SE 45<sup>th</sup> Court, Ocala, FL 34480



**EMERGENCY PHONE:** (888) 545-6307  
**CHEMTREC PHONE:**  
**OTHER CALLS:** (352) 620-2020  
**FAX PHONE:** (352) 620-0312

**PRODUCT USE:** Turf management  
**PREPARED BY:** E.F. Wilson III

## SECTION 2: HAZARDS IDENTIFICATION

### GHS CLASSIFICATION:

<b>Health:</b> Eye Effects: Category 2(a) Skin Irritation: Category 2 Respiratory Irritation: Category 3 Ingestion (oral acute): Category 4	<b>Environmental:</b> Acute Aquatic Toxicity: Unknown	<b>Physical:</b> No Physical Hazards Present
---	--	---

<b>GHS Pictogram:</b> 	<b>ANSI/Old Pictogram:</b> 	<b>Signal Word:</b> Warning
--	---	-----------------------------

<b>Hazard Statements:</b> H302: Harmful if swallowed. H313: May be harmful in contact with skin H315: Causes Skin Irritation H318+H319: Causes serious eye irritation and/or may cause eye damage H335: May cause respiratory irritation	<b>Precautionary Statements:</b> P101: If medical advice is needed, have product container or label at hand P102: Keep out of reach of children P103: Read label before use P261: Avoid breathing mist/spray P262: Do not get in eyes, on skin, or on clothing P271: Use only outdoors or in a well ventilated area P280: Wear protective gloves/protective clothing/eye protection/face protection P281: Use personal protective equipment as required P353: Rinse skin with water/shower P363: Wash contaminated clothing before reuse.  If swallowed: Rinse mouth. Do NOT induce vomiting. Get immediate medical attention if you feel unwell. (P301+P314+P330+P331)  If inhaled: Remove person to fresh air and keep comfortable for breathing. (P304+P340)  If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and able to do so. Continue rinsing eyes. Seek medical attention if eye irritation persists. (P305+P313+P337+P351+P338)
---	---

### SECTION 2 NOTES:

# SAFETY DATA SHEET

FILE NO.: BPTCAPLUS800-2021Q1

NAME OF PRODUCT: **Calcium Plus™ 8-0-0**

Preparation Date: 05/29/1997

Revision: 02/26/2021

Physical Description (also see Section 9): Dark greenish brown

---

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

---

### INGREDIENTS\*:

Calcium Nitrate – CAS# 10124-37-5  
Ammonium Nitrate – CAS# 6484-52-2

\*AS PER 29 CFR §1910.1200, THE SPECIFIC CHEMICAL IDENTITY AND/OR EXACT PERCENTAGE (CONCENTRATION) OF COMPOSITION HAS BEEN WITHHELD AS A TRADE SECRET.

### SECTION 3 NOTES:

---

## SECTION 4: FIRST AID MEASURES

---

**IF INHALED:** Immediately remove victim from contaminated atmosphere into fresh air. Get medical assistance.

**IF ON SKIN (OR HAIR):** Remove any contaminated clothing or shoes. Wash skin with plenty of gentle soap and water. Get immediate medical assistance. Launder cloths before reuse.

**IF IN EYES:** Flush eyes with plenty of water for at least 15 minutes, occasionally lifting upper and lower lids. Get immediate medical assistance. Do not allow victim to rub or keep eyes closed.

**IF SWALLOWED:** DO NOT INDUCE VOMITING. Give 2 or 3 glasses of water to drink and get immediate medical attention.

**SECTION 4 NOTES:** Treat symptomatically and supportively. No specific antidote.

---

## SECTION 5: FIRE-FIGHTING MEASURES

---

**FLAMMABLE PROPERTIES:** NON-FLAMMABLE

**FLASH POINT:** SAMPLE BEGINS TO BOIL BUT NO FLASH IS OBSERVED

**AUTOIGNITION TEMPERATURE:** NOT APPLICABLE, MIXTURE WILL NOT AUTOIGNITE

### NFPA HAZARD CLASSIFICATION

HEALTH: 1                      FLAMMABILITY: 0                      REACTIVITY: 0  
OTHER: 0

**EXTINGUISHING MEDIA:** Water spray, dry chemical, carbon dioxide, or foam.

**SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS:** Fire fighters should wear full protective equipment and self-contained breathing apparatus. Prevent runoff from entering water systems. Keep non-essential personnel out of fire area.

**UNUSUAL FIRE AND EXPLOSION HAZARDS:** Heating (flames) of closed or sealed containers may cause violent rupture of container due to thermal expansion of compressed gases. Keep containers cool with water spray.

**HAZARDOUS DECOMPOSITION PRODUCTS:** Oxides of nitrogen, carbon, sulfur; hydrogen sulfide.

---

## SECTION 6: ACCIDENTAL RELEASE MEASURES

---

**ACCIDENTAL RELEASE MEASURES:** Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

**ENVIRONMENTAL PRECAUTIONS:** Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground. If spill is of major proportions soil may need to be evacuated.

**CONTAINMENT METHODS AND CLEANUP:** Stop the flow of material, if this is without risk.

Large Spills: Dike to prevent spill from entering water systems. If spill is of major proportions, soil may need to be excavated.

Small Spills: Wear protective equipment. Prevent spill from entering water systems. Absorb spill on inert material such as clay, vermiculite, or kitty litter. Place absorbed material into labeled container for proper disposal. Dispose of in accordance with local, State, and Federal laws and regulations; see Section 13.

# SAFETY DATA SHEET

FILE NO.: BPTCAPLUS800-2021Q1

NAME OF PRODUCT: **Calcium Plus™ 8-0-0**

Preparation Date: 05/29/1997

Revision: 02/26/2021

## SECTION 7: HANDLING AND STORAGE

**HANDLING AND STORAGE:** Do not ingest. Avoid breathing mist or vapor. Avoid contact with skin, eyes, and clothing. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Observe good industrial hygiene practices. Wash hands thoroughly after handling. Store in a cool, dry, locked area out of reach of children and animals.

**OTHER PRECAUTIONS:** THIS PRODUCT IS FOR AGRICULTURAL AND HORTICULTURAL USE ONLY AND IS NOT INTENDED FOR OTHER APPLICATIONS. USE NORMAL SAFE HANDLING PROCEDURES AS WITH ALL CHEMICALS. SEE LABEL FOR APPLICATION INSTRUCTIONS AND DIRECTIONS FOR USE.

**SECTION 7 NOTES:** Store locked up and out of reach of children and animals. Store in original tightly closed container. Store in a cool, dry place out of direct sunlight. Store away from incompatible materials (see Section 10 of the SDS).

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

**ENGINEERING CONTROLS:** Use in open, outdoor areas only.

**VENTILATION :** Provide adequate ventilation.

**RESPIRATORY PROTECTION:** In confined areas, NIOSH/MSMA approved respirator.

**EYE PROTECTION:** Safety glasses/goggles/face shield recommended to prevent splash from concentrated material.

**SKIN PROTECTION:** Impervious gloves (ex. Nitrile 0.11mm thickness), clothing and boots suggested.

**OTHER PROTECTIVE CLOTHING OR EQUIPMENT:** Wear suitable protective clothing. Wash contaminated clothing prior to reuse. In case of insufficient ventilation, wear suitable respiratory equipment.

**WORK HYGIENIC PRACTICES:** When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

### EXPOSURE GUIDELINES:

*[Numbers represent mg/M<sub>3</sub> unless otherwise indicated].*

Ingredient	OSHA PEL		ACGIH TLV		NIOSH REL		NIOSH IDLH
	TWA	STEL	TWA	STEL	TWA	STEL	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**APPEARANCE:** Dark brown

**ODOR:** Odorless

**PHYSICAL STATE:** Liquid

**pH AS SUPPLIED:** 6.44 @ 21.0C

**WEIGHT:** 11.85 lbs. per gal. (1.42 kg/L)

**BOILING POINT:**

F: 212

C: 100

**MELTING POINT/FREEZING POINT:**

F: 32

C: 0

**VAPOR PRESSURE (mmHg):** Unknown

**VAPOR DENSITY (AIR = 1):** Unknown

**DENSITY (g/cm<sup>3</sup>):** 1.4

# SAFETY DATA SHEET

FILE NO.: BPTCAPLUS800-2021Q1

NAME OF PRODUCT: **Calcium Plus™ 8-0-0**

Preparation Date: 05/29/1997

Revision: 02/26/2021

SPECIFIC GRAVITY (H<sub>2</sub>O = 1): 1.420

EVAPORATION RATE: Not determined.

BASIS (=1):

SOLUBILITY IN WATER: Soluble

PERCENT VOLATILE: NO VOLATILITY PRESENT

VOLATILE ORGANIC COMPOUNDS (VOC): NONE

MOLECULAR WEIGHT: NO DATA PRESENT

VISCOSITY: Not determined

SECTION 9 NOTES:

---

## SECTION 10: STABILITY AND REACTIVITY

---

STABILITY: Material is stable under normal conditions.

CONDITIONS TO AVOID (STABILITY): Avoid extreme heat. Do not freeze.

INCOMPATIBILITY (MATERIAL TO AVOID): None known.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS: Oxides of nitrogen

HAZARDOUS POLYMERIZATION: Will not occur.

CONDITIONS TO AVOID: Temperatures above 120°F (49°C) and below 32°F (0°C).

---

## SECTION 11: TOXICOLOGICAL INFORMATION

---

TOXICOLOGICAL INFORMATION: Not determined; no data available.

---

## SECTION 12: ECOLOGICAL INFORMATION

---

ECOLOGICAL INFORMATION: Accidental spills of undiluted product may cause vegetation kills. Keep out of any body of water; may harm aquatic life.

---

## SECTION 13: DISPOSAL CONSIDERATIONS

---

WASTE DISPOSAL METHOD: Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

HAZARDOUS WASTE CODE: The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

RCRA HAZARD CLASS: NOT APPLICABLE

---

## SECTION 14: TRANSPORT INFORMATION

---

### U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Calcium Plus 8-0-0

HAZARD CLASS: **Not regulated**

ID NUMBER:

PACKING GROUP:

LABEL STATEMENTS:

### OCEAN/WATER TRANSPORTATION

PROPER SHIPPING NAME: Calcium Plus 8-0-0

### AIR TRANSPORTATION

PROPER SHIPPING NAME: Calcium Plus 8-0-0

# SAFETY DATA SHEET

FILE NO.: BPTCAPLUS800-2021Q1

NAME OF PRODUCT: **Calcium Plus™ 8-0-0**

Preparation Date: 05/29/1997

Revision: 02/26/2021

OTHER AGENCIES:

SECTION 14 NOTES:

---

## SECTION 15: REGULATORY INFORMATION

---

**EPA Regulations:** Not regulated by EPA under FIFRA or FQPA.

**OSHA Regulations:** Refer to Sections 2 & 8.

**State Regulations:** Urea appears on the CA & MN RTK Chemical Lists. Check with specific state authorities since regulations vary within the states.

**Other Regulations:** Ferrous sulfate is a Section 304 Chemical; (CERCLA RQ= for each=1,000 lbs.).

**SARA Title III; Sections 311/312:** Sudden Release of Pressure (N), Reactivity (N), Fire (N), Immediate (Acute) Health (Y), Delayed (Chronic) Health (N).

SECTION 15 NOTES:

---

## SECTION 16: OTHER INFORMATION

---

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER: THIS INFORMATION IS FURNISHED WITHOUT WARRANTY, EXPRESS OR IMPLIED. THIS INFORMATION IS FURNISHED AS THAT OF BEING TO THE BEST KNOWLEDGE OF BIOPRO TECHNOLOGIES, LLC AND/OR ECOLOGEL SOLUTIONS, LLC. THE DATA ON THIS SHEET RELATES ONLY TO THE SPECIFIC MATERIALS DESIGNATED HEREIN. ECOLOGEL SOLUTIONS, LLC ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OR RELIANCE UPON THIS DATA.