

Multicote™ 4 - Controlled Release Fertilizer

14-14-16 with micro-nutrients

14-14-16 fertilizer with micro-nutrients - NPK Blend

Guaranteed analysis:

Total Nitrogen (N)* 14%

7.8% Ammoniacal Nitrogen

6.2% Nitrate Nitrogen

Available Phosphate (P₂O₅)* 14%

Soluble Potash (K₂O)* 16%

Magnesium (Mg)* 0.5%

Sulfur (S)* 4.8%

Boron (B)* 0.021%

Copper (Cu)* 0.05%

Iron (Fe)* 0.3%

Manganese (Mn)* 0.05%

Molybdenum (Mo)* 0.006%

Zinc (Zn)* 0.05%

Derived From: polymer-coated: ammonium nitrate, potassium sulfate, calcium phosphate, magnesium sulfate, sodium borate, copper sulfate, iron sulfate, manganese sulfate, sodium molybdate, zinc sulfate, monoammonium phosphate and potassium nitrate.

Soil Temp.	Longevity ^(*)
60°F	6
70°F	4
85°F	2

(*)The longevity refers to release of 80% of the nutrients

* The nutrients in this product have been polymer-coated to provide 12.6% controlled release nitrogen (N), 12.6% controlled release available phosphate (P₂O₅), 14.4% controlled release soluble potash (K₂O), 0.45% controlled release magnesium (Mg), 4.6% controlled release sulfur (S), 0.018% controlled release boron (B), 0.27% controlled release iron (Fe), 0.045% controlled release copper (Cu), 0.045% controlled release manganese (Mn), 0.0054% controlled release molybdenum (Mo) and 0.045% controlled release zinc (Zn).

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.aapfco.org/metals.html>

Volume or area of mix	Incorporation rates		
	Low	Med	High
Per cubic foot (oz.)	2.1	4.7	7.1
Per cubic yard (lb.)	3.5	8	12
Per cubic meter (kg.)	2.1	4.7	7.1
Lbs. per 100 sq. ft. (to 6" depth)	7	15	23

Low rate -Use on salt-sensitive varieties or when using an additional liquid feed or when a capillary irrigation system is being used.

Medium rate - Use when media contains no soil and drip irrigation, or when media contains soil and overhead irrigation is used.

High rate -Use on salt-tolerant, fast growing varieties.

Mixing Multicote with a growing medium - the storage period must not exceed 7 days. Leach the growing medium prior to planting. Do not mix Multicote with the growing medium prior to steam sterilization.

CAUTION: Product contains boron and molybdenum. Do not apply to boron sensitive crops. Do not apply to forage crops or crops that will be grazed by ruminant animals. Use only according to manufacturer's directions.

Hazard and precautionary statements:

Harmful to aquatic life with long-lasting effects
Avoid release to the environment

Guaranteed by:

Haifa North America, Inc
307 Cranes Roost Blvd., Suite 1038
Altamonte Springs, FL 32701
Tel: (800)649-4944

E-mail: Northamerica@haifa-group.com
www.haifa-group.com

Code: 3001597

Label Code: 2508729

Topdressing rates (grams)				
Container Size	Approx. No. of Containers per Cubic Yard	Low	Med	High
5" std pot	800	2	5	7
6" std pot	450	4	8	12
1 gallon	300	5	12	18
2 gallon	140	11	26	39
3 gallon	80	20	45	68
5 gallon	50	32	73	109
7 gallon	35	45	104	156
Large containers	Surface Area (Sq. Ft.)			
10 gallon	1.4	56	127	191
15 gallon	1.5	60	136	204
20 gallon	2.3	91	209	313
25 gallon	2.8	111	254	381
45 gallon	4.8	191	436	654
95 gallon	8.25	328	749	1124
200 gallon	12	477	1090	1634
24 inch box	4	159	363	545
30 inch box	6.25	248	568	851
36 inch box	9	358	817	1226
48 inch box	16	636	1453	2179
Use Rate (per sq. ft.)		40	91	136

Notice: Warranty of this product, either expressed or implied, is limited to the guarantee of the composition as shown on the label in as much as uses are beyond the seller's control. For the same reason, seller is not liable for any injury to living things, crops, soils or materials that may result from the use of this product. STORE UNDER COOL AND DRY CONDITIONS.

**Net weight: 50lb
(22.68 kg)**

Lot Number: