

NORTH TEXAS CATALOG

WWW.KEYSTONEHARDSCAPES.COM







Just imagine the possibilities...

A backyard sanctuary to relax and recharge, a gathering space to entertain family and friends, a stunning driveway and walkways to make a great first impression... every day Keystone Hardscapes helps turn dreams like these into realities.


At Keystone Hardscapes, we are committed to providing unrivaled product selection, quality and customer service. Since the 1980s, our products have been installed in thousands of residential and commercial properties. Our innovative and versatile paving, wall and outdoor living elements continue to be favorites of homeowners, contractors, designers and developers alike.


Keystone Hardscapes is where beauty and functionality meet; where outdoor dreams come to life.


Locally made products, nationally trusted brand. No need to put off until tomorrow what we can build together today. Trust us to help transform your residential or commercial property.

www.keystonehardscapes.com























































GRASSTONE™ I

Grasstone I, made with an open-void, interlocking lattice design, creates a flat surface for intermittent paving applications. The open void allows for on-site infiltration of stormwater or revegetation. Designs can use topsoil or aggregates in the grid openings depending upon desired effect. The Grasstone I concrete grid stone reinforces grassy areas that are subject to intermittent wheeled light vehicular traffic.




AVAILABLE COLORS



Pewter

INSTALLATION PATTERN



GRASSTONE™


SPECIFICATIONS

	HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
Grasstone	1 100mm	11"W x 22 ¹ /16"L x 4"H	44 lbs	48	2,112 lbs	1.68	81	#190



ADA Detectable Warning Paver

The ADA Detectable Warning Paver is an additional guidance provision for wheelchair and pedestrian access to streets, sidewalks and other components of the public right of way. This product will help ensure local jurisdictions and other entities that their facilities are accessible to people with physical or sensory disabilities. The ADA Detectable Warning Paver provides visual as well as textural contrast to conventional publicly utilized pavements.



AVAILABLE COLORS







Antique Red


Charcoal

River Red

INSTALLATION PATTERNS

_							
0	0 0	0 0	0 0	0 0	0	0 0	0 0
0	00	0 0	0 0 0 0	0 0 0 0	00	0 0	0 0
0	00	00	0 0	0 0 0 0	00	00	00
0	0 0	0 0	00	000	0 0	00	0 0
0	0 0	00	0 0	0 0 0 0	0 0	00	0 0
0	00	0 0	00	0 0	00	0 0	00
0	0 0	0 0	0 0	0 0	0 0	0 0	0 0

	0000		0 0
0000	0000	0000	000
0000	0000	0000	000
0 0 0	0000	0000	000
	0000		
0000	0000	0000	000
0000	0000	0000	000



Herringbone


Parquet

Runner Bond

SPECIFICATIONS

	HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
ADA Paver	60mm	3%"W x 7 ¹³ /16"L x 2%"H	6 lbs	480	2,823 lbs	4.66	103	#200


TYPICAL
CROSS SECTION
OF CONCRETE
PAVER INSTALLATION






CITYSTONE[™] **Demi & Supra**


Offering all the features of the original Panorama™ paver with a sleek contemporary look, CityStone combines the look of a natural stone with the ease of installation that interlocking pavers offer. Let this six-piece CityStone series bring your next hardscape design to life with sophistication and richness. CityStone Demi & Supra can also be installed as stand-alone three-piece paving systems.



AVAILABLE COLORS



INSTALLATION PATTERNS



SPECIFICATIONS

DEMI

			HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
Bundled	g	4x8	60mm	4"W x 8"L x 2%"H	6 lbs	80	2,884 lbs	2.33	103	#363
	nugle	8x8	60mm	8"W x 8"L x 2%"H	12 lbs	80				
	ā	8x12	60mm	8"W x 12"L x 2%"H	18 lbs	80				

SUPRA

(Recommended for Non-vehicular Applications)

			HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
Bundled	٦	8x16	60mm	8"W x 16"L x 2%"H	24 lbs	20	2,884 lbs	0.58	103	#364
	nudle	16x16	60mm	16"W x 16"L x 2%"H	48 lbs	20				
		16x24	60mm	16"W x 24"L x 2%"H	72 lbs	20				



HOLLAND STONE


With the renowned durability of interlocking pavers, Holland Stone offers the Old World charm of a simple paver shape. The rectangular shape of Holland Stone can be installed in a number of fascinating patterns to produce simple or intricate designs. Mix these patterns with any of the available standard colors or combination of colors to maximize almost unlimited design potential.



AVAILABLE COLORS



INSTALLATION PATTERNS



SPECIFICATIONS

	HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.	
Holland St	one 60mm	37/8"W x 7 ¹³ /16"L x 23/8"H	6 lbs	480	2,900 lbs	4.66	103	#217	



PANORAMA[™] Demi & Supra

Panorama Demi & Supra combine the look of a natural stone with the ease of installation that interlocking pavers offer. Let this six-piece Panorama series bring your next hardscape design to life with sophistication and richness. Panorama Demi & Supra can also be installed as stand-alone three-piece paving systems.



AVAILABLE COLORS








Greystone Blend

Gun Metal Blend (available for Supra only)

Valley View Blend

INSTALLATION PATTERNS



SPECIFICATIONS

DEMI

			HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
pun	g	4x8	60mm	4"W x 8"L x 2%"H	6 lbs	80				
	nndle	8x8	60mm	8"W x 8"L x 2%"H	12 lbs	80	2,934 lbs	2.33	103	#367
	В	8x12	60mm	8"W x 12"L x 2%"H	18 lbs	80				

SUPRA

(Recommended for Non-vehicular Applications)

			HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.	
Bundled	g	8x16	60mm	8"W x 16"L x 2%"H	24 lbs	20	2,934 lbs	0.58	103	#368	
	nugle	16x16	60mm	16"W x 16"L x 2%"H	48 lbs	20					
	ā	16x24	60mm	16"W x 24"L x 2%"H	72 lbs	20					



PLAZA STONE 3-pc Combo

Plaza Stone 3-pc Combo (TwlSqlRec) is a timeless paving stone with a soft "pillow top" surface profile. It creates a gentle and warm effect by combining the soft curved edges of the rectangular and square stones. Plaza Stone 3-pc Combo is available in many colors to accommodate the most discriminating tastes.



AVAILABLE COLORS










Antique Pewter

Antique Terra Cotta

Old Town Blend

INSTALLATION PATTERNS



SPECIFICATIONS

		HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
ō	Twinkie	60mm	2 ¹¹ /16"W x 5 ⁷ /16"L x 2%"H	3 lbs	120				
nndle	Square	60mm	5 ⁷ /16"W x 5 ⁷ /16"L x 2 ³ /8"H	6 lbs	180	2,908 lbs	4.53	106	#641
В	Rectangle	60mm	5 ⁷ /16"W x 8 ³ /16"L x 2 ³ /8"H	9 lbs	180				



VENETIAN®

A uniquely attractive cleft surface sets Venetian apart from ordinary pavers. This texture allows for a dynamic interaction with sunlight and evokes the timeless beauty of flagstone. The larger scale of Venetian pavers lends itself to both stately residential settings and more expansive commercial applications.



AVAILABLE COLORS










Milsap Blend

Texoma Blend

Travertine* Blend

*Travertine Blend color is also available in Tumbled finish.

INSTALLATION PATTERNS




SPECIFICATIONS

		HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
dled	6x6	60mm	5%"W x 5%"L x 2%"H	6.7 lbs	100	2,730 lbs	4	95	#267,
Bun	6x9	60mm	5%"W x 8%"L x 2%"H	10.0 lbs	200	2,730 105	2.7	95	#267T (Tumbled)
	6x12	60mm	5%"W x 11 ¹³ /16"L x 2%"H	13.4 lbs	200	2,770 lbs	2	96	#269, #269T (Tumbled)
	12x12	60mm	11 ¹³ /16"W x 11 ¹³ /16"L x 2 ³ /8"H	26.9 lbs	120	3,200 lbs	1	120	#270, #270T (Tumbled)



VINTAGE STONE®

The Vintage Stone product line delivers scale, color, and modular design options for a unique pavement expression. The truly random pattern of Vintage Stone creates an infinite number of impression possibilities, making it one of the most popular design elements for pavements today. Vintage Stone is available in tumbled antiqued texture. Add the Giant Vintage Stone to open up a larger scale for more elegant designs.



AVAILABLE COLORS








Gold Rush Blend

Milsap* Blend


Travertine Blend

*Milsap color is also available in Tumbled finish.


INSTALLATION PATTERNS









Runner Bond 3x6/6x6/6x9



Random with 9x9 3x6/6x6 (20%) 6x9 (50%) 9x9 (30%)




Random without 9x9 3x6/6x6 (40%) 6x9 (60%)



Random 3 Piece 3x6/6x6 (67%) 9x9 (53%)

SPECIFICATIONS

			HEIGHT	DIMENSIONS	WEIGHT	STONES/PALLET	PALLET WT.	STONES/SQ.FT.	SQ.FT./PALLET	PRODUCT NO.
1	D	3x6	60mm	2%"W x 5 ¹³ /16"L x 2%"H	3.5 lbs	160	3.248 lbs	8.6	106	#291
c		6x6	60mm	5 ¹³ /16"W x 5 ¹³ /16"L x 2%"H	6.7 lbs	160	3,240 103	4.2	100	#291
		6x9	60mm	5 ¹³ /16"W x 8¾"L x 2¾"H	10.1 lbs	250	2,520 lbs	2.8	90	#292
		9x9	60mm	8¾"W x 8¾"L x 2¾"H	15.4 lbs	200	3,080 lbs	1.8	110	#280







BROADSTONE® 6" & 8" - Medley

BroadStone's beautiful rough hewn texture and bold, natural stone-like appearance will impress contractors and homeowners alike. Both will be impressed with not only its aesthetic, but also its ease of construction. From the stability of the integral lug connection, sidewalls that align vertically for easy corefill and the near vertical batter, it is easy to see that BroadStone has the contractor in mind when designing this show stopping block.



AVAILABLE COLORS






Antique Pewter


Red River Blend

ASHLAR INSTALLATION PATTERN: 6" Units (43%), 8" Units (57%)



SPECIFICATIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	PRODUCT NO.
6" Solid	6"	18"	12"	54 lbs	48	2,592 lbs	36	#781
6" Scored	6"	18"	12"	54 lbs	48	2,592 lbs	36	#782
8" Solid	8"	18"	12"	72 lbs	32	2,354 lbs	32	#771
8" Scored	8"	18"	12"	72 lbs	32	2,354 lbs	32	#772



REGAL STONE PRO® - RockFace

A full one-square-foot face complemented by a natural texture makes the Regal Stone Pro - RockFace a beautiful addition to any landscape. Behind the handsome, rugged exterior is a hollow core that lightens the unit for easy handling and installation. Rear lip installation and engineering innovation make Regal Stone Pro the right choice for even the most challenging wall designs.



AVAILABLE COLORS





Canyon Blend

Tan


SPECIFICATIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
RockFace	8"	18"	12"	80 lbs	36	2,880 lbs	36	7.1°	#818



REGAL STONE PRO® - RockFace 3-pc

Regal Stone Pro - RockFace 3-pc brings the latest look and appeal in architectural design with its addition of the two smaller modular components. The three-piece system separates itself by creating alternating scale and dimensions. While the system still meets the rigorous demands for both engineering and structural components, its multiple shape patterning creates new and innovative applications for site work designs.



AVAILABLE COLORS





Canyon Blend

Ozark Blend

SPECIFICATIONS

		HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
٥	Small	8"	7"	12"	38 lbs	16				
nndle	Medium	8"	11"	12"	50 lbs	16	2,688 lbs	32	7.1°	#835
ā	Large	8"	18"	12"	80 lbs	16				




REGAL STONE PRO® - Tri-plane

The Regal Stone Pro - Tri-plane takes retaining wall construction to a higher level. Architects, engineers, and contractors are choosing this stone to create flexible, cost-effective solutions for a broad range of large commercial, municipal, and residential retaining wall projects. With the rear lip design and a larger facial profile, construction, alignment, and setback are facilitated.



AVAILABLE COLORS









f Pewter Tan Terra Cotta


SPECIFICATIONS


	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
Tri-plane	8"	18"	12"	75 lbs	36	2,642 lbs	36	7.1°	#826



KEYSTONE® ASHLAR 8/6

The Keystone Ashlar 8/6 system combines two popular products with great aesthetic and functional results. The panels are a quick way to build a multi-height wall by combining the Regal Stone Pro - RockFace 3-pc and the Harington 3-pc wall systems in a simple installation pattern. The Keystone Ashlar 8/6 installation pattern is quick to install on any scale when you want to create a random, rough-hewn look without sacrificing productivity.





AVAILABLE COLORS





Ozark Blend

INSTALLATION PATTERN

Panel 1

Panel 2

3'-0"

SPECIFICATIONS

REGAL STONE PRO - RockFace 3-pc

		HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
Q	Small	8"	7"	12"	38 lbs	16				
nndle	Medium	8"	11"	12"	50 lbs	16	2,688 lbs	32	7.1°	#835
B	Large	8"	18"	12"	80 lbs	16				

HARINGTON 3-pc

		HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
p	Small	6"	6"	12"	28 lbs	20				
nndle	Medium	6"	12"	12"	53 lbs	20	3,300 lbs	30	10.6°	#876
ā	Large	6"	18"	12"	84 lbs	20				


Estimating Information

- 1) Determine the square footage of exposed wall.
 - a) Each panel covers 3.5 sq. ft. Divide the square footage of exposed wall by 3.5 to determine the number of panels.
 - b) Each pallet of Regal Stone Pro RockFace 3-pc can complete 16 panels. Divide the number of panels by 16 (rounding up) to determine the number of Regal Stone Pro RockFace 3-pc pallets required.
 - c) Each pallet of Harington 3-pc can complete 20 panels. Divide the number of panels by 20 (rounding up) to determine the number of Harington 3-pc pallets required.
- 2) Determine the linear footage of base course, and divide by the appropriate factor below to calculate the amount of material required.
 - a) Harington 3-pc = 60 linear feet per pallet.
 - b) 18 inch only blocks: 1.5 linear feet per block.
- 3) Add the exposed wall and base course requirements. Don't forget the caps!



HARINGTON® 3-pc

The Harington 3-pc retaining wall system evokes the texture and look of natural stone, making a striking architectural statement. The hand-hewn facing creates a stone-like appearance while the rear lip eliminates setback and alignment issues to speed construction. Available in blended earth tone colors, these retaining wall units are a reliable, easy-to-install alternative to natural stone walls.



AVAILABLE COLORS





Canyon Blend

Ozark Blend

SPECIFICATIONS

		HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
٥	Small	6"	6"	12"	28 lbs	20				
nndle	Medium	6"	12"	12"	53 lbs	20	3,300 lbs	30	10.6°	#876
l a	Large	6"	18"	12"	84 lbs	20				
6	6" Straight Corner	6"	18"	9"	78 lbs	40	3,070 lbs	45	n/a	#110894



HARINGTON® FREESTANDING 3-pc

The Harington Freestanding 3-pc wall is crafted with earthen colors and rough-hewn texture making it a top choice for retaining walls. The units are available in three different sizes, giving wall appearance a more random natural look. Create curved or straight freestanding walls in addition to columns, outdoor kitchens and fire features with this versatile system.



AVAILABLE COLORS





Canyon Blend

Ozark Blend

SPECIFICATIONS

		HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	PRODUCT NO.
g	Small	6"	6"/4"	9"	20 lbs	16			
undle	Medium	6"	12"/10"	9"	45 lbs	16	2,210 lbs	22	#889
8	Large	6"	18"/16"	9"	75 lbs	16			
	6" Straight Corner	6"	18"	9"	78 lbs	40	3,070 lbs	45	#110894



REGAL STONE®- Tri-plane

The Regal Stone - Tri-plane continues to provide economy of effort in a structural, finished product. The rear lip facilitates construction, ensures proper alignment and delivers a precise setback. This unit is available in colors certain to enhance any landscape.



AVAILABLE COLORS











f Limestone Pewter Tan Terra Cotta

SPECIFICATIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
Tri-plane	6"	15½"	12"	68 lbs	45	3,060 lbs	30	10.6°	#821



RUMBLED WALL™

Rumbled Wall provides rustic building blocks for do-it-yourself hardscape projects. Its weathered appearance offers a natural look and feel, adding texture and depth to raised planting beds, fire pits, columns, and seatwalls.



AVAILABLE COLORS







Canyon Blend

Ozark Blend

Yukon Blend

SPECIFICATIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	UNIT/SQ.FT.	PRODUCT NO.
Rumbled Wall	4"	16"	8"	41 lbs	70	2,870 lbs	2.23	#519



RUMBLESTONE® COLLECTION

Reminiscent of our fondest childhood toys, the innovative RumbleStone collection provides a set of rustic building blocks for your outdoor hardscape projects. Whether your project is simple or complex, large or small, RumbleStone's possibilities for creative expression are as limitless as your inner child's imagination. The six tumbled RumbleStone sizes can be assembled in an endless variety of configurations and orientations. In addition to simple running bond patterns, the stones can be easily stacked with insets, moved forward and backward, horizontally and vertically, for more aesthetically pleasing visual relief and texture. What will you create?













Rectangle Paver

Square Paver

Medium

Large

Trapezoid

AVAILABLE COLORS



Café


SPECIFICATIONS

	HEIGHT	WIDTH	LENGTH	WEIGHT	UNITS/PALLET	PALLET WT.	PRODUCT NO.
Rectangle Paver	1¾"	7"	10"	13.5 lbs	192	1,944 lbs	#909
Square Paver	1¾"	7"	7"	3.37 lbs	288	1,944 lbs	#911
Mini	1¾"	3½"	7"	3.37 lbs	576	1,944 lbs	#913
Medium	3½"	7"	7"	13.5 lbs	144	1,944 lbs	#917
Large	3½"	10½"	7"	20.25 lbs	96	1,944 lbs	#919
Trapezoid	3½"	6½" / 10¼"	7"	16.15 lbs	120	1,938 lbs	#923



STONEGATE®

Reminiscent of the walls found scattered throughout the European countryside, Keystone's Stonegate features a smooth, weathered stone appearance. Both a backyard and structural solution, Stonegate's refined look combines with unsurpassed design versatility to make it the product of choice for outdoor living projects, freestanding and retaining walls*.



*Retaining walls higher than 3' can be reached with proper engineering and the use of geosynthetic reinforcement.

AVAILABLE COLORS





Canyon Blend

Yukon Blend

SPECIFICATIONS

		HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./PALLET	BATTER	PRODUCT NO.
þ	Small	6"	6"/4"	10"	22 lbs	20		2,695 lbs 26 (approx)	0°	
힏	Medium	6"	12"/10"	10"	49 lbs	20	2,695 lbs		(middle pin) 9.5°	#110176
В	Large	6"	16"/14"	10"	63 lbs	20			(outside pin)	
	Сар	3"	12"	11"	27 lbs	120	3,240 lbs	110 L.F.	n/a	#110177



12" RETAINING WALL

Choose the natural elegance and long-lasting beauty of a concrete garden wall block for your next landscape creation. The perfect complement to residential landscape design, these low-maintenance and easy-to-install units are a beautiful solution for any project from garden beds and tree rings to curved walls and terraces. Environmentally friendly and attractive, these retaining walls flow naturally with your landscape's contours.





Wall Unit

Cap

AVAILABLE COLORS - Wall Unit



















AVAILABLE COLORS - Cap

Pewter





Limestone Blend







SPECIFICATIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	FACE FT./UNIT	FACE FT./PALLET	PRODUCT NO.
Wall Unit	4"	12"	6¾"	22 lbs	144	3,114 lbs	.33	46.6	#811
Сар	2"	12"	8"	15 lbs	120	1,889 lbs	1 L.F.	118.8	#814



WALL CAPS

Add the perfect finishing touch of architectural detail with wall caps. The smaller scale of the caps combine with the larger scale wall unit to give the completed installation a distinctive and unique appearance.



AVAILABLE COLORS - 3" Cap





SPECIFICATIONS

	HEIGHT	WIDTH	DEPTH	WEIGHT	UNITS/PALLET	PALLET WT.	LINEAR FT./PALLET	PRODUCT NO.
3" Cap	3"	16.8" / 12"	10.4"	35 lbs	90	3,150 lbs	101	#824
4" Cap	4"	17.1" / 12"	10.4"	47 lbs	63	2,961 lbs	75	#830





FIRE PIT KITS

FIRE PIT KITS

Rekindle your outdoor living space with an outdoor Fire Pit Kit. Nothing compares with the simple, timeless appeal of a fire pit, whether it's a gathering place for family and friends or a calming outdoor haven at the end of a hectic day. A Fire Pit Kit will be a great weekend project that will bring the best of memories to you and your family.

Square Fire Pit Kit RUMBLESTONE® COLLECTION

AVAILABLE COLORS





SPECIFICATIONS

PRODUCT	NOMINAL DIMENSIONS	PIECES PER PROJECT	PRODUCT NO.
RumbleStone Square Fire Pit Kit	Outside Diameter: 38.5" Height: 14"	Includes: 24 RumbleStone Mini units, 12 RumbleStone Medium units and 24 RumbleStone Large units.	RSK50369

Square Fire Pit Kit RUMBLED WALL™

AVAILABLE COLORS







SPECIFICATIONS

PRODUCT	NOMINAL DIMENSIONS	PIECES PER PROJECT	PRODUCT NO.
Rumbled Wall Square Fire Pit Kit	Outside Diameter: 40" Inside Diameter: 24"	Includes: 32 pieces of Rumbled Wall rectangles.	#496.SPT



WARNING: Combustion by products produced when using this product include carbon monoxide, a chemical known to the State of California to cause birth defects or other reproductive harm.



Round Fire Pit Kit RUMBLESTONE® COLLECTION

AVAILABLE COLORS





SPECIFICATIONS

	NOMINAL DIMENSIONS	PIECES PER PROJECT	PRODUCT NO.
RumbleStone Round Fire Pit Kit	Outside Diameter: 45.8" Height: 10.5"	Includes: 48 RumbleStone Mini units, 48 RumbleStone Trapezoid units	Call for Information.

Colors printed here are as true a match as the printing process will allow. For best matching results, please refer to actual samples.

WARNING: Combustion by products produced when using this product include carbon monoxide, a chemical known to the State of California to cause birth defects or other reproductive harm.

FIRE PIT KITS

ACCESSORIES



Contact Your Local Representative for availability on the full line of QUIKRETE® products such as bagged concrete mixes, concrete repair products, and masonry products.



Commercial Grade Polyurethane Construction

Adhesive - High performance, commercial grade adhesive designed for permanently bonding concrete, brick, marble, stone, wood, glass, aluminum, steel, PVC and tile.


Use For: Repairing broken concrete • Bonding retaining wall block and caps

Geogrid

Geogrid is geosynthetic material used to reinforce soils and similar materials. Geogrids are commonly used to reinforce retaining walls, as well as sub-bases or subsoils below roads or structures. Soils pull apart under tension. Compared to soil, geogrids are strong in tension.

Filter Fabric

Filter Fabric is a geotextile having a primary function of allowing water to pass while keeping soil fines from migrating through the fabric.





Filter Fabric



Choosing interlocking paving stones for your home is an investment that needs to be protected. Surebond Joint Stabilizing Sealer does just that by bonding joint sand and sealing the pavement surface. Bonding joint sand maintains the structural integrity of the system – stones won't move, sand won't wash out, and weed and ant problems are reduced, all while sealing the surface to protect it from oil, salt and food staining as well as maintaining the natural color of the stone.

Features & Benefits of SB-1300 and SB-7000 Water-Based Sealers and Joint Sand Stabilizers:

- Immediate Application The ONLY sealers that can be applied IMMEDIATELY after paver installation.
- Coverage An average of 100 sq ft / gallon and lasts 3 to 5 years indoors and outdoors, on old and new pavements, concrete, clay, and natural stone paving.
- UV-Resistant Will not yellow.
- Breathable Will not trap naturally occurring efflorescence.
- Resists freeze/thaw damage and will improve surface durability.
- Solvent-free Meets or exceeds all VOC and EPA standards.
- Maintains joint sand height, reducing weed growth.
- Maintains horizontal friction by bonding the sand between units.

Features & Benefits of SB-5000 STAINBLOCKING SEALER:

- Protective Resists a wide variety of penetrants including water and oil.
- VOC-compliant 50 g/l and safe to use.
- Environmentally friendly Water-based product will not harm plants or surrounding landscape.
- Invisible Does not change the appearance of the substrate.
- UV-resistant and stable Does not yellow in sunlight and protects substrate from fading.









Polymeric Sand

Polymeric Sand is a precise mixture of polymer binders and clean natural sand. Polymeric Sand will bond with the pavers / stones adding strength to the joint as well as reliability to the pavement system. It is ideal for use on any paver surface such as sloping areas, driveways, patios, pool decks, sidewalks, etc.

Use For: Driveways ullet Sidewalks ullet Pool Decks ullet Patios

COLOR VARIATIONS

As in all natural materials, color in paving stones and wall stones has inherent variations. Paver and wall color is affected by the variances in the raw materials, concrete mixture, moisture content, climactic conditions, and other variations. Therefore, the colors shown are approximate representations of paver and wall colors, but should not be expected to be an exact match of what will be delivered.

THE NATURE OF EFFLORESCENCE

Another cause of color variation in paving stones and wall stones may be the natural phenomenon called efflorescence. Efflorescence, a deposit of white salts consisting of mostly calcium carbonate, may appear as a white powder on the paver or wall surface and in no way affects the structural integrity. This phenomenon occurs in all concrete and although it cannot be completely prevented from occurring, efflorescence generally will weather off and disappear over time or can be removed with cleaners at the job site.





NOTICE OF LIMITED WARRANTY: the terms of the Limited Warranty applicable to our products can be found at www.pavestone.com or can be obtained by sending a written request to c/o PAVESTONE, 5 Concourse Parkway, Atlanta, USA.

Manufactured by:

PAVESTONE 3215 State Highway 360 Grapevine, TX 76051 866-409-7971 keystonehardscapes.com





©2019 The QUIKRETE Companies - Patents Pending. • KHS - 3/19

QUIKRETE and its subsidiaries (collectively QUIKRETE) reserve the right to improve its products and make changes to its specification and design without notice. The information contained herein has been compiled by QUIKRETE and to the best of its knowledge, accurately represents Keystone Hardscapes products and how it may be used in the applications which are illustrated. Site conditions, including load pressures acting on the wall, soil types and drainage conditions, may vary. Final determination of the suitability of the product for the use contemplated and the manner of product use are the sole responsibility of the user. Good construction practices and local building codes require the use of an engineered design when constructing retaining walls or free-standing walls in many conditions. Structural design and analysis should be provided by a qualified engineer.