

Not for Sale, Sale Into, Distribution and/or Use in Nassau, Suffolk, Kings, Queens Counties of New York State.



ACELEPRYN® 0.067% Insecticide Plus Fertilizer



GROUP 28 INSECTICIDE

For systemic control of white grubs and other listed pests infesting, landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals, interior plantscapes and sod farms.

Contains LESCO® Poly Plus® OPTI™ Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding.

ACTIVE INGREDIENT:

Chlorantraniliprole*
3-Bromo-N-[4-chloro-2-methyl-6-[(methylamino) carbonyl] phenyl]-1-(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide.....0.067%

OTHER INGREDIENTS:99.933%

Total.....100.000%

*Chlorantraniliprole belongs to the anthranilic diamide chemical class.

KEEP OUT OF REACH OF CHILDREN CAUTION
(Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle.) If you do not understand the label, find someone to explain it to you in detail.

FIRST AID

If in eyes	<ul style="list-style-type: none">Hold eye open and rinse slowly and gently with water for 15-20 minutes.Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.Call a poison control center or doctor for treatment advice.
------------	---

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

HOTLINE NUMBER
For 24-hour medical emergency assistance (human or animal), or chemical emergency assistance (spill, leak, fire, or accident) call CHEM-TREC 1-800-424-9300.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear:
• Long-sleeved shirt and long pants
• Shoes plus socks

After the product has been loaded into properly calibrated application equipment, shirt, pants, socks, and shoes are sufficient Personal Protective Equipment.

Follow manufacturer's instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
USERS SHOULD:
• Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
• Remove clothing immediately if pesticide gets inside.
• Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites.

Surface Water Advisory
This product may impact surface water quality due to runoff of rain water. This is especially true for poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of chlorantraniliprole from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory
This chemical has properties and characteristics associated with chemicals detected in groundwater. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Read and understand the entire label before using this product. LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer must be used only in accordance with specifications on this label or in separate LESCO Inc. supplemental labeling that may be made temporarily available through local distributors, as a result of new EPA approvals. LESCO Inc. will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated on this label or other labels or bulletins published by LESCO, Inc. User assumes all risks associated with such non-specified use.

NON-AGRICULTURAL USE REQUIREMENTS
The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses. Professional applications to golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Worker Protection Standard.
– Do not allow other workers to enter the treated area while application is in progress.
– Do not apply this product in commercial nurseries and greenhouses.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment, restricted-entry interval and notification to workers (as applicable). Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.
Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours.
For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:
• Long-sleeved shirt and long pants
• Shoes plus socks

PRODUCT INFORMATION

LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer may be applied for the control of white grubs and other listed pests infesting landscape and recreational turfgrass (including golf courses) as well as landscape ornamentals and interior plantscapes.

LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer may be used on plants or turfgrasses that are being grown for aesthetic or recreational purposes or climatic modifications in or around home lawns, commercial lawns, industrial facilities, residential dwellings, business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, wildlife plantings, playgrounds, schools, day-care facilities, golf courses (tee box areas, roughs, fairways, greens, collars, etc.), athletic fields, sod farms, and other landscaped areas.

Do not apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer when the soil is saturated with water because adequate distribution of the active ingredient vertically in the soil profile cannot be achieved under this condition. LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer is in Group 28 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs.

Consult your local LESCO, Inc. Professional Products representative, Cooperative Extension Service specialist or pest control advisor for regionally specific information regarding application timing.

24-0-8

GUARANTEED ANALYSIS

TOTAL NITROGEN (N)	24.00%
24.00% Urea Nitrogen*	
SOLUBLE POTASH (K ₂ O)	8.00%

DERIVED FROM: Polymer Coated Urea, Urea, Muriate of Potash.

*9.60% Slowly available Urea Nitrogen from Polymer Coated Urea.

We recommend that you follow the Florida Green Industries BMPs at: http://www.flaes.org/pdf/BMP_Book_final.pdf
We recommend that you follow the Florida Golf Course BMPs at: <http://www.flaes.org/pdf/gfbmp07.pdf>
Contains LESCO® Poly Plus® Polymer Coated Urea to provide a uniform growth with extended nitrogen feeding.

STORAGE AND DISPOSAL
Do not contaminate water, food, or feed by storage or disposal.
Storage: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage. Not for use or storage in or around the home.
Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.
Container Disposal: Non-refillable container. Do not re-use or refill this container. Completely empty bag into application equipment. Then offer for recycling if available or dispose of empty bag in a sanitary landfill or by incineration, or, by other procedures approved by state and local authorities.

APPLICATION EQUIPMENT
Apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer with drop-type, rotary-type or hand-held application equipment. The application equipment must be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area. During application, check equipment periodically to confirm that it is working properly and that the granules are being uniformly distributed.

APPLICATION TIMING
White Grubs: Apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer from early April to early September for preventative and early curative control all of the major white grub species infesting turfgrass. The need for an application may be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. The higher rate listed for white grub control in Table 1 may be required in late August or early September when less sensitive mid-instar grubs are present at the time of application. Irrigate turf immediately after application or allow rainfall to move the product into the soil.
Annual Bluegrass Weevil: Apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer when overwintered adult annual bluegrass weevils are observed in late April or early May to prevent damage from first generation larvae in late May and June. An application of LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after mid-May.
Billbugs: Apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer when overwintered adult billbugs are first observed. This will usually occur in late April or early May in regions with cool-season turfgrasses. An application of LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after early May or when billbug species other than bluegrass billbugs are present.
European Crane Fly: Apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer between September and November to control European crane fly larvae in turfgrass. The higher rate listed in Table 1 may be required to achieve control when applications are made in November.
Spittlebugs: LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer will provide control of two-lined spittlebug when applications are made in spring or summer.
Turf Caterpillars: LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer will provide curative caterpillar control in turfgrass. If the area being treated is maintained at a mowing height of greater than one inch, then the higher rate listed in Table 1 may be required during periods of high pest pressure.
Chinch Bugs: For suppression of chinch bugs, apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer before eggs hatch.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL TURFGRASS AREAS
Table 1 provides the application rates that will control the listed turfgrass pests. For maximum residual effectiveness or for optimal control of large pest infestations, apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer at up to 500 pounds per acre (0.33 lb A/I/A) to control any of the pests listed in Table 1. Restriction: Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrasses.

TARGET PEST	PRODUCT PER ACRE	PRODUCT PER 1,000 SQUARE FEET	LB A/I/A
White Grubs (including Aphodius spp., Asiatic garden beetle, black turfgrass ateniuss, European chafer, green June beetle, Japanese beetle, May/June beetles (Phyllophaga spp.), northern masked chafer, oriental beetle and southern masked chafer)	150 to 300 pounds*	3.44 to 6.88 pounds	0.1 to 0.2
Billbugs			
European Crane Fly			
Turf Caterpillars (including armyworms, cutworms and sod webworms)			
Annual bluegrass weevil	225 to 300 pounds*	5.17 to 6.88 pounds	0.15 to 0.2
Spittlebugs			
Chinch bugs (suppression only)	150 to 300 pounds*	3.44 to 6.88 pounds	0.1 to 0.2

*For maximum residual effectiveness or optimal control of large pest infestations, apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer at up to 500 pounds per acre (0.33lb A/I/A).

APPLICATION RATES FOR ORNAMENTAL PLANTS
Table 2 provides the application rates that will control the pests of landscape ornamentals and interior plantscapes. Before application, remove black plastic or other weed barrier materials that are impermeable to water. For maximum residual effectiveness or for optimal control of large pest infestations, LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer may be applied at up to 500 pounds per acre (0.33 lb A/I/A) to control any of the pests listed in Table 2. Restriction: Do not apply more than 750 pounds (equivalent to 0.5lb of active ingredient) of product per acre per year in broadcast applications to ornamental plants.

TARGET PEST	PRODUCT PER ACRE	PRODUCT PER 1,000 SQUARE FEET	LB A/I/A
White Grubs (Asiatic garden beetle, European chafer, green June beetle, Japanese beetle, May/June beetles (Phyllophaga spp.), northern masked chafer, oriental beetle and southern masked chafer)	150 to 300 pounds*	3.44 to 6.88 pounds	0.1 to 0.2

*For maximum residual effectiveness or optimal control of large pest infestations, apply LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer at up to 500 pounds per acre (0.33lb A/I/A).

Rotary Spreader	SETTINGS
LESCO® – Calibration Gauge	#14
PermaGreen	14
Cyclone®/ Spyker® /Z-Spray	4
Vicon (LESCO® Pendulum)	22
Lely®	4 II

CLEANING APPLICATION EQUIPMENT
Thoroughly clean all application equipment after use to reduce the risk of forming hardened deposits that might become difficult to remove. Thoroughly rinse application equipment with clean water. Clean all other associated application equipment. Take all necessary safety precautions when cleaning equipment. Do not clean equipment near wells, or other water sources. Dispose of waste rinse water in accordance with local regulations.

INTEGRATED PEST MANAGEMENT (IPM) PROGRAMS
LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer is recommended for IPM programs on turf and landscape ornamentals because it does not directly impact natural arthropod predator and parasitoid populations including ladybird beetles, lacewings, minute pirate bugs and predatory mites. The feeding behavior of beneficial arthropods will aid in extending natural control of other insect and mite pests and will reduce the possibility of secondary pest outbreaks. LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer will reduce the target pest species that may serve as a food source for beneficial arthropods.

RESISTANCE MANAGEMENT
Some insects are known to develop resistance to products used repeatedly for control. When this occurs, the labeled dosages fail to suppress the pest population below threshold levels. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. These strategies may include incorporation of cultural and biological control practices, alternation of active classes of insecticides on succeeding generations and targeting the most susceptible life stage. Consult your local LESCO Inc. Professional Products representative. Cooperative Extension Service specialist or pest control advisor for the latest information on resistance management in your area.

RESTRICTIONS

- Not for use on plants (except turfgrass on sod farms) being grown for sale or other commercial use, or for commercial seed production.
- Do not formulate this product into other end-use products without written permission from LESCO Inc.
- Do not apply this product in commercial nurseries and greenhouses.
- Do not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass or landscape ornamental plants.
- Do not apply more than 300 pounds (equivalent to 0.2 lb of active ingredient) of product per acre in a single application on sod farms.
- Wait a minimum of 7 days to retreat.
- Do not apply by air.

The following restrictions are required to permit use of LESCO® Acelepryn® 0.067% Insecticide Plus Fertilizer in the state of New York:

GOLF COURSES

Greens, tee boxes: Do not apply this product within 25 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
Fairways: Do not apply this product within 50 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
All other use sites:
Do not apply this product within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY
NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded. The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions, presence of other materials or other influencing factors in the use of the product, which are beyond the control of LESCO, Inc. or Seller. To the extent permitted by applicable law, Buyer and User agree to hold LESCO, Inc. and Seller harmless for any claims relating to such factors.
LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with directions under normal use conditions. To the extent permitted by applicable law: (1) this warranty does not extend to the use of this product contrary to label instructions or under conditions not reasonably foreseeable to or beyond the control of Seller or LESCO, Inc., and, (2) Buyer and User assume the risk of any such use. TO THE EXTENT PERMITTED BY APPLICABLE LAW, LESCO, Inc. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS WARRANTED BY THIS LABEL. To the extent permitted by applicable law, in no event shall LESCO, Inc. be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF LESCO, Inc. AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, Inc. OR SELLER, THE REPLACEMENT OF THE PRODUCT.
LESCO, Inc. and Seller offer this product, and Buyer and User accept it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn: RA Dept., 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag. Information regarding the contents and levels of metals in this product is available on the internet at: <http://www.aapfco.org/metals.htm>

Poly Plus® OPTI™ is comprised of Polymer Coated Urea. Acelepryn is a trademark of a Syngenta Group Company. LESCO and Poly Plus are registered trademarks and the sweeping design is a trademark of LESCO, Inc. Cyclone and Spyker are registered trademarks of Spyker Spreaders, LLC. Lely is a registered trademark of C Van Der Lely N.V. Vicon is a registered trademark of Ransomes-Cushman-Ryan. PermaGreen is a registered trademark of PermaGreen Supreme, Inc. OPTI™ is a registered trademark of Turf Care Supply Corp. Rev. 3/14/22 (12162021)

Net Weight: 50 lb (22.7 kg) SGN 240
EPA REG. NO. 100-1492-10404
EPA EST. NO. 961-PA-01 (L), 961-IL-01 (D), 8378-IN-1 (K), 9404-FL-1 (C), 59144-GA-1 (A), 32802-MO-1 (B), 61842-CA-1 (T), 37351-CO-1 (E), 69759-OR-004 (BAN), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H), 89135-AZ-001 (A), 90561-NC-001 (N), 57131-WI-1-EC, 92626-TN-1, 49991-TX-2, 93243-CT-1

First letter of lot code indicates manufacturing site.
F1560
Distributed by: **LESCO, Inc.**
1385 East 36th Street
Cleveland, OH 44114-4114

#291603 PPO