



SAFETY DATA SHEET

Revision Date: February 27, 2018

Leb Pro 17-0-3 40PCU 3Fe Fertilizer Imidacloprid + Lambda

SECTION 1: IDENTIFICATION

Product Name: Leb Pro 17-0-3 40PCU 3Fe Fertilizer + Imidacloprid + Lambda
EPA Registration No.: 53883-395-961
Recommended Use: Insecticide; See product label for a complete list of uses and use sites.
Restrictions on Use: See product label for any restrictions on the use of this product.
Chemical Family: N/A – Mixture
Chemical Name of Active Ingredient(s): Imidacloprid
 Lambda-cyhalothrin
Manufactured by: Lebanon Seaboard Corporation
 1600 East Cumberland Street
 Lebanon, PA 17042 Tel: 1-800-233-0628

FOR FIRE, SPILL, AND/OR LEAK EMERGENCIES CONTACT: CHEMTREC 1-800-424-9300
FOR MEDICAL EMERGENCIES AND HEALTH AND SAFETY INQUIRIES CONTACT: Safety Call 1-866-897-8050

SECTION 2: HAZARD(S) IDENTIFICATION

EMERGENCY OVERVIEW: Granules. Causes skin and eye irritation.

OSHA HCS CLASSIFICATION (29 CFR 1910.1200)

Eye Damage/Irritation	Category 2A
Skin Corrosion/Irritation	Category 2
Carcinogenicity	Category 1A
Specific Target Organ Toxicity – Single Exposure	Category 3
Specific Target Organ Toxicity – Repeated Exposure	Category 2
Reproductive Toxicity	Category 2

Signal Word: DANGER



Hazard Statement(s): Causes serious eye irritation.
 Causes skin irritation.
 May cause cancer.
 May cause respiratory irritation.
 May cause damage to organs (heart, thyroid, blood chemistry, and liver) through prolonged or repeated exposure.
 Suspected of damaging fertility or the unborn child.

Precautionary Statement(s):

Prevention: Wear protective gloves/protective clothing/eye protection/face protection.
 Wash hands and exposed skin thoroughly after handling.
 Do not breathe mist/vapors/spray.
 Use only outdoors or in a well-ventilated area.

Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.

Response: **IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
IF ON SKIN: Wash with plenty of water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse.
IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell.
IF EXPOSED OR CONCERNED: Get medical advice/attention. Get medical advice/attention if you feel unwell.

Storage: Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up.

Disposal: Dispose of contents/container in accordance with Federal, state and local regulations.

SECTION 3: COMPOSTION/INFORMATION ON INGREDIENTS

Chemical Name	CAS Number	Weight %
Dolomitic limestone	16389-88-1	40.0 – 50.0%
Contains quartz (fine fraction)	14808-60-7	<1.0%
Urea	57-13-6	30.0 – 40.0%
Iron Sucrate	N/A	3.0%
Attapulgate clay	8031-18-3	1.5 – 2.0%
N-methyl-2-pyrrolidinone	872-50-4	0.8 - 0.9%
Imidacloprid	138261-41-3	0.2%
Lambda-cyhalothrin	91465-08-6	0.04%

*Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

SECTION 4: FIRST AID MEASURES

IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes; then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air. If person is not breathing, call 911 or an ambulance; then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
IF INGESTED:	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms/effects, acute and delayed: Eye, skin and respiratory tract irritation. Reproductive damage and damage to organs.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Water spray, alcohol-resistant foam, dry chemical or carbon dioxide
Unsuitable Extinguishing Media:	Water jet as it may spread fire.
Hazardous Combustion Products:	Thermal decomposition may produce toxic carbon and nitrogen oxides as well as hydrogen chloride and hydrogen cyanide.
Special Protective Equipment & Precautions:	Evacuate area and fight fire upwind from a safe distance to avoid hazardous vapors and decomposition products. Foam and/or dry chemical are preferred to minimize environmental contamination. If water is used, dike and collect water to prevent run-off. Wear self-contained breathing apparatus and full fire-fighting turn-out gear (Bunker gear).
Unusual Fire & Explosion Hazards:	None known

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions:	See Section 8 for personal protection equipment.
Environmental Precautions:	Keep spilled material and any rinsate from contaminating soil or from entering sewage and drainage systems and bodies of water.
Methods for Containment:	Isolate the spill area. Keep unnecessary and unprotected personnel from entering. Dike large spills using absorbent or impervious material such as clay or sand. Recover as much spilled product as possible for use.
Methods for Clean-up:	Place contaminated material in appropriate container for disposal. After removal, flush contaminated area thoroughly with soap and water. Pick up wash liquid with additional absorbent and place in a disposable container. Do not put spilled material back in the original container.
Other Information:	None known

SECTION 7: HANDLING AND STORAGE

Handling:	RECOMMENDATIONS ARE INTENDED FOR MANUFACTURING, PACKAGING AND COMMERCIAL BLENDING WORKERS. PESTICIDE APPLICATORS AND WORKERS must refer to the product label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Handle and open container in a manner as to prevent spillage. Do not eat, drink or smoke while handling this product.
Storage:	See pesticide label for full information on product storage. Do not contaminate water, food or feed by storage of this product. Store away from sources of heat, out of direct sunlight and away from incompatible materials. Pesticides should be stored in secured areas away from children and animals.
Storage Temperature (Min/Max):	Not determined but avoid extreme temperatures.
Product Incompatibilities:	Avoid contact with strong oxidizers and strong acids.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Users of a pesticide product must refer to the product label for personal protective equipment requirements.

Exposure Guidelines:

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
Quartz (fine fraction) from dolomitic limestone	50 µg/m ³ (TWA) (respirable fraction)	0.025 mg/m ³ (respirable fraction)	0.05 mg/m ³ (TWA) (respirable fraction)

Engineering Controls: Provide general or local exhaust ventilation systems to maintain airborne concentrations below OSHA PELs or other specified exposure limits. Local exhaust ventilation is preferred.

Respiratory Protection: In areas of poor ventilation, use a NIOSH approved respirator with cartridges/canisters approved for silica dust.

Eye Protection: Chemical goggles or safety glasses and full-face shield.

Protective Gloves: Chemical-resistant gloves such as barrier laminate, butyl rubber, nitrile, neoprene rubber, polyvinyl chloride (PVC) or Viton.

Other Protective Clothing: Long-sleeved shirt, long pants and shoes plus socks.

General Safety Measures: Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing immediately after handling this product. Wash outside of gloves before removing. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product’s concentrate. Do not reuse them. Follow manufacturer’s instructions for cleaning and maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	Granules	Upper/Lower Flammability Limits:	Not determined
Odor:	Not determined	Vapor Pressure:	Not applicable
Odor Threshold:	Not determined	Vapor Density:	Not applicable
pH:	Not determined	Bulk Density:	Not determined
Melting /Freezing Point:	Not determined	Solubility:	Not determined
Boiling Point/Range:	Not determined	Partition Coefficient:	Not applicable
Flash Point:	Not applicable	Auto-ignition Temperature:	Not determined
Evaporation Rate:	Not applicable	Decomposition Temperature:	Not determined
Flammability:	Not applicable	Viscosity:	Not applicable

SECTION 10: STABILITY AND REACTIVITY

Reactivity:	No hazardous chemical reactions known.
Chemical Stability:	Stable under normal storage and handling conditions.
Possibility of Hazardous Reactions:	No potential for hazardous reactions known.
Conditions to Avoid:	Contact with incompatible materials.
Incompatible Materials:	Strong oxidizers and strong acids
Hazardous Decomposition Products:	Thermal decomposition may produce toxic carbon and nitrogen oxides as well as hydrogen chloride and hydrogen cyanide.

SECTION 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure:	Eye contact, Skin contact, Inhalation, Ingestion
Symptoms of Exposure:	Eye, skin, and/or respiratory tract irritation.
Oral LD₅₀:	>3,000 mg/kg (Estimated based upon component data)
Dermal LD₅₀:	>2,000 mg/kg (Estimated based upon component data)
Inhalation LC₅₀:	>5.0 mg/L (Estimated based upon component data)
Eye Irritation/Damage:	Moderately irritating (Estimated based upon component data)
Skin Corrosion/Irritation:	Moderately irritating (Estimated based upon component data)
Skin Sensitization:	Non-sensitizer (Estimated based upon component data)
Chronic/Subchronic Toxicity:	Repeated overexposure to imidacloprid, may affect heart, thyroid, blood chemistry, and liver. Repeated overexposure to N-methyl-2-pyrrolidinone (NMP) may cause effects to eyes, skin, respiratory system, central nervous system, liver and kidneys. Prolonged inhalation of respirable crystalline silica may be harmful. May cause damage to organs (lungs) through prolonged or repeated exposure. There are reports in the literature suggesting that excessive crystalline silica exposure may be associated with autoimmune disorders and other adverse health effects involving the kidney. In particular, the incidence of scleroderma (thickening of the skin caused by swelling and the thickening of fibrous tissue) appears to be higher in silicotic individuals. To date, the evidence does not conclusively determine a causal relationship between silica exposure and these adverse health effects.
Mutagenicity:	The imidacloprid mutagenicity studies, taken collectively, demonstrate that imidacloprid is not genotoxic or mutagenic. Neither in vitro nor in vivo tests on N-methyl-2-pyrrolidinone demonstrated mutagenic effects.
Reproductive Toxicity:	In a two-generation reproduction study in rats, imidacloprid produced reduced mean body weight gains. No other reproductive effects were observed. N-methyl-2-pyrrolidinone may adversely affect reproduction in rats after ingestion, although fertility is unaltered.
Neurotoxicity:	No data available
Target Organs:	Repeated overexposure to imidacloprid, may affect heart, thyroid, blood chemistry, and liver. Repeated overexposure to N-methyl-2-pyrrolidinone (NMP) may cause effects to eyes, skin, respiratory system, central nervous system, liver and kidneys. Prolonged inhalation of respirable crystalline silica may cause damage to lungs.
Aspiration Hazard:	Not anticipated to be an aspiration hazard.
Carcinogenicity:	Imidacloprid did not cause cancer in laboratory animal studies. The U.S. EPA

has given imidacloprid a Group E (evidence of non-carcinogenicity in humans). No increase in tumors was seen in rats via dietary or inhalation exposure to N-methyl-2-pyrrolidinone for two years; however, an increase in tumors was seen in rats receiving high dietary doses over a similar period. Liver tumors are not uncommon when non-genotoxic chemicals such as N-methyl-2-pyrrolidinone are tested in the mouse bioassay.

Chemical Name	ACGIH	IARC	NTP	OSHA
Quartz (fine fraction)		Group 1	Known Human Carcinogen	

SECTION 12: ECOLOGICAL INFORMATION

Environmental Hazards Statement from FIFRA Regulated Pesticide Label:

This product is highly toxic to fish and aquatic invertebrates. This product is highly toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are foraging the treatment area.

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product contains a chemical with properties and characteristics associated with chemicals detected in groundwater. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in groundwater contamination.

ECOTOXICITY DATA:

The data presented below is on technical imidacloprid.
Fish Toxicity: Bluegill (*Lepomis macrochirus*): 96 hr LC₅₀ = 105 mg/L
 Rainbow trout: 96 hr LC₅₀ = 211 mg/L
Aquatic Invertebrate Toxicity: *Daphnia magna*: 48 hr EC₅₀ = 85 mg/L
Aquatic Plant Toxicity: No data available
Avian Toxicity: Bobwhite Quail: 8-day dietary LC₅₀ = 1535 ppm
 Bobwhite Quail: Oral LD₅₀ = 152 mg/kg
 Mallard Duck: 8-day dietary LC₅₀ >4,797 ppm
Honeybee Toxicity: Contact LD₅₀ = 0.078 µg/bee

ENVIRONMENTAL EFFECTS:

Persistence and Degradability: Hydrolysis half-life of imidacloprid is greater than 30 days at pH 7 and 25°C. The aqueous photolysis half-life is less than 3 hours. The soil surface photolysis of imidacloprid has a half-life of 39 days, and in soil, the half-life ranged from 26 to 229 days.
Bioaccumulation: No data available
Mobility: No data available
Other Adverse Effects: No data available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste Disposal: Refer to the pesticide label for full information on disposal. Pesticide wastes are toxic. Improper disposal of unused pesticide, spray mixture, or rinse water is a violation of Federal law. If these wastes cannot be used according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance in proper disposal methods.

Container Disposal: Refer to the pesticide label for full information on disposal. When possible, triple rinse the container and offer for recycling if available.

RCRA Characteristics: It is the responsibility of the individual disposing of this product to determine the RCRA classification and hazard status of the waste.

SECTION 14: TRANSPORTATION INFORMATION

DOT (Ground): Not regulated

IMDG (Sea): UN3077, Environmentally hazardous substance, solid, n.o.s. (imidacloprid, lambda-cyhalothrin), 9, III, Marine Pollutant

IATA (Air): UN3077, Environmentally hazardous substance, solid, n.o.s. (imidacloprid, lambda-cyhalothrin), 9, III

SECTION 15: REGULATORY INFORMATION

Labeling Requirements Under FIFRA: This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long sleeved shirt, long pants, shoes and socks.

TSCA Inventory: This product is exempt from TSCA inventory listing requirements as it is solely for FIFRA regulated use.

SARA Title III Information:

Section 302 – Extremely hazardous substances: None

Section 311/312 – Hazard Categories: Immediate (Acute), Delayed (Chronic)

Section 313 – This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS Number	Weight %
N-Methyl-2-pyrrolidinone	872-50-4	0.8 – 0.9%

CERCLA – This product contains the following chemicals which have a reportable quantity (RQ) under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA):

Chemical Name	CAS Number	RQ	Quantity of Finished Product
None listed			

CALIFORNIA PROPOSITION 65:

Chemical Name	CAS Number	Prop 65 Category(ies)
N-Methyl-2-pyrrolidinone	872-50-4	Developmental
Quartz (fine fraction)	14808-60-7	Carcinogen

U.S. STATE RIGHT-TO-KNOW REGULATIONS:

Chemical Name	New Jersey	Massachusetts	Pennsylvania
N-Methyl-2-pyrrolidinone	X	X	X
Lambda-cyhalothrin	X		X
Quartz (fine fraction)	X	X	X
Attapulgitte clay	X		X

SECTION 16: OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 0	Instability 0	Special Hazards – None
-------------	-------------------------	-----------------------	----------------------	-------------------------------

Disclaimer: Control Solutions, Inc. believes the information presented herein is accurate and correct as of the document date. The presented information is based upon available data from reliable sources. Control Solutions, Inc. makes no warranty, express or implied, regarding the accuracy of the data or the results obtained from the use of this product. Nothing herein may be construed as recommending any practice or any product in violation of any law or regulations. The user is solely responsible for determining the suitability of any material or product for a specific purpose and for adopting any appropriate safety precautions. We disclaim all liability for injury or damage stemming from any improper use of the material or product described herein.

Revision Date: January 29, 2018
Document Superseded: N/A – New document
Revision Note: