

# ProScape®

# LEBANON

## FERTILIZER

# 25-0-5

# MESA

P A T E N T E D

### GUARANTEED ANALYSIS

Total Nitrogen (N) .....	25%
4.5 Ammoniacal Nitrogen	
2.6% Water Insoluble Nitrogen*	
13.3% Urea Nitrogen	
4.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	5%
Sulfur (S) .....	5.0%
5.0% Combined Sulfur (S)	
Iron (Fe) .....	1.0%
0.1% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*7.2% Slowly available Nitrogen from Methylene Ureas.

Chlorine (Cl) not more than ..... 5.0% U.S.A

### GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	25%
4.5 Ammoniacal Nitrogen	
2.6% Water Insoluble Nitrogen*	
13.3% Urea Nitrogen	
4.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	5%
Sulfur (S) .....	5.0%
5.0% Combined Sulfur (S)	
Iron (Fe) (actual) .....	1.0%
0.1% Water Soluble Iron (Fe)	
Chlorine (Cl) (maximum) .....	5.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*7.2% Slowly available Nitrogen from Methylene Ureas. CANADA

**NOTICE:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

**Application Rates:**  
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 159 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.0 lbs per 1,000 sq. ft. or 87 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4%	4
Andersons AccuPro	M	H
Earthway Rotary	16	14
Gandy	28	24
Lely	6 II	4 II
Lesco (letter/numeric)	J/21	G/15
PennMulch HVO	M	i
ProScape SS	M	i
Spyker	4%	4
Vicon	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

**Hazard Statements:**  
Causes skin irritation.  
Causes eye irritation.  
May be harmful if inhaled.  
Suspected of causing cancer.

**Precautionary Statements for handling:**  
Do not handle until all safety precautions have been read and understood.  
Avoid breathing dust/fume/gas/mist/vapours/spray.  
Wash hands and exposed skin thoroughly after handling.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Use personal protective equipment as required.  
If in eyes, rinse with water and seek medical attention if symptoms persist.  
Take off contaminated clothing and wash before reuse.  
IF ON SKIN: Wash with plenty of soap and water.  
IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.  
If skin irritation occurs: Get medical advice/attention.  
If eye irritation persists: Get medical advice/attention.  
Store locked up.  
Dispose of contents/container properly as required by law for waste pesticides.  
If exposed or concerned, seek medical advice.  
Keep out of reach of children  
Dispose in accordance with all federal, state and local

### KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### WARNING



**Application Rates and Frequencies in Canada:** Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

**Application Rates:**  
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 0.8kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.48kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43 kg N/100 m <sup>2</sup>	0.24 kg# N/100 m <sup>2</sup>
Lebanon Turf	4%	4
Andersons AccuPro	M	H
Earthway Rotary	16	14
Gandy	28	24
Lely	6 II	4 II
Lesco (letter/numeric)	J/21	G/15
PennMulch HVO	M	i
ProScape SS	M	i
Spyker	4%	4
Vicon	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**  
1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

800-233-0628 • (717-273-1685)

NET WEIGHT **50** LBS. (22.7 KG)

# FERTILIZER

# 25-0-5

# MESA

P A T E N T E D

## GUARANTEED ANALYSIS

Total Nitrogen (N) .....	25%
4.5 Ammoniacal Nitrogen	
2.6% Water Insoluble Nitrogen*	
13.3% Urea Nitrogen	
4.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	5%
Sulfur (S) .....	5.0%
5.0% Combined Sulfur (S)	
Iron (Fe) .....	1.0%
0.1% Water Soluble Iron (Fe)	

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*7.2% Slowly available Nitrogen from Methylene Ureas.  
Chlorine (Cl) not more than ..... 5.0% U.S.A

## GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N) .....	25%
4.5 Ammoniacal Nitrogen	
2.6% Water Insoluble Nitrogen*	
13.3% Urea Nitrogen	
4.6% Other Water Soluble Nitrogen*	
Soluble Potash (K <sub>2</sub> O) .....	5%
Sulfur (S) .....	5.0%
5.0% Combined Sulfur (S)	
Iron (Fe) (actual) .....	1.0%
0.1% Water Soluble Iron (Fe)	
Chlorine (Cl) (maximum) .....	5.0%

Derived From: Ammonium Sulfate, Methylene Ureas, Urea, Muriate of Potash, Ferric Oxide, Ferrous Sulfate.

\*7.2% Slowly available Nitrogen from Methylene Ureas. CANADA

**NOTICE:** This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Lebanon brand fertilizers are formulated for professional use on turf, including golf courses, sports fields, and landscapes. Specific application rates and frequencies are determined by the professional applicator based on local soils, regulations, and climate.

### Application Rates:

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 159 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2.0 lbs per 1,000 sq. ft. or 87 lbs. per acre.

### SUGGESTED SPREADER SETTINGS

Spreader	0.9# N /1,000 sq. ft.	0.5# N /1,000 sq. ft.
Lebanon Turf	4 3/4	4
Andersons AccuPro	M	H
Earthway Rotary	16	14
Gandy	28	24
Lely	6 II	4 II
Lesco (letter/numeric)	J/21	G/15
PennMulch HVO	M	i
ProScape SS	M	i
Spyker	4 3/4	4
Vicon	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

### Hazard Statements:

- Causes skin irritation.
- Causes eye irritation.
- May be harmful if inhaled.
- Suspected of causing cancer.

### Precautionary Statements for handling:

- Do not handle until all safety precautions have been read and understood.
- Avoid breathing dust/fume/gas/mist/vapours/spray.
- Wash hands and exposed skin thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- If in eyes, rinse with water and seek medical attention if symptoms persist.
- Take off contaminated clothing and wash before reuse.
- IF ON SKIN: Wash with plenty of soap and water.
- IF INHALED: Call » POISON CENTER or doctor/physician if you feel unwell.
- If skin irritation occurs: Get medical advice/attention.
- If eye irritation persists: Get medical advice/attention.
- Store locked up.
- Dispose of contents/container properly as required by law for waste pesticides.
- If exposed or concerned, seek medical advice.
- Keep out of reach of children
- Dispose in accordance with all federal, state and local

## KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

### WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

### WARNING



Application Rates and Frequencies in Canada: Follow your professional landscape management plan for your local course or area. A suggested application rate is 1 to 2.8 Kg for 100 m<sup>2</sup>, applied every 4 to 8 weeks during the local growing season.

### Application Rates:

To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.8 kg of product per 100 sq. meters.

To feed at the rate of 0.24 kg Nitrogen (N) Equivalent to 0.8kg of product per 100 sq. meters.

### SUGGESTED SPREADER SETTINGS

Spreader	0.43 kg N/100 m <sup>2</sup>	0.24 kg# N/100 m <sup>2</sup>
Lebanon Turf	4 3/4	4
Andersons AccuPro	M	H
Earthway Rotary	16	14
Gandy	28	24
Lely	6 II	4 II
Lesco (letter/numeric)	J/21	G/15
PennMulch HVO	M	i
ProScape SS	M	i
Spyker	4 3/4	4
Vicon	26	22

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



F699

**22-54318**

E/18

Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>

**WARRANTY**

**NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.**



For technical assistance or more information about our products visit [www.LebanonTurf.com](http://www.LebanonTurf.com)

Manufactured by:

**Lebanon Seaboard Corporation**

1600 E. Cumberland St. • Lebanon, PA 17042

Made in the U.S.A.

[www.LebanonTurf.com](http://www.LebanonTurf.com)

800-233-0628 • (717-273-1685)

**NET WEIGHT 50 LBS. (22.7 KG)**