### Section 1. Identification

**Product identifier** 

**Product Identity** 

Wet Look Gloss 100

Other means of identification

Not Applicable

Relevant identified uses of the substance or mixture and uses advised against

See Technical Data Sheet.

Details of the supplier of the safety data sheet

**Company Name** 

Lifeguard WP, Inc. 937 North Main Street Orange, CA 92867

**Emergency** 

24 hour Emergency Telephone No.

ChemTel Inc (800) 255 3924

**Customer Service:** 

714 288 2827

# Section 2. Hazard(s) identification

# Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Flammable Liquid, category 3;H226

Serious eye damage / eye irritation, category 2A;H319

Skin sensitizer category 1:H317

Carcinogen, category 2;H351

Specific target organ toxicity, Single exposure category 3;H336

Aquatic toxicity (acute), category 3;H402

Aquatic toxicity (chronic), category 3;H412

Flammable liquid and vapor.

Causes serious eye irritation.

May cause an allergic skin reaction.

Suspected of causing cancer.

May cause drowsiness or dizziness.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

Label elements



Warning

H226 Flammable liquid and vapor.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H336 May cause drowsiness and dizziness.

H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

**Revision Date: 07/07/2025** 

#### [Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

#### [Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

### [Storage]

P403+233 Store in a well ventilated place. Keep container tightly closed.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

### Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the Organisation for Economic Co-operation and Development (OECD) list of Per- and Polyfluoroalkyl Substances (PFASs).

Revision Date: 07/07/2025

#### [Prevention]

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

P233 Keep container tightly closed.

P240 Ground, bond container and receiving equipment.

P241 Use explosion-proof electrical, ventilating, light, equipment.

P242 Use only non-sparking tools.

P243 Take action to prevent static discharges.

P261 Avoid breathing dust, fume, gas, mist, vapors, spray.

P264 Wash thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves, eye protection, and face protection.

#### [Response]

P302+352 IF ON SKIN: Wash with plenty of soap and water.

P303+361+353 IF ON SKIN (or hair): Remove, take off immediately all contaminated clothing. Rinse skin with water, shower.

P304+340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+313 IF exposed or concerned: Get medical advice or attention.

P312 Call a POISON CENTER, doctor or physician if you feel unwell.

P333+313 If skin irritation or a rash occurs: Get medical advice or attention.

P337+313 If eye irritation persists: Get medical advice or attention.

P362+364 Take off contaminated clothing and wash it before reuse.

P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

### [Storage]

P403+233 Store in a well ventilated place. Keep container tightly closed.

P403+235 Store in a well ventilated place. Keep cool.

P405 Store locked up.

### [Disposal]

P501 Dispose of contents or container in accordance with local and national regulations.

### Other hazards

This product contains no PBT/vPvB/vPvM chemicals.

This product contains no endocrine disrupting chemicals.

Does not contain component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS) per the Organisation for Economic Co-operation and Development (OECD) list of Per- and Polyfluoroalkyl Substances (PFASs).

**Revision Date: 07/07/2025** 

## Section 3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Acetone CAS Number: 67-64-1 Synonyms: 2-Propanone, Dimethyl ketone, Dimethylformaldehyde, Propanone	45 - 70	Flammable Liquid, category 2;H225 Serious eye damage / eye irritation, category 2;H319 Specific target organ toxicity, Single exposure category 3;H336	
Proprietary CAS Number: Proprietary Synonyms: No available information	10 - 30	Serious eye damage / eye irritation, category 2B;H320	
p-Chloro-a,a,a-trifluorotoluene CAS Number: 98-56-6 Synonyms: No available information	10 - 30	Flammable Liquid, category 3;H226 Skin sensitizer category 1;H317 Carcinogen, category 2;H351 Aquatic toxicity (acute), category 2;H401 Aquatic toxicity (chronic), category 2;H411	Podpilanapari diprimpiranapi

The actual concentration or concentration range is withheld as a trade secret.

### Section 4. First aid measures

General In all cases of doubt, or when symptoms persist, seek medical attention.

Never give anything by mouth to an unconscious person.

Inhalation Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give

artificial respiration. If unconscious, place in the recovery position and obtain immediate

medical attention. Give nothing by mouth.

Eyes Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and

seek medical attention.

**Skin** Remove contaminated clothing. Wash skin thoroughly with soap and water or use a

recognized skin cleanser.

Ingestion DO NOT INDUCE VOMITING. This material is not soluble. DO NOT GIVE FLUIDS. If

spontaneous vomiting is inevitable, PREVENT ASPIRATION by keeping the victim?s head

below the knees. CONTACT A PHYSICIAN IMMEDIATELY.

### Most important symptoms and effects, both acute and delayed

Overview No specific symptom data available.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal

data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on

duration and level of exposure.

Treat symptomatically. See section 2 for further details.

Inhalation May cause drowsiness or dizziness.

Eves Causes serious eye irritation.

Skin May cause an allergic skin reaction.

<sup>\*</sup>PBT/vPvB - PBT, vPvM or vPvB-substance.

The full texts of the phrases are shown in Section 16.

**Revision Date: 07/07/2025** 

## Section 5. Fire-fighting measures

### **Extinguishing media**

Recommended extinguishing media; alcohol resistant foam, CO<sub>2</sub>, powder, water spray.

Unsuitable extinguishing media: Do not use; water jet.

### Special hazards arising from the substance or mixture

Hazardous decomposition: High temperatures and fires may produce toxic: Carbon monoxide, Carbon dioxide, Hydrogen chloride gas, Hydrogen fluoride.

Keep away from heat, sparks, open flames, and other ignition sources - No smoking.

Keep container tightly closed.

Ground, bond container and receiving equipment.

Use explosion-proof electrical, ventilating, light, equipment.

Use only non-sparking tools.

Take action to prevent static discharges.

Avoid breathing dust, fume, gas, mist, vapors, spray.

### Advice for fire-fighters

As with all fires, wear positive pressure, self-contained breathing apparatus, (SCBA) with a full face piece and protective clothing. Persons without respiratory protection should leave area. Wear SCBA during clean-up immediately after fire. No smoking.

**ERG Guide No.** 

128

### Section 6. Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

Use good personal hygiene practices. Wash hands before eating, drinking, smoking, or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

### **Environmental precautions**

Do not allow spills to enter drains or waterways.

#### Methods and material for containment and cleaning up

Spills/Leaks: Provide ventilation, Remove all sources of ignition. A vapor suppressing foam may be used to reduce vapors. Use water spray to dilute spill to a non-flammable mixture. Absorb spill with inert material (e.9. vermiculite, sand or earth), then place in suitable container. Use a spark-proof tool.

# Section 7. Handling and storage

### Precautions for safe handling

Handle containers carefully to prevent damage and spillage.

Avoid contact with eyes, skin, and clothing. Avoid breathing dust, mist, or vapor. Use only with adequate ventilation. Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Ground and bond containers when transferring material. Use spark-proof tools and explosion proof equipment. Take precautionary measures

**Revision Date: 07/07/2025** 

against static discharges. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose empty containers to heat, sparks or open flames. Do not allow to evaporate to near dryness.

See section 2 for further details. - [Prevention]

### Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from heat, sparks and flame. Keep from contact with oxidizing materials. Do not store in direct sunlight. Store in a tightly closed container. Flammables-area. Protect containers against damage. Keep container closed when not in use. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Handle in accordance with good industrial hygiene and safety practice. Keep out of reach of children.

Incompatible materials: Strong oxidizing agents, Strong acids, Strong bases, Amines, ammonia, alkalis, halogens. Peroxides.

See section 2 for further details. - [Storage]

### Specific end use(s)

No data available.

# Section 8. Exposure controls / personal protection

### **Control parameters**

### **Exposure Limits**

CAS No.	Ingredient	Source	Value
67-64-1 Acetone	Acetone	OSHA	1000 ppm, 2400 mg/m <sup>3</sup>
	The second secon	ACGIH	250 ppm 500 ppm
		NIOSH	250 ppm (590 mg/m³) TWA
98-56-6 p-Chloro-a,a,a-trifluorotoluene	p-Chloro-a,a,a-trifluorotoluene	OSHA	No Established Limit
		ACGIH	No Established Limit
		ACGIH 250 ppm 500 ppm  NIOSH 250 ppm (590 mg/m³) TWA  toluene OSHA No Established Limit  ACGIH No Established Limit  NIOSH No Established Limit  OSHA No Established Limit  ACGIH No Established Limit	No Established Limit
Proprietary Proprietary	Proprietary	OSHA	No Established Limit
		ACGIH	No Established Limit
		NIOSH	No Established Limit

**Exposure controls** 

Respiratory If workers are exposed to concentrations above the exposure limit, they must use the

appropriate, certified respirators.

Eyes Protective safety glasses recommended

Skin Wear PVC or rubber gloves to keep skin contact to a minimum. Refer to the manufacturer's

recommendations regarding the suitability of any gloves used.

Engineering Controls Provide adequate ventilation. Where reasonably practicable this should be achieved by the

use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits

suitable respiratory protection must be worn.

using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details.

Revision Date: 07/07/2025

# Section 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical State Liquid
Color Colorless
Odor Not Provided
Odor threshold Not Available
Melting point / freezing point Not Available

Initial boiling point and boiling range

Not Available

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits Lower Explosive Limit: Not Available

Upper Explosive Limit: Not Available

Flash Point < 100.00 F
Auto-ignition temperature Not Available
Decomposition temperature Not Available
pH Not Available
Viscosity (cSt) Not Available
Solubility in Water Not Available
Partition coefficient n-octanol/water (Log Kow) Not Available

Vapor pressure (Pa)

Relative Density

Vapor Density

Evaporation rate (Ether = 1)

Not Available

Other information

No other relevant information.

# Section 10. Stability and reactivity

### Reactivity

Hazardous Polymerization will not occur.

**Chemical stability** 

Stable under normal circumstances.

Possibility of hazardous reactions

No data available.

Conditions to avoid

Ignition sources, Excess heat, flames and sparks.

Incompatible materials

Strong oxidizing agents, Strong acids, Strong bases, Amines, ammonia, alkalis, halogens. Peroxides.

**Hazardous decomposition products** 

High temperatures and fires may produce toxic: Carbon monoxide, Carbon dioxide, Hydrogen chloride gas, Hydrogen fluoride.

Page 6 of 10

# Section 11. Toxicological information

### **Acute toxicity**

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LC50, mg/L/4hr	Inhalation Dust/Mist LC50, mg/L/4hr	Inhalation Gas LC50, ppm
Acetone - (67-64-1)	5,800.00, Rat - Category: NA	7,426.00, Rabbit - Category: NA	76.00, Rat - Category: NA	50.10, Rat - Category: NA	No data available.
Proprietary - (Proprietary)	No data available.	No data available.	No data available.	No data available.	No data available.
p-Chloro-a,a,a-trifluorotoluene - (98-56-6)	13,000.00, Rat - Category: NA	No data available.	33.00, Rat - Category: NA	No data available.	No data available.

### **Carcinogen Data**

CAS No.	Ingredient	Source	Value		
67-64-1	Acetone	OSHA	Regulated Carcinogen: No;		
		NTP	Known: No	; Suspected: No;	
		IARC	Group 1: N	o; Group 2a: No; Group 2b: No; Group 3: No;	
		ACGIH	A4		
98-56-6	p-Chloro-a,a,a-trifluorotoluene	OSHA	Regulated Carcinogen: No;		
		NTP	Known: No; Suspected: No;		
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No;		
		ACGIH	No Established Limit		
Proprietary	Proprietary	OSHA	Regulated Carcinogen: No;		
		NTP	Known: No; Suspected: No;		
		IARC	Group 1: No; Group 2a: No; Group 2b: No; Group 3: No;		
		ACGIH	No Establis	shed Limit	
Classification		Category		Hazard Description	
Acute toxici	ty (oral)			Not Applicable	
Acute toxici	ty (dermal)			Not Applicable	
Acute toxici	ty (inhalation)			Not Applicable	
Skin corrosion/irritation		(444)	Not Applicable		
Serious eye damage/irritation		2A		Causes serious eye irritation.	
Respiratory sensitization		-		Not Applicable	
Skin sensiti	zation	1		May cause an allergic skin reaction.	
Germ cell m	nutagenicity		-	Not Applicable	
Carcinogenicity 2		2	Suspected of causing cancer.		
Reproductive toxicity		The state of the s	(4)	Not Applicable	
STOT-single exposure				Not Applicable	
STOT-single exposure			3	May cause drowsiness or dizziness.	
STOT-single exposure STOT-repeated exposure		I I		Not Applicable	

**Revision Date: 07/07/2025** 

Aspiration hazard --- Not Applicable

Possible routes of entry: No available information

Symptoms and effects, both acute and delayed:

No specific symptom data available.

Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure.

Treat symptomatically.

Inhalation

May cause drowsiness or dizziness.

Eyes

Causes serious eye irritation.

Skin

May cause an allergic skin reaction.

# Section 12. Ecological information

### **Toxicity**

Harmful to aquatic life with long lasting effects.

### **Aquatic Ecotoxicity**

Ingredient	96 hr LC50 fish, mg/L	48 hr EC50 crustacea, mg/L	ErC50 algae, mg/L
Acetone - (67-64-1)	8,120.00, Pimephales promelas	8,800.00, Daphnia pulex	7,000.00, Pseudokirchneriella subcapitata
Proprietary - (Proprietary)	No data available.	No data available.	No data available.
p-Chloro-a,a,a-trifluorotoluene - (98-56-6)	11.50, Lepomis macrochirus	3.68, Daphnia magna	No data available.

### Persistence and degradability

There is no data available on the preparation itself.

### **Bioaccumulative potential**

Not Available

### **Mobility in soil**

No data available.

### Results of PBT and vPvB assessment

This product contains no PBT/vPvB/vPvM chemicals.

### Other adverse effects

No data available.

# Section 13. Disposal considerations

#### Waste treatment methods

Waste should not be released to sewers. Observe all federal, state, and local regulations when disposing of this substance.

**Revision Date: 07/07/2025** 

## Section 14. Transport information

**DOT (Domestic Surface** 

Transportation)

IMO / IMDG (Ocean Transportation)

ICAO/IATA

**UN** number

class(es)

UN1993

Class: 3

Flammable liquids, n.o.s., (Acetone)

UN1993

Flammable liquids, n.o.s.,

Flammable liquids, n.o.s.,

(Acetone)

UN1993

(Acetone)

Class: 3

Class: 3

Sub Class: Not Applicable

Sub Class: Not Applicable

Sub Class: Not Applicable

Packing group

Transport hazard

**UN proper shipping** 

**Environmental hazards** 

IMDG Marine Pollutant: No;

Special precautions for user

Not Applicable

# Section 15. Regulatory information

Regulatory Overview

The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.

Classification of the substance or mixture under OSHA's Hazard Communication Standard (1910.1200) revised 2024 (GHS revision 7).

### **Toxic Substance Control Act (TSCA)**

CAS Number	Ingredient	Toxic Substance Control Act (TSCA)	Comments	Status
0000067-64-1	Acetone	Yes		ACTIVE
Proprietary	Proprietary	No		
0000098-56-6	p-Chloro-a,a,a-trifluorotoluene	Yes		ACTIVE

### **EPCRA 302 Extremely Hazardous:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **EPCRA 313 Toxic Chemicals:**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Carcinogens (>0.0%):

p-Chloro-a,a,a-trifluorotoluene

#### Proposition 65 - Developmental Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### **Proposition 65 - Female Repro Toxins (>0.0%):**

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

### Proposition 65 - Male Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Revision Date: 07/07/2025

### **Proposition 65 Label Warning:**

WARNING: This product can expose you to chemicals including [p-Chloro-a,a,a-trifluorotoluene], which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## **Section 16. Other information**

#### **Revision Date**

07/07/2025

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 is:

H225 Highly flammable liquid and vapor.

H226 Flammable liquid and vapor.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H320 Causes eye irritation.

H336 May cause drowsiness and dizziness.

H351 Suspected of causing cancer.

H401 Toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Disclaimer: The information presented herein is supplied as a guide to those who handles or use this product. Safe work practices must be employed when working with any materials. It is important that the end user makes a determination regarding the adequacy of the safety procedures employed during the use of this product.

Authored by Quantum SDS: www.sdsquantum.com

**End of Document**