

Material Safety Data Sheet

Section I – Identify:

Name: ROCKWOOD Retaining Wall Block
Chemical Name: N/A
Chemical Family: N/A
Formula: N/A
CAS Registry Number: None Assigned

Section II – Hazardous Ingredients:

- 1. None
(Sawing or grinding may result in the result in the release of nuisance dust particles.) Dust particles may contain quartz dust.

(SiO2)
(Mg/M3) Respirable Dust
(10 Mg/M3) Total Dust

Section III – Physical Data:

Boiling Point (F): N/A
Vapor Pressure (MMHG): N/A
Vapor Density (AIR=1): N/A
Solubility in Water: Not Soluble
Specific Gravity: N/A
% Volatile by Volume: N/A
Evaporation Rate: N/A
Appearance: Solid
Odor: Odorless

Section IV – Fire and Explosion Data:

Flash Point (Method Used): N/A
Flammable Limit (In Air): N/A
Extinguishing Media: N/A
Special Fire Fighting: None
Unusual Fire Hazards: None

Section V – Health Hazard Data:

Sawing or Grinding may result in release of dust particles that may:

Acute: Cause minor irritation of the eyes or nose

Chronic: Result in lung disease (Silicosis) if exposed to excessive amounts for prolonged periods

Symptoms

Skin: Dust on previously irritated skin

Eyes: Irritation of eyes

Inhale: Irritation of nose and shortness of breath

Ingest: N/A

TLV: N/A

First Aid

Skin: Wash with soap and water

Eyes: Flush eyes generously for 15 minutes (If irritation persists, contact a physician)

Inhale: Remove self to fresh air (If you are having trouble breathing, contact a physician)

Ingest: N/A

TLV: N/A

Section VI – Reactivity Data:

Stability: Stable

Incompatibility (Avoid): None

Polymerization: None Known

Hazardous Decomposition: None Known

Section VII – Spill or Leak Procedures:

Steps to be taken in case material is released or spilled: Sweep up and discard

Waste Disposal Method: Dispose of as a common waste

Federal Hazardous Waste Number: None

Section VIII – Special Protection Information:

Respiratory Protection: Wear NIOSH approved respirator and goggles, when sawing or grinding.

Ventilation: In a confined area

Personal Protective Equipment: Gloves when required and safety shoes

Section IX – Special Precautions

Precautions to be taken when handling or storing: ROCKWOOD Retaining Wall Block are assembled in various sized cubes. In the shipping process the cubes may become unstable. Care must be taken in the handling and disassembling the cubes to prevent the individual units from falling, causing injury.

Section X – Transportation:

DOT Hazard Classification: None

Placard Required: None

Label Required: As required by applicable State and local regulations

Notice:

All statements, technical information, and recommendations contained herein are based on available scientific test or data, which we believe reliable. The accuracy and completeness of such data are not warranted to guarantee. We cannot anticipate all conditions under which this information and our products, or the products of other manufacturers in combination with our products, may be used. ROCKWOOD Retaining Walls Inc assumes no inability or responsibility for loss or damage resulting from the improper use or handling of our products, from incompatible product combinations, or from failure to follow instructions, warnings, and advisories in the products label and Material Safety Data Sheet.