



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

1/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**

**Product identifier**

**Trade name** DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE  
**Product code (UVP)** 79124899  
**SDS Number** 102000015239  
**EPA Registration No.** 432-1464

**Relevant identified uses of the substance or mixture and uses advised against**

**Use** Insecticide  
**Restrictions on use** See product label for restrictions.

**Information on manufacturer**

Bayer Environmental Science  
2 T.W. Alexander Drive  
Research Triangle PK, NC 27709  
United States

**Emergency telephone no.**

**Emergency Telephone Number (24hr/ 7 days)** 1-800-334-7577 (24 hours/day)

**Product Information Telephone Number** 1-800-331-2867

**SDS Information or Request** SDSINFO.BCS-NA@bayer.com

**SECTION 2: HAZARDS IDENTIFICATION**

**Classification in accordance with regulation HCS 29CFR §1910.1200**

Eye irritation : Category 2B  
Acute toxicity (Oral, Inhalation): Category 4  
Flammable liquids : Category 4



**Signal word:** Warning

**Hazard statements**

Causes eye irritation.  
Harmful if swallowed or if inhaled.  
Combustible liquid

**Precautionary statements**



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

Version 3.0 / USA  
102000015239

2/11  
Revision Date: 11/18/2014  
Print Date: 11/19/2014

Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Avoid breathing mist and spray.  
Use only outdoors or in a well-ventilated area.  
Keep away from open flames/hot surfaces. - No smoking.  
Wear protective gloves and eye protection/face protection.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/ attention.  
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.  
Rinse mouth.  
IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
Call a POISON CENTER/doctor/physician if you feel unwell.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.  
Store in a well-ventilated place. Keep cool.  
Dispose of contents/container in accordance with local regulation.

**Other hazards**

This product contains an cholinesterase inhibitor.

---

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Hazardous Component Name	CAS-No.	Concentration % by weight
Trichlorfon	52-68-6	37.30
2-(2-Methoxyethoxy)ethanol	111-77-3	62.70

---

**SECTION 4: FIRST AID MEASURES**

**Description of first aid measures**

<b>General advice</b>	When possible, have the product container or label with you when calling a poison control center or doctor or going for treatment.
<b>Inhalation</b>	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a physician or poison control center immediately.
<b>Skin contact</b>	Take off contaminated clothing and shoes immediately. Wash off immediately with plenty of water for at least 15 minutes. Call a physician or poison control center immediately.
<b>Eye contact</b>	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a physician or poison control center immediately.
<b>Ingestion</b>	Call a physician or poison control center immediately. Rinse out mouth and give water in small sips to drink. DO NOT induce vomiting unless directed to do so by a physician or poison control center. Never give anything by mouth to an unconscious person. Do not leave victim



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

3/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

unattended.

**Most important symptoms and effects, both acute and delayed**

**Symptoms** The symptoms of cholinesterase inhibition include: Nausea, Salivation, Blurred vision, Constriction of pupils, Lacrimation, Vomiting, Diarrhoea, Abdominal pain, Dizziness, Sweating

**Indication of any immediate medical attention and special treatment needed**

**Risks** Cholinesterase inhibitor

**Treatment** The following antidotes are generally accepted: atropin and oximes.

---

**SECTION 5: FIREFIGHTING MEASURES**

**Extinguishing media**

**Suitable** Carbon dioxide (CO<sub>2</sub>), Dry chemical, Foam, Water spray

**Unsuitable** None known.

**Special hazards arising from the substance or mixture** Dangerous gases are evolved in the event of a fire.

**Advice for firefighters**

**Special protective equipment for fire-fighters** In the event of fire and/or explosion do not breathe fumes. Firefighters should wear NIOSH approved self-contained breathing apparatus and full protective clothing.

**Further information** Keep out of smoke. Fight fire from upwind position. Cool closed containers exposed to fire with water spray. Do not allow run-off from fire fighting to enter drains or water courses. Whenever possible, contain fire-fighting water by diking area with sand or earth.

**Flash point** 84.4 °C

**Autoignition temperature** no data available

**Lower explosion limit** no data available

**Upper explosion limit** no data available

**Explosivity** not applicable

---



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

4/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**Personal precautions, protective equipment and emergency procedures**

**Precautions** Isolate hazard area. Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces.

**Methods and materials for containment and cleaning up**

**Methods for cleaning up** Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Collect and transfer the product into a properly labelled and tightly closed container. Clean contaminated floors and objects thoroughly, observing environmental regulations.

**Additional advice** Use personal protective equipment. Do not allow to enter soil, waterways or waste water canal.

**Reference to other sections** Information regarding safe handling, see section 7.  
Information regarding personal protective equipment, see section 8.  
Information regarding waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE**

**Precautions for safe handling**

**Advice on safe handling** Handle and open container in a manner as to prevent spillage. Maintain exposure levels below the exposure limit through the use of general and local exhaust ventilation.

**Advice on protection against fire and explosion** Keep away from heat and sources of ignition.

**Hygiene measures** Wash hands thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, using the toilet or applying cosmetics.  
Remove Personal Protective Equipment (PPE) immediately after handling this product. Before removing gloves clean them with soap and water. Remove soiled clothing immediately and clean thoroughly before using again. Wash thoroughly and put on clean clothing.

**Conditions for safe storage, including any incompatibilities**

**Requirements for storage areas and containers** Store in a cool, dry place and in such a manner as to prevent cross contamination with other crop protection products, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control parameters**

Components	CAS-No.	Control parameters	Update	Basis
Trichlorfon	52-68-6	1 mg/m <sup>3</sup>	02 2012	ACGIH



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

5/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

(Inhalable fraction.)		(TWA)		
Trichlorfon	52-68-6	0.28 mg/m3 (TWA)		OES BCS*
Trichlorfon	52-68-6	10ug/m3 (ST ESL)	07 2011	TX ESL
Trichlorfon	52-68-6	1ug/m3 (AN ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	270ug/m3 (ST ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	50ppb (ST ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	27ug/m3 (AN ESL)	07 2011	TX ESL
2-(2-Methoxyethoxy)ethanol	111-77-3	5ppb (AN ESL)	07 2011	TX ESL

No control parameters known.

\*OES BCS: Internal Bayer CropScience "Occupational Exposure Standard"

**Exposure controls**

**Personal protective equipment**

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

**Respiratory protection**

When respirators are required, select NIOSH approved equipment based on actual or potential airborne concentrations and in accordance with the appropriate regulatory standards and/or industry recommendations.

**Hand protection**

Chemical resistant nitrile rubber gloves

**Eye protection**

Tightly fitting safety goggles

**Skin and body protection**

Wear long-sleeved shirt and long pants and shoes plus socks.

**General protective measures**

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and warm/tepid water.  
Keep and wash PPE separately from other laundry.

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

<b>Appearance</b>	colourless
<b>Physical State</b>	liquid, clear
<b>Odor</b>	characteristic
<b>Odour Threshold</b>	no data available
<b>pH</b>	ca. 2.3 at 10 % (20 °C) (deionized water)
<b>Vapor Pressure</b>	no data available



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

6/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

---

<b>Vapor Density (Air = 1)</b>	no data available
<b>Density</b>	ca. 1.18 g/cm <sup>3</sup> at 20 °C
<b>Evaporation rate</b>	no data available
<b>Boiling Point</b>	no data available
<b>Melting / Freezing Point</b>	-4 °C / 24.8 °F
<b>Water solubility</b>	soluble
<b>Minimum Ignition Energy</b>	not applicable
<b>Decomposition temperature</b>	not applicable
<b>Partition coefficient: n-octanol/water</b>	not applicable
<b>Viscosity</b>	no data available
<b>Flash point</b>	84.4 °C
<b>Autoignition temperature</b>	no data available
<b>Lower explosion limit</b>	no data available
<b>Upper explosion limit</b>	no data available
<b>Explosivity</b>	not applicable

---

**SECTION 10: STABILITY AND REACTIVITY**

**Reactivity**

<b>Thermal decomposition</b>	not applicable
<b>Chemical stability</b>	Stable under normal conditions.
<b>Possibility of hazardous reactions</b>	No dangerous reaction known under conditions of normal use.
<b>Conditions to avoid</b>	Heat, flames and sparks. freezing
<b>Incompatible materials</b>	Strong oxidizing agents, Bases
<b>Hazardous decomposition products</b>	No decomposition products expected under normal conditions of use.

---

**SECTION 11: TOXICOLOGICAL INFORMATION**

<b>Exposure routes</b>	Eye contact, Skin contact, Ingestion, Inhalation
<b>Immediate Effects</b>	



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

7/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

**Eye** Moderate eye irritation.  
**Skin** May cause slight irritation. Harmful if absorbed through skin.  
**Ingestion** Harmful if swallowed.

**Information on toxicological effects**

**Acute oral toxicity** LD50 (female rat) 1,098 mg/kg  
**Acute inhalation toxicity** LC50 (rat) > 2.05 mg/l  
Exposure time: 4 h  
Determined in the form of liquid aerosol.  
highest concentration tested  
No deaths  
LC50 (rat) > 8.2 mg/l  
Exposure time: 1 h  
Determined in the form of liquid aerosol.  
Extrapolated from the 4 hr LC50.  
**Acute dermal toxicity** LD50 (rat) > 2,000 mg/kg  
**Skin irritation** Slight irritation (rabbit)  
**Eye irritation** Moderate eye irritation. (rabbit)  
**Sensitisation** Non-sensitizing. (guinea pig)

**Assessment repeated dose toxicity**

Trichlorfon did not cause specific target organ toxicity in experimental animal studies.

**Assessment Mutagenicity**

Trichlorfon was not mutagenic or genotoxic based on the overall weight of evidence in a battery of in vitro and in vivo tests.

**Assessment Carcinogenicity**

Trichlorfon was not carcinogenic in lifetime feeding studies in rats and mice.

**ACGIH**

Trichlorfon 52-68-6 Group A4

**NTP**

None.

**IARC**

Trichlorfon 52-68-6 Overall evaluation: 3

**OSHA**

None.

**Assessment toxicity to reproduction**

Trichlorfon is not considered a reproductive toxicant at non-maternally toxic dose levels.

**Assessment developmental toxicity**



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

Version 3.0 / USA  
102000015239

8/11  
Revision Date: 11/18/2014  
Print Date: 11/19/2014

Trichlorfon did not cause developmental toxicity in rats and rabbits.

**Further information**

Only acute toxicity studies have been performed on the formulated product.  
The non-acute information pertains to the active ingredient(s).

---

**SECTION 12: ECOLOGICAL INFORMATION**

<b>Biodegradability</b>	Trichlorfon: ; rapidly biodegradable
<b>Koc</b>	Trichlorfon: Koc: 0
<b>Bioaccumulation</b>	Trichlorfon: Bioconcentration factor (BCF) 0.41; Does not bioaccumulate.
<b>Mobility in soil</b>	Trichlorfon: Highly mobile in soils
<b>Environmental precautions</b>	Apply this product as specified on the label. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate surface or ground water by cleaning equipment or disposal of wastes, including equipment wash water. Do not apply when weather conditions favor runoff or drift. Drift and runoff from treated areas may be hazardous to aquatic organisms in adjacent sites.

---

**SECTION 13: DISPOSAL CONSIDERATIONS**

**Waste treatment methods**

<b>Product</b>	Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. Dispose of unused product by incineration at a licensed incineration plant, in accordance with all applicable national and local regulations.
<b>Contaminated packaging</b>	Do not re-use empty containers. Triple rinse containers. Completely empty container into application equipment, then dispose of empty container in a sanitary landfill, by incineration or by other procedures approved by state/provincial and local authorities. If burned, stay out of smoke. Follow advice on product label and/or leaflet.
<b>RCRA Information</b>	Characterization and proper disposal of this material as a special or hazardous waste is dependent upon Federal, State and local laws and are the user's responsibility. RCRA classification may apply.

---

**SECTION 14: TRANSPORT INFORMATION**





**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

9/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

**49CFR**

UN number 3082  
Class 9  
Packaging group III  
Marine pollutant Marine pollutant  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,  
N.O.S.  
(TRICHLORFON)  
RQ Reportable Quantity is reached with 268 lb of product.

**IMDG**

UN number 3082  
Class 9  
Packaging group III  
Marine pollutant YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(TRICHLORFON SOLUTION)

**IATA**

UN number 3082  
Class 9  
Packaging group III  
Environm. Hazardous Mark YES  
Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,  
N.O.S.  
(TRICHLORFON SOLUTION )

This transportation information is not intended to convey all specific regulatory information relating to this product. It does not address regulatory variations due to package size or special transportation requirements.

Freight Classification: INSECTICIDES OR FUNGICIDES, N.O.I., OTHER THAN  
POISON

**SECTION 15: REGULATORY INFORMATION**

EPA Registration No. 432-1464

US Federal Regulations

TSCA list

2-(2-Methoxyethoxy)ethanol 111-77-3

US Toxic Substances Control Act (TSCA) Section 12(b) Export Notification (40 CFR 707, Subpt D)  
None.

SARA Title III - Section 302 - Notification and Information

None.

SARA Title III - Section 313 - Toxic Chemical Release Reporting

Trichlorfon 52-68-6 25,000lbs

2-(2-Methoxyethoxy)ethanol 111-77-3 25,000lbs

US States Regulatory Reporting



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

Version 3.0 / USA  
102000015239

10/11  
Revision Date: 11/18/2014  
Print Date: 11/19/2014

**CA Prop65**

This product does not contain any substances known to the State of California to cause cancer.

This product does not contain any substances known to the State of California to cause reproductive harm.

**US State Right-To-Know Ingredients**

Trichlorfon	52-68-6	CA, CT, IL, NJ, RI
2-(2-Methoxyethoxy)ethanol	111-77-3	IL, NJ, RI

**Canadian Regulations**

**Canadian Domestic Substance List**

None.

**Environmental**

**CERCLA**

Trichlorfon	52-68-6	100 lbs
2-(2-Methoxyethoxy)ethanol	111-77-3	

**Clean Water Section 307 Priority Pollutants**

None.

**Safe Drinking Water Act Maximum Contaminant Levels**

None.

**EPA/FIFRA Information:**

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information required on the pesticide label:

**Signal word:** Caution!

**Hazard statements:** Harmful if swallowed or absorbed through skin.  
Moderate eye irritation.  
Do not take internally.  
Do not get in eyes, on skin, or on clothing.

---

**SECTION 16: OTHER INFORMATION**

**NFPA 704 (National Fire Protection Association):**

Health - 2      Flammability - 2      Instability - 0      Others - none

**HMIS (Hazardous Materials Identification System, based on the Third Edition Ratings Guide)**

Health - 2      Flammability - 2      Physical Hazard - 0      PPE -

0 = minimal hazard, 1 = slight hazard, 2 = moderate hazard, 3 = severe hazard, 4 = extreme hazard



**DYLOX® 420 SL TURF AND ORNAMENTAL INSECTICIDE**

11/11

Version 3.0 / USA  
102000015239

Revision Date: 11/18/2014  
Print Date: 11/19/2014

---

**Reason for Revision:** Revised according to the current OSHA Hazard Communication Standard (29CFR1910.1200)

**Revision Date:** 11/18/2014

This information is provided in good faith but without express or implied warranty. The customer assumes all responsibility for safety and use not in accordance with label instructions. The product names are registered trademarks of Bayer.

