

SOIL MOIST TRANSPLANT

Soil Moist Transplant is formulated to inoculate transplant shrubs and trees during planting time. Soil Moist Transplant contains a diverse blend of seven species of healthy viable ectomycorrhizal propagules and seven species of healthy viable endomycorrhizal propagules that are adapted to a wide range of plants and habitat conditions. This formulation will provide the inoculated area to colonize on the newly planted stock in a wide variety of growing conditions.

The mycorrhizal fungi colonize plant roots and extend far into the soil resource. The fungi improves the ability of the plants to utilize the soil resources. The fungi increases water and nutrient uptake by providing a larger root mass. The improvement in the plant / soil ecosystem increases plant establishment.

Each pound of Transplant contains over five billion colony forming units (CFU) of bacteria in the biostimulant formulation. There are over fifty (50) strains of beneficial bacteria and soil microbes as well as natural plant extracts that promote root growth and formulation. Five strains of Trichoderma are included in the formulation to produce natural growth hormones and enhance disease suppression.

Soil Moist™ water storing polymers are included in the formulation to reduce transplant stress and water maintenance while increasing the establishment of newly planted stock.

PRODUCT BENEFITS

- Improves soil and plant ecosystem
- Increases plant establishment and growth
- Reduces transplanting stress and plant loss
- Increases nutrient and water uptake
- Improves soil structure and porosity
- Reduces fertilizer use

COMPATIBILITY

Soil Moist Transplant is effective on all types of trees, shrubs and plants with the exception of Laurels, Rhododendrons and Azaleas.

Fungicides: Do not use fungicides for three weeks before and after applying Soil Moist Transplant. The following fungicides should not be used: Ridomil, Benlate, Bravo, Daconil, PCNB, Bayleton, Dithane, Zineb and Ziram.

STORAGE

Store in a cool, dry location. Avoid direct sunlight and high temperatures. Reseal any remaining materials in their original container. Product shelf life is up to twenty-four months.

NON PLANT FOOD INGREDIENTS

Endomycorrhizal Fungi	Minimum of 5760 viable propagules per pound of material derived from seven species: <i>Glomus intraradices</i> , <i>Glomus aggregatum</i> , <i>Glomus mosseae</i> , <i>Glomus clarum</i> , <i>Glomus deserticola</i> , <i>Glomus monosporum</i> and <i>Gigaspora margarita</i> .
Ectomycorrhizal Fungi	Minimum of 586 million viable propagules per pound of material derived from seven species: <i>Pisolithus tinctorius</i> , <i>Rhizopogon rubescens</i> , <i>Rhizopogon fulvigleba</i> , <i>Rhizopogon villosuli</i> and <i>Rhizopogon amylopogon</i> , two species of <i>Scleroderma</i> .