

 <div style="text-align: center;"> <h1>B.O.M.B.</h1> <h2>Breakdown of Organic Matter with Biology</h2> </div> 		
<p>CONTAINS NON-PLANT FOOD INGREDIENTS</p> <p>Active natural beneficial, saprophytic bacteria*...20% <i>Bacillus spp.</i>.....10.8 x 10⁷ CFU/gm</p> <p>Natural fermentation extracts, including cellulase and laccase enzymes.....80%</p> <p>*All bacteria in Soil Tech's B.O.M.B. belong to BioSafety Level 1.</p> <p>Target Crop: Turfgrass</p> <p>Storage: This product should be stored in a cool, dark place. Refrigeration will extend the shelf life of the product.</p> <p>Handling: Keep out of reach of children and pets. Wear gloves, eye protection, and long sleeves when handling the product. If product gets in eyes, remove lens(es) and flush with clear running water. If discomfort develops or persists, seek medical attention.</p> <p>Disposal: Do not contaminate water, food, or feed by storage or disposal.</p> <p>Disposal of Container: Triple rinse and discard in trash or recycle with plastics.</p>	<p>NET CONTENT: 1 Gallon (3.8 liters) Weight: 8.33 lbs</p> <p>Manufactured by:</p>  <p>SOILTECH <small>Teaming With Biology</small></p> <p>Soil Technologies Corp. 2103 185th Street, Fairfield, IA 52556, U.S.A. Tel.: +1-641-472-3963 www.soiltechcorp.com</p> <p>B.O.M.B. is a trademark of Soil Technologies Corp., copyright 2023.</p> <p>KEEP OUT OF REACH OF CHILDREN</p>	<p>Application Rate: 1 gallon per acre</p> <p>Application Instructions:</p> <ol style="list-style-type: none"> 1. B.O.M.B. should be mixed thoroughly prior to application. Shake the container or stir the contents. 2. B.O.M.B. can be applied through an irrigation injection system and can be applied alone or mixed with fertilizers. (A jar test should always be performed prior to full application.) 3. B.O.M.B. can be watered in by regular irrigation or rain fall. 4. Application should be made when soil temperatures are between 60-100° F. 5. Core aerification or spiking prior to an application of B.O.M.B. is helpful to ensure better contact with organic matter. 6. Allow 2-3 days between applications of B.O.M.B. and the use of herbicides, fungicides, and insecticides. <p>Expiration Date:</p>