

SAFETY DATA SHEET
Triple Crown™ Golf Insecticide

6720-2SDS

SDS # : 6720-2-A
Revision date: 2015-04-24
Format: NA
Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Triple Crown™ Golf Insecticide

Other means of identification

Product Code(s) 6720-2-A

Synonyms BIFENTHRIN: (2-methyl[1,1'-biphenyl]-3-yl)methyl 3-(2-chloro-3,3,3-trifluoro-1-propenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); 2-methylbiphenyl-3-ylmethyl (Z)-(1RS)-cis-3-(2-chloro-3,3,3-trifluoroprop-1-enyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name);

ZETA-CYPERMETHRIN: (+/-)- α -cyano(3-phenoxyphenyl)methyl (+/-) cis, trans-3-(2,2-dichloroethenyl)-2,2-dimethylcyclopropanecarboxylate (CAS name); (RS)- α -cyano-3-phenoxybenzyl (1RS)-cis-trans-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate (IUPAC name)

IMIDACLOPRID: (E)-1-(6-chloro-3-pyridylmethyl)-N-nitroimidazolidin-2-ylideneamine

Active Ingredient(s) Bifenthrin, Zeta-cypermethrin, Imidacloprid

Chemical Family Pyrethroid Pesticide, Neonicotinoid

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation
1735 Market Street
Philadelphia, PA 19103
(215) 299-6000 (General Information)
msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:
1 800 / 331-3148 (PROSAR - U.S.A. & Canada)
1 651 / 632-6793 (PROSAR - All Other Countries - Collect)
For leak, fire, spill or accident emergencies, call:
1 800 / 424 9300 (CHEMTREC - U.S.A.)
1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 3
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Carcinogenicity	Category 2
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

GHS Label elements, including precautionary statements**EMERGENCY OVERVIEW****Danger****Hazard Statements**

H301 - Toxic if swallowed
H332 - Harmful if inhaled
H351 - Suspected of causing cancer
H370 - Causes damage to organs
H372 - Causes damage to organs through prolonged or repeated exposure

**Precautionary Statements - Prevention**

P202 - Do not handle until all safety precautions have been read and understood
P281 - Use personal protective equipment as required
P264 - Wash face, hands and any exposed skin thoroughly after handling
P270 - Do not eat, drink or smoke when using this product
P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P312 - Call a POISON CENTER or doctor if you feel unwell
P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family Pyrethroid Pesticide, Neonicotinoid.

Chemical name	CAS-No	Weight %
Imidacloprid	138261-41-3	13.83

Bifenthrin	82657-04-3	7.87
Zeta-cypermethrin (F2700)	52315-07-8	2.7
Propylene glycol	57-55-6	5-10
Naphtha (petroleum), heavy aromatic	64742-94-5	5-10
2-Methylnaphthalene	91-57-6	<8 *
1-Methylnaphthalene	90-12-0	<5 *

* This component is a constituent(s) of the ingredient: Naphtha (petroleum), heavy aromatic

4. FIRST AID MEASURES

Eye Contact	Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.
Skin Contact	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice.
Inhalation	Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
Ingestion	Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Never give anything by mouth to an unconscious person.
Most important symptoms and effects, both acute and delayed	Central nervous system effects.
Indication of immediate medical attention and special treatment needed, if necessary	Contains petroleum distillate. If large amounts have been ingested, the stomach and intestines should be evacuated. Vomiting may cause aspiration pneumonia. This product is a pyrethroid. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media	Foam. Carbon dioxide (CO ₂). Dry chemical. Water spray or fog.
Specific Hazards Arising from the Chemical	None known
Explosion data	
Sensitivity to Mechanical Impact	Not sensitive.
Sensitivity to Static Discharge	Not sensitive.
Protective equipment and precautions for firefighters	As in any fire, wear self-contained breathing apparatus and full protective gear. Isolate fire area. Evaluate downwind.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.
Other	For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.
Environmental Precautions	Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.
Methods for Containment	Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up

Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling

Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage

Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Keep/store only in original container.

Incompatible products

None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
2-Methylnaphthalene 91-57-6	S* TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene 90-12-0	S* TWA: 0.5 ppm	-	-	-
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Propylene glycol 57-55-6	-	-	TWA: 10 mg/m ³ (aerosol only) TWA: 50 ppm (aerosol and vapor) TWA: 155 mg/m ³ (aerosol and vapor)	-
2-Methylnaphthalene 91-57-6	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
1-Methylnaphthalene 90-12-0	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-

Appropriate engineering controls**Engineering measures**

Apply technical measures to comply with the occupational exposure limits. Ensure adequate ventilation, especially in confined areas. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment**Eye/Face Protection**

If there is a potential for exposure to particles which could cause eye discomfort, wear chemical goggles.

Skin and Body Protection

Wear long-sleeved shirt, long pants, socks, shoes, chemical-resistant gloves and headgear.

Hand Protection

Protective gloves

Respiratory Protection

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Respiratory protection must be provided in accordance with current local regulations.

Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.
General information	If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Off-white, Liquid
Physical State	Liquid
Color	Off-white
Odor	Aromatic hydrocarbon
Odor threshold	No information available
pH	4.01
Melting point/freezing point	Not applicable
Boiling Point/Range	No information available
Flash point	> 100 °C
Evaporation Rate	No information available
Flammability (solid, gas)	No information available
Flammability Limit in Air	
Upper flammability limit:	No information available
Lower flammability limit:	No information available
Vapor pressure	No information available
Vapor density	No information available
Density	9.22 lb/gal
Specific gravity	No information available
Water solubility	Miscible with water
Solubility in other solvents	No information available
Partition coefficient	No information available
Autoignition temperature	No information available
Decomposition temperature	No information available
Viscosity, kinematic	334 cSt (mm ² /s) @ 23°C, 760 cSt (mm ² /s) @ 43°C
Viscosity, dynamic	No information available
Explosive properties	No information available
Oxidizing properties	No information available
Molecular weight	No information available
Bulk density	No information available

10. STABILITY AND REACTIVITY

Reactivity	None under normal use conditions.
Chemical Stability	Stable under recommended storage conditions.
Possibility of Hazardous Reactions	None under normal processing.
Hazardous polymerization	Hazardous polymerization does not occur.
Conditions to avoid	Heat, flames and sparks
Incompatible materials	None known.
Hazardous Decomposition Products	Carbon oxides (COx). Hydrogen chloride. Hydrogen fluoride.

11. TOXICOLOGICAL INFORMATION

Product Information

LD50 Oral	175 mg/kg (rat)
------------------	-----------------

LD50 Dermal	> 5,000 mg/kg (rat)
LC50 Inhalation	> 2.08 mg/L (rat)
Serious eye damage/eye irritation	Minimally irritating (rabbit).
Skin corrosion/irritation	Moderately irritating (rabbit).
Sensitization	Non-sensitizing

Information on toxicological effects

Symptoms Large doses of zeta-cypermethrin, ingested by laboratory animals, may produce signs of toxicity including tremors, incoordination, convulsions, staggered gait, and oral discharge. Large doses of bifenthrin ingested by laboratory animals produced signs of toxicity including convulsions, tremors and bloody nasal discharge.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity	Bifenthrin. Long-term exposure caused neurotoxicity (tremors and impaired gait) in the early exposure in animal studies, but tremors disappeared with continued exposure. Zeta-cypermethrin: Long-term exposure caused neurotoxicity (body tremors, decreased motor activity), decreased body weight and increased liver weight.
Mutagenicity	Bifenthrin, Zeta-cypermethrin: Not genotoxic in animal studies.
Carcinogenicity	Imidacloprid, No evidence of carcinogenicity from animal studies. Bifenthrin: Weak treatment-related response for liver adenocarcinomas and benign bladder tumors (lesion) in male mice. Cypermethrin caused an increase in benign lung tumors in mice, but not in rats. EPA has classified cypermethrin as a possible human carcinogen based on this information, but does not regulate based on its low cancer risk. There was no evidence of carcinogenic activity of naphthalene in male mice, but there was some evidence of carcinogenic activity in female mice and clear evidence of carcinogenic activity in male and female rats in 2-year inhalation studies conducted by the National Toxicology Program (NTP).
Neurological effects	Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure. Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. Zeta-cypermethrin did not cause neurotoxicity in animal experiments.
Reproductive toxicity	Imidacloprid, Bifenthrin, Zeta-cypermethrin: No toxicity to reproduction in animal studies.
Developmental toxicity	Bifenthrin, Zeta-cypermethrin: Not teratogenic in animal studies.
STOT - single exposure	Causes damage to organs: See listed target organs below.
STOT - repeated exposure	Causes damage to organs through prolonged or repeated exposure: See listed target organs below.
Target organ effects	Central Nervous System (CNS), blood, Thyroid, liver.
Neurological effects	Bifenthrin: Causes clinical signs of neurotoxicity (tremors, impaired gait, excessive salivation) following acute or subchronic exposure. Tremors disappeared with continued exposure. Tremors were associated with chronic exposure of laboratory animals to bifenthrin, which may disappear with continued exposure. Zeta-cypermethrin did not cause neurotoxicity in animal experiments.
Aspiration hazard	Potential for aspiration if swallowed.

12. ECOLOGICAL INFORMATION**Ecotoxicity**

Imidacloprid (138261-41-3)				
Active Ingredient(s)	Duration	Species	Value	Units
Imidacloprid	96 h LC50	Fish	211	mg/L
	48 h EC50	Daphnia	85	mg/L
	LD50	Bee	0.0039	µg/bee
	LD50 Oral	Bobwhite quail	152	mg/kg

Bifenthrin (82657-04-3)

Active Ingredient(s)	Duration	Species	Value	Units
Bifenthrin	96 h LC50	Fish	0.1	µg/L
	72 h EC50	Algae	0.822	mg/L
	48 h EC50	Crustacea	0.11	µg/L
	21 d NOEC	Fish	0.012	µg/L
	21 d NOEC	Crustacea	0.0013	µg/L

Zeta-cypermethrin (F2700) (52315-07-8)				
Active Ingredient(s)	Duration	Species	Value	Units
Zeta-cypermethrin	48 h EC50	Crustacea	0.14	µg/L
	96 h LC50	Fish	0.69	µg/L
	72 h EC50	Algae	>1	mg/L
	21 d NOEC	Crustacea	0.01	µg/L
	21 d NOEC	Fish	0.015	µg/L

Persistence and degradability Imidacloprid: Does not readily hydrolyze. Bifenthrin: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable. Zeta-cypermethrin: Non-persistent. Readily hydrolyzed. Not readily biodegradable.

Bioaccumulation Bifenthrin: The substance has a potential for bioconcentration. Zeta-cypermethrin: The substance does not have a potential for bioconcentration.

Mobility Bifenthrin, Zeta-cypermethrin: Immobile, Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

DOT The following packaging types are shipped under the Limited Quantity provisions as specified in 49CFR 173.153(b).
4 x 1 gallon, 4 x 1 quart, 4 x 4 x 1 quart

Packaging Type	Non-Bulk / Bulk
UN/ID no	UN3352
Hazard class	6.1
Packing Group	III
Marine Pollutant	Zeta-cypermethrin.
Description	UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin, Zeta-cypermethrin), 6.1 PG III The Marine Pollutant mark is only applicable when shipped in BULK packages.

TDG	
UN/ID no	UN3352
Hazard class	6.1
Packing Group	III
Marine Pollutant	Bifenthrin, Zeta-cypermethrin.
Description	UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin, Zeta-cypermethrin), 6.1 PG III, Marine Pollutant

ICAO/IATA	
UN/ID no	UN3352
Hazard class	6.1
Packing Group	III

Description UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin, Zeta-cypermethrin), 6.1, PG III, Marine pollutant

IMDG/IMO

UN/ID no UN3352
Hazard class 6.1
Packing Group III
EmS No. F-A, S-A
Marine Pollutant Bifenthrin, Zeta-cypermethrin
Description UN3352 Pyrethroid pesticide, liquid, toxic (Bifenthrin, Zeta-cypermethrin), 6.1, PG III, Marine Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations**SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Bifenthrin - 82657-04-3	82657-04-3	7.9	1.0
Naphthalene - 91-20-3	91-20-3	0.1-1	0.1

SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic health hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

WARNING

*May be fatal if swallowed. Causes moderate eye irritation.
This pesticide is extremely toxic to marine/estuarine invertebrates.*

US State Regulations**California Proposition 65**

This product contains the following Proposition 65 chemicals:

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Bifenthrin 82657-04-3	X		
Zeta-cypermethrin (F2700) 52315-07-8		X	
2-Methylnaphthalene 91-57-6	X		
Propylene glycol 57-55-6	X		X
1-Methylnaphthalene 90-12-0	X	X	X

International Inventories

Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Imidacloprid 138261-41-3 (13.83)			X		X		X	
Bifenthrin 82657-04-3 (7.87)				X	X	X		
Zeta-cypermethrin (F2700) 52315-07-8 (2.7)			X		X	X	X	X
Propylene glycol 57-55-6 (5-10)	X	X	X	X	X	X	X	X
Naphtha (petroleum), heavy aromatic 64742-94-5 (5-10)	X	X	X	X	X	X	X	X
2-Methylnaphthalene 91-57-6 (<8 *)	X	X	X	X	X		X	X
1-Methylnaphthalene 90-12-0 (<5 *)	X	X	X	X	X		X	X

Mexico - Grade

Moderate risk, Grade 2

WHMIS Hazard Class

D1B - Toxic materials
 D2A - Very toxic materials
 D2B - Toxic materials



16. OTHER INFORMATION

NFPA	Health Hazards 2	Flammability 1	Instability 0	Special Hazards -
HMIS	Health Hazards 2*	Flammability 1	Physical hazard 0	Personal Protection X

*Indicates a chronic health hazard.

Revision date: 2015-04-24
Revision note: Format Change

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet