

# SEDGEHAMMER™

## TURF HERBICIDE

**SEDGEHAMMER is a selective herbicide for the control of nutsedge and other weeds in turfgrass and landscaped areas**

	<b>% by Wt.</b>
<b>ACTIVE INGREDIENT:</b> * Halosulfuron-methyl .....	75.0%
<b>OTHER INGREDIENTS:</b> .....	25.0%
	<b>Total: 100.0%</b>

Read the entire label before using this product. Use only according to label instructions. Read “**NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS**” before buying or using. If terms are not acceptable, return at once unopened.

THIS IS AN END-USE PRODUCT. GOWAN DOES NOT INTEND AND HAS NOT REGISTERED IT FOR REFORMULATION. SEE INDIVIDUAL CONTAINER LABEL FOR REPACKAGING LIMITATIONS.

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

FIRST AID	
<b>IF IN EYES</b>	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after 5 minutes, then continue rinsing eye.</li> <li>• Call poison control center or physician for treatment advice.</li> </ul>
<b>IF SWALLOWED</b>	<ul style="list-style-type: none"> <li>• Call poison control center or physician immediately for treatment advice.</li> <li>• Remove visible particles from mouth.</li> <li>• Have person rinse mouth thoroughly with water, spit out rinse water.</li> <li>• Have person sip a glass of water if able to swallow.</li> <li>• Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
<ul style="list-style-type: none"> <li>• Have the product container or label with you when calling a poison control center or physician, or going for treatment.</li> <li>• <b>FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-888-478-0798.</b></li> <li>• This product is identified as SEDGEHAMMER Turf Herbicide, EPA Reg. No. 81880-1-10163.</li> </ul>	

#### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

CAUSES MODERATE EYE IRRITATION. HARMFUL IF SWALLOWED. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

**Applicators and other handlers must wear:**

- long-sleeved shirt and long pants
- shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use closed systems, or enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### USER SAFETY RECOMMENDATIONS

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

**NET CONTENTS \_\_\_ OUNCES**

EPA Reg. No. 81880-1-10163  
EPA Est. No. 065387-AR-003



Distributed by:  
Gowan Company  
P.O. Box 5569  
Yuma, AZ 85366-5569

## ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

This chemical demonstrates the properties and characteristics associated with chemicals detected in ground water. The use of this chemical in areas where soils are permeable, particularly where the water table is shallow, may result in ground water contamination.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with its labeling. This product can only be used in accordance with the Directions For Use on this label or in separately published Gowan Supplemental Labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

## AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

- coveralls
- shoes plus socks
- chemical-resistant gloves, such as nitrile rubber, neoprene rubber or polyethylene. For more options, follow instructions for category A (dry and water-based formulations) on an EPA chemical resistant category selection chart.

## NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep people off treated areas until spray solution has dried.

## GENERAL INFORMATION

SEDGEHAMMER is a selective herbicide for post-emergence control of sedges such as purple and yellow nutsedge in established lawns, ornamental turfgrass, and landscaped areas. SEDGEHAMMER may be applied to commercial and residential turf and on other non-crop sites including: airports, cemeteries, fallow areas, golf courses, landscaped areas, public recreation areas, residential property, roadsides, school grounds, sod or turf seed farms, sports fields, landscaped areas with established woody ornamentals, fairgrounds, race tracks, tennis courts, campgrounds and rights-of-way.

## TURFGRASSES

When applied as directed under the conditions described, the following established turfgrasses are tolerant to this product:

### Cool-Season Grasses

Bentgrass, creeping <i>Agrostis stolonifera</i>	Fescue, fine <i>Festuca arundinacea</i>
--	--

Bluegrass, Kentucky <i>Poa pratensis</i>	Fescue, tall <i>Festuca arundinacea</i>
---	--

Ryegrass, perennial <i>Lolium perenne</i>	
--	--

### Warm-Season Grasses

Bahiagrass <i>Paspalum notatum</i>	Seashore paspalum <i>Paspalum vaginatum</i>
---------------------------------------	--

Bermudagrass <i>Cynodon dactylon</i>	St. Augustinegrass <i>Stenotaphrum secundatum</i>
---	--

Centipedegrass <i>Eremochloa ophiuroides</i>	Zoysiagrass <i>Zoysia japonica</i>
---	---------------------------------------

Kikuyugrass <i>Pennisetum clandestinum</i>	
---	--

## ESTABLISHED WOODY ORNAMENTALS IN LANDSCAPED AREAS

This product may be applied at recommended rates as a post-directed spray around any established woody ornamental species in landscaped areas. For transplanted woody ornamentals, allow three months after transplanting before applying this product.

NOTE: Avoid contact of this product to leaves of desirable plants since foliar injury, discoloration or death may result.

### FALLOW TREATMENTS

This product may be used on fallow areas prior to the establishment of turfgrass or woody ornamental plants. Allow 4 weeks between application and seeding or sodding of turfgrass, or transplanting woody ornamentals.

### WEEDS CONTROLLED

When applied post-emergence, this product will control the following weeds:

Purple nutsedge	Yellow nutsedge
<i>Cyperus rotundus</i>	<i>Cyperus esculentus</i>

When applied postemergence, this product will suppress the following weed:

*Kyllinga spp.*

### APPLICATION DIRECTIONS

Rates and timing of Application

#### Broadcast Applications:

For post-emergence control of purple or yellow nutsedge found in established turfgrass, apply 2/3 to 1 1/3 ounces by weight of this product per acre (0.031 to 0.062 pound active ingredient per acre) after nutsedge has reached the 3 to 8 leaf stage of growth. Use the lower rate in light infestations and the higher rate in heavy infestations.

A second treatment may be required 6 to 10 weeks after the initial treatment. As a sequential treatment, when new purple or yellow nutsedge plants have reached the 3 to 8 leaf stage of growth, apply 2/3 to 1 1/3 ounces by weight of this product per acre (0.031 to 0.062 pound active ingredient per acre). Use the lower rate in light infestations and the higher rate in heavy infestations. No more than 4 applications can be made with the total use rate not exceeding 5 1/3 ounces by weight of this product (0.25 pounds active ingredient) per acre per use season.

Use 0.25-0.5 percent v/v of a nonionic surfactant (1-2 quarts per 100 gallons of spray solution) for broadcast applications. For high volume applications, DO NOT exceed 1 quart of surfactant per acre. Use only nonionic surfactants that contain at least 80 percent active material.

#### Spot Treatments:

Mix 0.9 gram of this product in one or two gallons of water to treat 1000 square feet. Add 2 teaspoons (1/3 fluid ounce) of nonionic surfactant per gallon of water.

**INSTRUCTIONS FOR WATER DISPERSIBLE GRANULE IN 1.3 OUNCE BOTTLE:** Mix 0.9 gram of this product (using the measuring scoop provided) in one or two gallons of water to treat 1000 square feet. Add 2 teaspoons (1/3 fluid ounce) of nonionic surfactant per gallon of water. Ensure the product is measured as a level scoop and not rounded.

**INSTRUCTIONS FOR WATER DISPERSIBLE GRANULE PREMEASURED IN WATER SOLUBLE BAG:** Add one (1) water-soluble bag of this product per one or two gallons of water in a hand-held or backpack sprayer to treat 1000 square feet. Add 2 teaspoons (1/3 fluid ounce) of a nonionic surfactant per gallon of spray solution. Mix or shake thoroughly for at least two minutes to ensure that the water-soluble bag and ingredients are completely dispersed.

Occasionally shake the spray solution while spraying to ensure that it remains thoroughly mixed. Spray the target weeds thoroughly and wet the entire leaf surface of the undesirable plants.

**DO NOT exceed the recommended amount of surfactant due to the potential for turf injury at higher rates. Refer to the surfactant label and observe all precautions, mixing and application instructions.**

#### TANK MIX WITH GLYPHOSATE HERBICIDE IN LANDSCAPED AND FALLOW AREAS AND TURF RENOVATION.

This product may be tank mixed with Glyphosate herbicide for application as a directed spray in landscaped or fallow areas.

### APPLICATION EQUIPMENT AND INSTRUCTIONS

Calibrate application equipment prior to application of this product. Application should be uniform and of sufficient volume to avoid streaking or skips. Avoid excessive overlap of the spray.

### USE PRECAUTIONS

For optimum results, do not mow turf for 2 days before or 2 days after application.

This product is effective if no rainfall occurs within 3 hours, but best results are obtained with no rainfall or irrigation for at least 4 hours.

This product may be used on seeded, sodded, or sprigged turfgrass that is well established. Allow the turf to develop a good root system and uniform stand before application.

Treated areas may be over seeded with annual or perennial ryegrass or bermudagrass, 2 weeks after application.

Color plants or herbaceous ornamentals may be injured when transplanted into landscaped areas treated with SEDGEHAMMER.

**Avoid application of SEDGEHAMMER when turfgrass or nutsedge is under stress since turf injury and poor nutsedge control may result.**

Do not apply as an over-the-top spray to desirable flowers, ornamentals, vegetables, shrubs or trees.

Do not apply this product to golf course putting greens.

Do not apply this product through any type of irrigation system. Do not apply this product by air.

#### STORAGE AND DISPOSAL

Do not contaminate water, foodstuffs, feed or seed by storage or disposal.

**PESTICIDE STORAGE:** Store under cool, dry conditions (below 120°F). Do not store under moist conditions.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state, or local procedures, or in such other method as approved under those procedures.

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed.

**PLASTIC CONTAINER:** Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**PAPER OR PLASTIC BAG:** completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

**INSTRUCTIONS FOR WATER DISPERSIBLE GRANULE IN 1.3 OUNCE BOTTLE:**

Do not reuse container. Triple rinse container, then puncture and dispose of in a sanitary landfill, or by incineration, or by burning, if allowed by state and local authorities. If burned, stay out of smoke.

**INSTRUCTIONS FOR WATER DISPERSIBLE GRANULE PREMEASURED IN WATER SOLUBLE BAG:** Completely use water-soluble bags in application equipment. Then dispose of empty foil pouch and cardboard box in a sanitary landfill, or by incineration, or by burning, if allowed by state and local authorities. If burned, stay out of smoke.

**DISPOSAL AUTHORITIES:** If none of the foregoing procedures is permitted by state and local authorities, then contact your State Pesticide or Environmental Control Agency, or your local Hazardous Waste Disposal office, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**FOR 24-HOUR EMERGENCY ASSISTANCE (SPILL, LEAK OR FIRE), CALL CHEMTREC® (800) 424-9300.  
For more product information, call toll-free 1-800-883-1844.**

#### NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS

Important: Read the entire Directions for Use and Notice of Conditions of Sale and Warranty and Liability Limitations before using this product. If terms are not acceptable return the unopened container for a full refund.

**Our recommendations for use of this product are based on tests believed to be reliable. However, it is impossible to eliminate all risk associated with the use of this product. Crop injury, inadequate performance, or other unintended consequences may result due to soil or weather conditions, off target movement, presence of other materials, method of use or application, and other factors, all of which are beyond the control of Gowan Company. All such risks shall be assumed by the Buyer and User.**

Gowan Company warrants that this product conforms to the specifications on the label and is reasonably fit for the intended purpose referred to on the label when used in strict conformance with Direction for Use, subject to the above stated risk limitations. GOWAN COMPANY MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY.

BUYER'S OR USER'S EXCLUSIVE REMEDY AND GOWAN COMPANY'S EXCLUSIVE LIABILITY FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, OR ANY OTHER LEGAL THEORY IS STRICTLY LIMITED TO THE PURCHASE PRICE PAID OR REPLACEMENT OF PRODUCT, AT GOWAN COMPANY'S SOLE DISCRETION.

\* Manufactured by Nissan Chemical Industries, Ltd.  
Product is protected by U.S. Patent No. 4,668,277

SEDGEHAMMER™ is a trademark of Gowan Company LLC.

01-R0705

Supplemental Labeling for Industrial, Turf & Ornamental Uses

# SEDGEHAMMER™

## TURF HERBICIDE

FOR USE ON ROADSIDES, RIGHTS OF WAY, TANK FARMS, LUMBERYARDS, FUEL STORAGE AREAS, FALLOW LAND, AND FENCE ROWS FOR HORSETAIL CONTROL

EPA Reg. No. 81880-1-10163

<b>ACTIVE INGREDIENT:</b> * Halosulfuron-methyl .....	<b>% by Wt.</b>
<b>OTHER INGREDIENTS:</b> .....	75.0%
	<u>25.0%</u>
	<b>Total:</b> 100.0%

### KEEP OUT OF REACH OF CHILDREN

## CAUTION

FOR MEDICAL EMERGENCIES INVOLVING THIS PRODUCT, CALL TOLL FREE 1-888-478-0798.

READ AND FOLLOW THE ENTIRE LABEL FOR SEDGEHAMMER TURF HERBICIDE BEFORE PROCEEDING WITH THE USE DIRECTIONS CONTAINED IN THIS SUPPLEMENTAL LABELING.

When using SEDGEHAMMER as permitted according to this supplemental labeling, read and follow all applicable directions, restrictions, and precautions on the label pamphlet provided with the pesticide container and on this supplemental labeling. This supplemental must be in the possession of the user at the time of application.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsistent with the labeling. This label must be in the possession of the user at the time of the herbicide application.

**NOTE:** Applications of this product should not contact leaves of desirable plants since foliar injury, discoloration or death may result.

#### Roadsides And Other Industrial Sites

This product may be applied at recommended rates as a post-emergence spray on roadsides and other industrial sites. See the label booklet for application instructions, rate recommendations, weeds controlled and proper growth stage. When applied post-emergence, this product will suppress the following weeds: cocklebur, common sunflower, common ragweed, giant ragweed, pigweed, and velvetleaf. This product may be tank mixed with Glyphosate herbicide.

#### Control of Horsetail (*Equisetum arvense*)

For post-emergence control of horsetail (*Equisetum arvense*), apply 2 2/3 ounces of this product per acre, or 1.8 grams of this product per 1000 square feet (0.125 pound active ingredient per acre) after horsetail has leafed out. This rate of product will control horsetail that is less than 6 inches tall and suppress horsetail that is greater than 6 inches tall. Herbicide symptoms are likely to show within 2 weeks as a necrotic ring at the base of the plant, even though the leaves and stems remain green and a deep leathery green in color.

Read "NOTICE OF CONDITIONS OF SALE AND WARRANTY AND LIABILITY LIMITATIONS" in the label pamphlet for SEDGEHAMMER before using this product. Those terms apply to this supplemental labeling and, if those terms are not acceptable, return the product unopened at once.