


GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements
 H304 - May be fatal if swallowed and enters airways
 H317 - May cause an allergic skin reaction



Precautionary Statements - Prevention

- P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray
- P272 - Contaminated work clothing should not be allowed out of the workplace
- P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking
- P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection
- P302 + P352 - IF ON SKIN: Wash with plenty of water and soap
- P333 + P313 - If skin irritation or rash occurs: Get medical advice/ attention
- P363 - Wash contaminated clothing before reuse
- P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor
- P331 - Do NOT induce vomiting
- P370 + P378 - In case of fire: Use Foam. Carbon dioxide (CO2). Dry chemical. Water spray for extinction

Precautionary Statements - Storage

- P405 - Store locked up
- P403 + P235 - Store in a well-ventilated place. Keep cool

Precautionary Statements - Disposal

- P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical name | CAS-No | Weight % |
|---|------------|----------|
| Piperonyl butoxide | 51-03-6 | 0.5 |
| Permethrin | 52645-53-1 | 0.25 |
| Tetramethrin | 7696-12-0 | 0.1 |
| Petroleum distillates, hydrotreated light | 64742-47-8 | >80 |

| | | |
|----------------|----------|-----|
| Carbon Dioxide | 124-38-9 | 2.5 |
|----------------|----------|-----|

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

| | |
|---|---|
| Eye Contact | Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. |
| Skin Contact | Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. |
| Inhalation | Move to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice. |
| Ingestion | Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person. Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting or give anything by mouth to an unconscious person. |
| Most important symptoms and effects, both acute and delayed | Allergic skin reactions. |
| Indication of immediate medical attention and special treatment needed, if necessary | Treat symptomatically. This product is a pyrethroid. If large amounts have been ingested, the stomach and intestines should be evacuated. Treatment is symptomatic and supportive. Digestible fats, oils, or alcohol may increase absorption and so should be avoided. Contains petroleum distillate. Vomiting may cause aspiration pneumonia. |

5. FIRE-FIGHTING MEASURES

| | |
|--|--|
| Suitable Extinguishing Media | Foam. Carbon dioxide (CO ₂). Dry chemical. Water spray. |
| Specific Hazards Arising from the Chemical | Contents under pressure. Temperatures (>54.4°F) may cause bursting. Keep containers cool to avoid bursting. Combustible liquid. Contents under pressure. |
| Explosion data | |
| Sensitivity to Mechanical Impact | Yes. |
| Sensitivity to Static Discharge | Yes. |
| Protective equipment and precautions for firefighters | Wear self-contained breathing apparatus and protective suit. |

6. ACCIDENTAL RELEASE MEASURES

| | |
|----------------------------------|--|
| Personal Precautions | Isolate and post spill area. Remove all sources of ignition. Ventilate the area. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8. If ventilation is not possible wear full protection suit and chemical protective equipment. |
| Other | For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above. |
| Environmental Precautions | Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains. |

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Transfer damaged cartridges or cans to containers for later disposal. Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13. Rinsate may be disposed at a waste water treatment plant.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 130°F. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects.

Storage Keep in a dry, cool and well-ventilated place Keep away from open flames, hot surfaces and sources of ignition Keep out of reach of children and animals Keep/store only in original container

Incompatible products Strong oxidizing agents. Alkalis.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

| Chemical name | ACGIH TLV | OSHA PEL | NIOSH | Mexico |
|--|------------------------------------|--|---|--|
| Carbon Dioxide 124-38-9 | STEL 30000 ppm TWA: 5000 ppm | TWA: 5000 ppm TWA: 9000 mg/m ³ | IDLH: 40000 ppm TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³ | Mexico: TWA 5000 ppm Mexico: TWA 9000 mg/m ³ Mexico: STEL 15000 ppm Mexico: STEL 27000 mg/m ³ |
| Chemical name | British Columbia | Quebec | Ontario TWAEV | Alberta |
| Petroleum distillates, hydrotreated light 64742-47-8 | TWA: 200 mg/m ³ Skin | - | - | - |
| Carbon Dioxide 124-38-9 | TWA: 5000 ppm STEL: 15000 ppm | TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³ | TWA: 5000 ppm STEL: 30000 ppm | TWA: 5000 ppm TWA: 9000 mg/m ³ STEL: 30000 ppm STEL: 54000 mg/m ³ |

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

| | |
|----------------------------|---|
| Hygiene measures | Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry. |
| General information | If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied. |

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

| | |
|-------------------------------------|--------------------------|
| Appearance | Aerosolized liquid |
| Physical State | Aerosol |
| Color | No information available |
| Odor | No information available |
| Odor threshold | No information available |
| pH | No information available |
| Melting point/freezing point | Not applicable |
| Boiling Point/Range | No information available |
| Flash point | > 76.7 °C / > 170 °F |
| Evaporation Rate | No information available |
| Flammability (solid, gas) | No information available |
| Flammability Limit in Air | |
| Upper flammability limit: | No information available |
| Lower flammability limit: | No information available |
| Vapor pressure | 4913 mm Hg |
| Vapor density | No information available |
| Density | No information available |
| Specific gravity | 0.78 |
| Water solubility | Insoluble in water |
| Solubility in other solvents | No information available |
| Partition coefficient | No information available |
| Autoignition temperature | No information available |
| Decomposition temperature | No information available |
| Viscosity, kinematic | No information available |
| Viscosity, dynamic | No information available |
| Explosive properties | No information available |
| Oxidizing properties | No information available |
| Molecular weight | No information available |
| Bulk density | No information available |

10. STABILITY AND REACTIVITY

| | |
|---|--|
| Reactivity | Not applicable |
| Chemical Stability | Stable. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Heat, flames and sparks |
| Incompatible materials | Strong oxidizing agents. Alkalis. |
| Hazardous Decomposition Products | Carbon oxides (COx). |

11. TOXICOLOGICAL INFORMATION

Product Information

Component Information

| Chemical name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--|----------------------|-------------------------|--------------------------------------|
| Piperonyl butoxide (51-03-6) | = 4570 mg/kg (Rat) | | |
| Tetramethrin (7696-12-0) | | | > 2500 mg/m ³ (Rat) 3 h |
| Petroleum distillates, hydrotreated light (64742-47-8) | > 5000 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | > 5.2 mg/L (Rat) 4 h |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Repeated or prolonged exposure may cause central nervous system effects. Chronic exposure to aromatic hydrocarbons may cause liver and kidney damage.
Mutagenicity Piperonyl butoxide ether may affect mammalian liver microsomal detoxification enzymes.

Carcinogenicity Permethrin: Did not show mutagenic effects in animal experiments. Contains no ingredient listed as a carcinogen. Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Neurological effects Permethrin: Clinical signs of neurotoxicity include altered motor activity and FOB effects, with no signs of histopathology.

Reproductive toxicity Permethrin: No toxicity to reproduction in animal studies.

Developmental toxicity Permethrin: Not teratogenic in animal studies.

STOT - single exposure Not classified.

STOT - repeated exposure Not classified.

Target organ effects Mice fed 0.3 or 0.9% piperonyl butoxide in the diet for 20 days had increased liver weight and other signs of liver toxicity. Male rats given up to 2.4% of piperonyl butoxide in the diet for up to 12 weeks had clinical and histologic signs of liver damage; the highest dose group showed preneoplastic changes, including enlargement of hepatocyte nuclei and multinucleated cells. Kidney damage was also seen,

Neurological effects , Permethrin: Long-term feeding studies in animals resulted in increased liver and kidney weights, induction of the liver microsomal drug metabolizing enzyme system and histopathological changes in the lungs and liver.

Permethrin: Clinical signs of neurotoxicity include altered motor activity and FOB effects, with no signs of histopathology.

Aspiration hazard Potential for aspiration if swallowed. May be fatal if swallowed and enters airways.

| Chemical name | ACGIH | IARC | NTP | OSHA |
|-------------------------------|-------|---------|-----|------|
| Piperonyl butoxide 51-03-6 | | Group 3 | | |
| Permethrin 52645-53-1 | | Group 3 | | |

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Piperonyl butoxide (51-03-6) | | | | |
|------------------------------|----------|---------|-------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |

| | | | | |
|--------------------|------|----------------|-------|--------|
| Piperonyl Butoxide | LC50 | Fish | 3.94 | ppm |
| | LD50 | Bee | 25 | µg/bee |
| | LD50 | Bobwhite quail | >2250 | mg/kg |
| | LD50 | Mallard duck | >5620 | ppm |

| Permethrin (52645-53-1) | | | | |
|-------------------------|------------|-----------|--------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Permethrin | 48 h EC50 | Crustacea | 0.001 | mg/L |
| | 72 h EC50 | Algae | 0.0125 | mg/L |
| | 96 h LC50 | Fish | 0.79 | µg/L |
| | 21 d NOEC | Crustacea | 0.039 | µg/L |
| | 96 hr NOEC | Algae | 0.9 | µg/L |
| | 21 d NOEC | Fish | 0.3 | µg/L |

| Chemical name | Toxicity to algae | Toxicity to fish | Toxicity to daphnia and other aquatic invertebrates |
|---|-------------------|--|---|
| Petroleum distillates, hydrotreated light 64742-47-8 | | 96 h LC50: = 45 mg/L (Pimephales promelas) 96 h LC50: = 2.2 mg/L (Lepomis macrochirus) 96 h LC50: = 2.4 mg/L (Oncorhynchus mykiss) | |

Persistence and degradability Permethrin: Moderately persistent, Does not readily hydrolyze, Not readily biodegradable.

Bioaccumulation Permethrin: The substance has a potential for bioconcentration.

Mobility Permethrin: Immobile, Not expected to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.

Contaminated Packaging Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

California Hazardous Waste Codes 232

14. TRANSPORT INFORMATION

DOT USDOT is requiring that products formerly classified as "Consumer Commodity, ORM-D" transition to "Limited Quantity" by 12/31/2020. During the transition period the 49CFR carton shipping marks may be Consumer Commodity (old) or Limited Quantity Diamond (new). Please prepare shipping documents to match the carton mark.

Proper Shipping Name Consumer commodity
Hazard class ORM-D

TDG
UN/ID no UN1950
Proper Shipping Name Aerosols
Hazard class 2.1
Description UN1950, Aerosols, 2.2, Marine Pollutant

ICAO/IATA
UN/ID no ID8000
Proper Shipping Name Consumer commodity

| | |
|----------------------|---------------------------------------|
| Hazard class | 9 |
| IMDG/IMO | |
| UN/ID no | UN1950 |
| Proper Shipping Name | Aerosols |
| Hazard class | 2.1 |
| EmS No. | F-D, S-U |
| Marine Pollutant | Permethrin |
| Description | UN1950, Aerosols, 2, Marine Pollutant |

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

| Chemical name | CAS-No | Weight % | SARA 313 - Threshold Values % |
|------------------------------|------------|------------|-------------------------------|
| Piperonyl butoxide - 51-03-6 | 51-03-6 | 0.5 | 1.0 |
| Permethrin - 52645-53-1 | 52645-53-1 | 0.25 | 1.0 |
| Tetramethrin - 7696-12-0 | 7696-12-0 | 0.09999999 | 1.0 |

SARA 311/312 Hazard Categories

| | |
|-----------------------------------|-----|
| Acute health hazard | Yes |
| Chronic health hazard | Yes |
| Fire hazard | Yes |
| Sudden release of pressure hazard | Yes |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution

Causes moderate eye irritation.

This product is toxic to fish, birds and other wildlife.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Chemical name | New Jersey | Massachusetts | Pennsylvania |
|-------------------------------|------------|---------------|--------------|
| Piperonyl butoxide 51-03-6 | X | | |
| Permethrin 52645-53-1 | X | X | |
| Tetramethrin 7696-12-0 | X | | |
| Carbon Dioxide 124-38-9 | X | X | X |

International Inventories

| Component | TSCA (United States) | DSL (Canada) | EINECS/ELI NCS (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|---|-------------------------|-----------------|-------------------------------|-----------------|------------------|-----------------|------------------------|---------------------|
| Piperonyl butoxide 51-03-6 (0.5) | X | X | X | X | X | X | X | X |
| Permethrin 52645-53-1 (0.25) | | | X | X | X | X | X | X |
| Tetramethrin 7696-12-0 (0.1) | | | X | X | X | X | X | X |
| Petroleum distillates, hydrotreated light 64742-47-8 (>80) | X | X | X | X | X | X | X | X |
| Carbon Dioxide 124-38-9 (2.5) | X | X | X | X | X | X | X | X |

Mexico - Grade Moderate risk, Grade 2

| Chemical name | Mexico - Pollutant Release and Transfer Register - Reporting Emissions for Fabrication, Process or Use -Threshold Quantities | Pollutant Release and Transfer Register - Reporting Emissions - Threshold Quantities |
|----------------|--|--|
| Carbon Dioxide | 100000 | 100000 kg/yr |

WHMIS Hazard Class B3 - Combustible liquid



16. OTHER INFORMATION

| | | | | |
|------|------------------|----------------|-------------------|-----------------------|
| NFPA | Health Hazards 2 | Flammability 2 | Instability 0 | Special Hazards - |
| HMIS | Health Hazards 2 | Flammability 2 | Physical hazard 0 | Personal Protection X |

Revision date: 2015-02-25
 Revision note: Format Change

Disclaimer

LESCO, Inc. believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. **NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN.** The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of LESCO, Inc., LESCO, Inc. expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation
FMC Logo - Trademark of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

LESCO and LESCO logo - Trademark of LESCO, Inc.

End of Safety Data Sheet