

SDR-21 SOLVENT WELD RECLAIMED WATER PIPE 200 PSI PVC1120 ASTM D2241	SIZE	O.D.	MIN. WALL	WEIGHT PER 100'	SOCKET DEPTH INCHES	FEET PER PALLET	PALLETS PER T.L.	BELLED PART NO.
	*1/2"	.840	.062	9.81	2.000	8400	44	57015
3/4	1.050	.060	12.11	2.125	6600	40	57030	
1	1.315	.063	16.17	2.375	5400	32	57045	
1 1/4	1.660	.079	25.59	2.750	4000	32	57055	
1 1/2	1.900	.090	33.32	3.000	3600	28	57070	
2	2.375	.113	52.32	3.000	2800	24	57085	
2 1/2	2.875	.137	76.53	3.500	2240	20	57100	
3	3.500	.167	113.71	4.000	1500	20	57110	
4	4.500	.214	192.22	5.000	580	28	57120	
6	6.625	.316	420.11	6.500	400	20	57130	

\*SDR 13.5 - 315 PSI

SCH-40 SOLVENT WELD RECLAIMED WATER PIPE PVC1120 ASTM D1785	SIZE	O.D.	MIN. WALL	WEIGHT PER 100'	SOCKET DEPTH INCHES	FEET PER PALLET	PALLETS PER T.L.	BELLED PART NO.
	3/4"	1.050	.113	21.58	2.125	6600	40	57230
1	1.315	.133	32.00	2.375	5400	32	57245	
1 1/4	1.660	.140	43.40	2.750	4000	32	57255	
1 1/2	1.900	.145	51.83	3.000	3600	28	57270	
2	2.375	.154	69.71	3.000	2800	24	57285	
2 1/2	2.875	.203	110.57	3.500	2240	20	57300	
3	3.500	.216	144.82	4.000	1500	20	57310	
4	4.500	.237	211.35	5.000	580	28	57320	

SDR-21 GASKET JOINT RECLAIMED WATER PIPE 200 PSI PVC1120 ASTM D2241	SIZE	O.D.	MIN. WALL	WEIGHT PER 100'	SOCKET DEPTH INCHES	FEET PER PALLET	PALLETS PER T.L.	BELLED PART NO.
	*3"	3.500	.167	116.68	5.000	1160	20	57180
*4	4.500	.214	193.02	6.000	760	20	57187	
*6	6.625	.316	420.57	6.750	360	20	57195	

\*20 FT. LAYING LENGTH ± 1".

GASKET JOINT PIPE IS PRODUCED WITH AN INTEGRAL BELL END WITH A REINFORCED GASKET CONFORMING TO ASTM F477.

CRESLINE RECLAIMED WATER PIPE IS PURPLE IN COLOR.



CRESLINE PLASTIC PIPE CO., INC.

www.cresline.com

600 Cross Pointe Blvd.  
264 Silver Spring Rd.  
2100 South 35th St.  
3801 East Hwy. 31

Evansville, IN 47715  
Mechanicsburg, PA 17050  
Council Bluffs, IA 51501  
Corsicana, TX 75109

812-428-9350  
717-766-2566  
712-322-2294  
903-872-8475

Fax 812-428-9353  
Fax 717-697-2371  
Fax 712-322-6673  
Fax 903-872-7732