



# Turf Supreme<sup>®</sup> 16-6-8 plus Trimec<sup>®</sup>

**ACTIVE INGREDIENTS:**

2,4-dichlorophenoxyacetic acid	0.55%
(+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid	0.12%
Dicamba: 3,6-dichloro-o-anisic acid	0.05%
<b>INERT INGREDIENTS:</b>	<b>99.28%</b>
<b>TOTAL</b>	<b>100.00%</b>

**THIS PRODUCT CONTAINS:**

11.0 lbs. 2,4-dichlorophenoxyacetic acid equivalent per ton.  
 2.4 lbs. (+)-(R)-2-(2-methyl-4-chlorophenoxy) propionic acid equivalent per ton.  
 1.0 lbs. 3,6-dichloro-o-anisic acid equivalent per ton.  
 Isomer Specific by AOAC Methods  
 Contains the single isomer form of Mecoprop-p

TRIMEC<sup>®</sup> is a registered trademark of PBI/GORDON CORPORATION.Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.regulatory-info-jr.com>

Warning: This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm. Proposition 65, the Safe Drinking Water and Toxic Enforcement Act of 1986, requires notification of potential exposure to substances identified by the State of California as causing cancer, birth defects or other reproductive harm.

EPA REG. NO. 2217-643-7001

EPA EST. NO. 66196-CA-1

**STOP! READ THE ENTIRE LABEL DIRECTIONS FIRST.  
 OBSERVE ALL PRECAUTIONS AND FOLLOW DIRECTIONS CAREFULLY.**



**KEEP OUT OF REACH CHILDREN  
 CAUTION**

**PRECAUTIONARY STATEMENTS****Hazards to Humans & Domestic Animals**

**CAUTION:** Harmful if swallowed. Do not inhale dust. Do not allow contact with skin, eyes, or clothing. When using this product, wear long-sleeved shirt, long pants, socks and shoes. After using this product, remove clothing and launder separately before reuse, and promptly and thoroughly wash hands and exposed skin with soap and water.

**FIRST AID**

<b>If in eyes:</b>	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15–20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If on skin or clothing:</b>	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
<b>If swallowed:</b>	<ul style="list-style-type: none"> <li>Call a poison control center or doctor immediately for treatment advice.</li> <li>Have a person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> <li>Do not give anything by mouth to an unconscious person.</li> </ul>
<b>If inhaled:</b>	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For additional information in case of emergency, call toll free 1-877-800-5556.

**ENVIRONMENTAL HAZARDS**

Drift or runoff may adversely affect nontarget plants. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Do not apply when weather conditions favor drift from target area.

**GUARANTEED ANALYSIS: 16-6-8**

TOTAL NITROGEN (N).....	16.0%
16.0% Ammoniacal Nitrogen	
AVAILABLE PHOSPHATE (P <sub>2</sub> O <sub>5</sub> ).....	6.0%
SOLUBLE POTASH (K <sub>2</sub> O).....	8.0%
Sulfur (S).....	16.0%
Iron (Fe).....	1.5%
Manganese (Mn).....	0.2%
Derived from Monoammonium Phosphate, Ammonium Sulfate, Muriate of Potash, Iron Oxysulfate and Manganese Oxide.	

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not allow people (other than applicator) or pets on treatment area during application. Do not enter treatment area until spray has dried or dust has settled.

**Storage:** Store in original container and keep any bags containing unused product in a locked storage area inaccessible to children and domestic animals. Do not store near food or feedstuffs.

**Disposal: If empty:** Do not reuse this container. Place in trash for recycling, if available. **If partially filled:** Call your local solid waste agency or toll free number (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain.

## SPREADER SETTINGS: **Apply 4 lbs. per 1,000 sq.ft.**

BEST® Pro .....	4B	←-----→
Spyker / BEST® Models 34, 44, 64 .....	3.7	-----→
Earthway .....	12	
Lesco .....	13	
Scotts R-8A (Cone 8) .....	J½	
Lely 1250 / Vicon .....	visit <a href="http://www.bestfertilizer.com">www.bestfertilizer.com</a>	

SGN 150

**NOTE:** The above spreader settings are approximate. Check your spreader on 250 sq.ft. and adjust to apply at the rate of 1 lb. per 250 sq.ft. Always apply with a properly calibrated rotary or drop type fertilizer spreader to distribute the granules evenly. Never apply by hand.

## INSTRUCTIONS:

Turf Supreme® 16-6-8 Plus Trimec® controls a wide range of lawn weeds including dandelion, chickweed, knotweed, plantain, henbit, spurge and many others commonly found in home lawns. In addition, 16-6-8 fertilizer provides plant nutrients or a supply of plant food. Possible retreatment may be necessary if (a) lawn is heavily overrun by weeds, or (b) if adverse low moisture conditions prevail and weeds are in a state of poor growth. A second application may be made in approximately 30 days.

The maximum application rate to turf is 1.2 pounds of 2,4-D acid equivalent per acre per application per site. The maximum number of broadcast applications per treatment site is 2 per year.

1. Mow the lawn to normal height 1 to 2 days before application.
2. Water lawn thoroughly at least 1 day before application to sustain moisture until the next watering (see step 4).
3. Apply when weeds are young and actively growing, preferably in the morning when dew is on the grass.  
If grass is not moist at time of application, sprinkle lightly with water to hold the material and prevent dust drift onto nontarget plants.
4. Do not wash from weed leaves for 1 to 2 days after application. At this time a thorough watering should be made.

### WEEDS CONTROLLED

Bindweed, field	Bull thistle	Clover, white	Henbit	Oxalis	Redstem filaree	Speedwell
Black medic	Burclover	Common mullein	Knotweed	Pigweed	Russian pigweed	Spotted spurge
Black mustard	Buttercup	Curly dock	Lambsquarters	Plantain	Scarlet pimpernel	Thistle
Bristly oxtongue	Chickweed, common	Daisy, english	Mallow	Prostrate knotweed	Shepherdspurse	Wild carrot
Broadleaf dock	Chickweed, mouseear	Dandelion	Morningglory	Prostrate spurge	Smooth dock	Yarrow
Broadleaf plantain	Chicory	Dichondra	Mustard	Purslane, common	Smooth pigweed	
Buckhorn	Clover, crimson	Fiddleneck	Narrowleaf plantain	Redroot pigweed	Sowthistle	

## USE PRECAUTIONS:

Do not apply this product to dichondra or carpetgrass. Do not apply this product to 'Floritam' St. Augustinegrass in Florida. Do not use this product where desirable clovers are present or allow the material to "drift" onto flowers, vegetables or ornamental shrubbery. Do not apply in areas underlaid by roots of desirable trees or shrubs. Apply when the air is calm. Do not apply to newly seeded lawns. During application, close spreader openings when turning to prevent over-application.

PACKAGE SIZE:

**50-LB. (22.68-Kg.) BAGS**

MANUFACTURED IN U.S.A.

74070 (PRO/TB R9-10-07)

HANDLING PRECAUTIONS:

**CAUTION: KEEP OUT OF THE REACH OF CHILDREN.**

MSDS - See Reverse

**HARMFUL IF SWALLOWED - DO NOT INHALE**