

## Safety Data Sheet

### INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31

Page: 1/12

Version: 1.0

(59014135/SDS\_CPA\_US/EN)

#### 1. Identification

Product identifier used on the label

### INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Recommended use of the chemical and restriction on use

Recommended use\*: fungicide

\* The "Recommended use" identified for this product is provided solely to comply with a US Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION

100 Park Avenue

Florham Park, NJ 07932, USA

Telephone: +1 973 245-6000

Emergency telephone number

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Substance number: 680605

EPA Register number: 7969-290

Chemical family: strobilurine

#### 2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

|                   |                                      |  |
|-------------------|--------------------------------------|--|
| Acute Tox.        | 4 (Inhalation - vapour)              | Acute toxicity                                   |
| Acute Tox.        | 4 (oral)                             | Acute toxicity                                   |
| Acute Tox.        | 4 (Inhalation - mist)                | Acute toxicity                                   |
| Skin Corr./Irrit. | 2                                    | Skin corrosion/irritation                        |
| Skin Sens.        | 1B                                   | Skin sensitization                               |
| STOT SE           | 3 (irritating to respiratory system) | Specific target organ toxicity — single exposure |

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 2/12  
(59014135/SDS\_CPA\_US/EN)

|                 |   |  |
|-----------------|---|--|
| Aquatic Acute   | 1 | Hazardous to the aquatic environment - acute   |
| Aquatic Chronic | 1 | Hazardous to the aquatic environment - chronic |

### Label elements

Pictogram:



Signal Word:  
Warning

Hazard Statement:

|      |   |
|------|---|
| H315 | Causes skin irritation.                               |
| H332 | Harmful if inhaled.                                   |
| H302 | Harmful if swallowed.                                 |
| H317 | May cause an allergic skin reaction.                  |
| H335 | May cause respiratory irritation.                     |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |

Precautionary Statements (Prevention):

|      |  |
|------|--|
| P280 | Wear protective gloves.  |
| P271 | Use only outdoors or in a well-ventilated area.                        |
| P273 | Avoid release to the environment.                                      |
| P260 | Do not breathe dust/gas/mist/vapours.                                  |
| P272 | Contaminated work clothing should not be allowed out of the workplace. |
| P270 | Do not eat, drink or smoke when using this product.                    |
| P264 | Wash with plenty of water and soap thoroughly after handling.          |

Precautionary Statements (Response):

|             |  |
|-------------|--|
| P333 + P311 | If skin irritation or rash occurs: Call a POISON CENTER or doctor/physician. |
| P304 + P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing.   |
| P303 + P352 | IF ON SKIN (or hair): Wash with plenty of soap and water.                    |
| P301 + P330 | IF SWALLOWED: rinse mouth.   |
| P391        | Collect spillage.  |
| P332 + P313 | If skin irritation occurs: Get medical advice/attention.                     |
| P362 + P364 | Take off contaminated clothing and wash before reuse.                        |

Precautionary Statements (Storage):

|             |  |
|-------------|--|
| P403 + P233 | Store in a well-ventilated place. Keep container tightly closed. |
| P405        | Store locked up.   |

Precautionary Statements (Disposal):

|      |   |
|------|---|
| P501 | Dispose of contents/container to hazardous or special waste collection point. |
|------|---|

**According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200**

### Emergency overview

WARNING:

May be fatal if swallowed.  
May be harmful if absorbed through skin.

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 3/12  
(59014135/SDS CPA US/EN)

May cause moderate but temporary irritation to the eyes.  
KEEP OUT OF REACH OF CHILDREN.  
KEEP OUT OF REACH OF DOMESTIC ANIMALS.  
Avoid contact with the skin, eyes and clothing.  
Avoid inhalation of dusts/mists/vapours.  
Wash thoroughly after handling.

### 3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

| <u>CAS Number</u> | <u>Content (W/W)</u> | <u>Chemical name</u> |
|-------------------|----------------------|----------------------|
| 175013-18-0       | 23.3 %               | Pyraclostrobin       |
| 77-78-1           | < 0.2 %              | dimethyl sulphate    |

According to Regulation 1994 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

| <u>CAS Number</u> | <u>Content (W/W)</u> | <u>Chemical name</u>    |
|-------------------|----------------------|-------------------------|
| 175013-18-0       | <= 23.0 %            | Pyraclostrobin          |
|                   | <= 76.0 %            | Proprietary ingredients |

### 4. First-Aid Measures

#### Description of first aid measures

##### General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

##### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

##### If on skin:

Wash thoroughly with soap and water.

##### If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

##### If swallowed:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### Most important symptoms and effects, both acute and delayed

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

#### Indication of any immediate medical attention and special treatment needed

##### Note to physician

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 4/12  
(59014135/SDS\_CPA\_US/EN)

---

### 5. Fire-Fighting Measures

#### Extinguishing media

Suitable extinguishing media:  
foam, dry powder, carbon dioxide, water spray

#### Special hazards arising from the substance or mixture

Hazards during fire-fighting:  
carbon monoxide, carbon dioxide, nitrogen dioxide, nitrogen oxide, Hydrogen chloride, halogenated hydrocarbons, Hydrocarbons,  
If product is heated above decomposition temperature, toxic vapours will be released. The substances/groups of substances mentioned can be released in case of fire.

#### Advice for fire-fighters

Protective equipment for fire-fighting:  
Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

#### Further information:

Evacuate area of all unnecessary personnel. Contain contaminated water/firefighting water. Do not allow to enter drains or waterways.

---

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Take appropriate protective measures. Clear area. Shut off source of leak only under safe conditions. Extinguish sources of ignition nearby and downwind. Ensure adequate ventilation. Wear suitable personal protective clothing and equipment.

#### Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater. Contain contaminated water/firefighting water.

#### Methods and material for containment and cleaning up

Dike spillage. Pick up with suitable absorbent material. Place into suitable containers for reuse or disposal in a licensed facility. Spilled substance/product should be recovered and applied according to label rates whenever possible. If application of spilled substance/product is not possible, then spills should be contained, solidified, and placed in suitable containers for disposal. After decontamination, spill area can be washed with water. Collect wash water for approved disposal.

---

### 7. Handling and Storage

#### Precautions for safe handling

RECOMMENDATIONS ARE FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS. PESTICIDE APPLICATORS & WORKERS must refer to the Product Label and Directions for Use attached to the product for Agricultural Use Requirements in accordance with the EPA Worker Protection Standard 40 CFR part 170. Ensure adequate ventilation. Provide good ventilation of working area (local exhaust ventilation if necessary). Keep away from sources of ignition - No smoking. Keep container tightly sealed. Protect contents from the effects of light. Protect against heat. Protect from air. Handle and open container with care. Do not open until ready to use. Once container is opened, content should be used as soon as possible. Avoid aerosol formation. Avoid dust formation. Provide means for controlling leaks and spills. Do not

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 5/12  
(59014135/SDS\_CPA\_US/EN)

return residues to the storage containers. Follow label warnings even after container is emptied. The substance/ product may be handled only by appropriately trained personnel. Avoid all direct contact with the substance/product. Avoid contact with the skin, eyes and clothing. Avoid inhalation of dusts/mists/vapours. Wear suitable personal protective clothing and equipment.

### Protection against fire and explosion:

The relevant fire protection measures should be noted. Fire extinguishers should be kept handy. Avoid all sources of ignition: heat, sparks, open flame. Sources of ignition should be kept well clear. Avoid extreme heat. Keep away from oxidizable substances. Electrical equipment should conform to national electric code. Ground all transfer equipment properly to prevent electrostatic discharge. Electrostatic discharge may cause ignition.

### Conditions for safe storage, including any incompatibilities

Segregate from incompatible substances. Segregate from foods and animal feeds. Segregate from textiles and similar materials.

Further information on storage conditions: Keep only in the original container in a cool, dry, well-ventilated place away from ignition sources, heat or flame. Protect containers from physical damage. Protect against contamination. The authority permits and storage regulations must be observed.

---

## 8. Exposure Controls/Personal Protection

Users of a pesticidal product should refer to the product label for personal protective equipment requirements.

### Advice on system design:

Whenever possible, engineering controls should be used to minimize the need for personal protective equipment.

### Personal protective equipment

#### RECOMMENDATIONS FOR MANUFACTURING, COMMERCIAL BLENDING, AND PACKAGING WORKERS:

#### Respiratory protection:

Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator. For situations where the airborne concentrations may exceed the level for which an air purifying respirator is effective, or where the levels are unknown or Immediately Dangerous to Life or Health (IDLH), use NIOSH-certified full facepiece pressure demand self-contained breathing apparatus (SCBA) or a full facepiece pressure demand supplied-air respirator (SAR) with escape provisions.

#### Hand protection:

Chemical resistant protective gloves, Protective glove selection must be based on the user's assessment of the workplace hazards.

#### Eye protection:

Safety glasses with side-shields. Tightly fitting safety goggles (chemical goggles). Wear face shield if splashing hazard exists.

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. head protection, apron, protective boots, chemical-protection suit.

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 6/12  
(59014135/SDS\_CPA\_US/EN)

### General safety and hygiene measures:

Wear long sleeved work shirt and long work pants in addition to other stated personal protective equipment. Work place should be equipped with a shower and an eye wash. Handle in accordance with good industrial hygiene and safety practice. Personal protective equipment should be decontaminated prior to reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Take off immediately all contaminated clothing. Store work clothing separately. Hands and/or face should be washed before breaks and at the end of the shift. No eating, drinking, smoking or tobacco use at the place of work. Keep away from food, drink and animal feeding stuffs.

## 9. Physical and Chemical Properties

|   |   |  |
|---|---|--|
| Form:   | suspension  |  |
| Odour:  | faint odour, sweetish   |  |
| Odour threshold:                                    |   | Not determined since harmful by inhalation.  |
| Colour:   | off-white   |  |
| Freezing point:                                     | approx. 0 °C  | Information applies to the solvent.  |
| Boiling point:                                      | approx. 95 °C   | Information applies to the solvent.  |
| Flash point:  |   | (Regulation 440/2008/EC, A.9) No flash point - Measurement made up to the boiling point.   |
| Flammability:                                       | Based on the structure or composition there is no indication of flammability                      |  |
| Lower explosion limit:                              |   | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Upper explosion limit:                              |   | As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use. |
| Autoignition:                                       | 540 °C  | (Regulation 440/2008/EC, A.15)   |
| Vapour pressure:                                    | approx. 23.3 hPa  | ( 20 °C) Information applies to the solvent.   |
| Density:  | approx. 1.08 g/cm <sup>3</sup>  | ( 20 °C)   |
| Vapour density:                                     |   | not applicable   |
| Partitioning coefficient n-octanol/water (log Pow): |   | not applicable   |
| Thermal decomposition:                              | No decomposition if stored and handled as prescribed/indicated.                                   |  |
| Viscosity, dynamic:                                 | approx. 23 mPa.s  | ( 20 °C)   |
| Solubility in water:                                |   | dispersible  |
| Molar mass:   | 387.82 g/mol  |  |
| Evaporation rate:                                   |   | not applicable   |
| Other Information:                                  | If necessary, information on other physical and chemical parameters is indicated in this section. |  |

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 7/12  
(59014135/SDS\_CPA\_US/EN)

---

### 10. Stability and Reactivity

#### Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

Corrosive effects to metal are not anticipated.

Oxidizing properties:

not fire-propagating

#### Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### Possibility of hazardous reactions

The product is chemically stable.

Hazardous polymerization will not occur. No hazardous reactions if stored and handled as prescribed/indicated.

#### Conditions to avoid

Avoid all sources of ignition: heat, sparks, open flame. Avoid prolonged storage. Avoid electro-static discharge. Avoid contamination. Avoid prolonged exposure to extreme heat. Avoid extreme temperatures.

#### Incompatible materials

strong oxidizing agents, strong bases, strong acids

#### Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

---

### 11. Toxicological information

#### Primary routes of exposure

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

#### Acute Toxicity/Effects

##### Acute toxicity

Assessment of acute toxicity: Of moderate toxicity after single ingestion. Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

##### Oral

Type of value: LD50

Species: rat (male/female)

Value: approx. 455 mg/kg (OECD Guideline 423)

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 8/12  
(59014135/SDS\_CPA\_US/EN)

### Inhalation

Type of value: LC50  
Species: rat (male/female)  
Value: 5.06 mg/l (OECD Guideline 403)  
Exposure time: 4 h  
An aerosol was tested.

### Dermal

Type of value: LD50  
Species: rat (male/female)  
Value: > 5,000 mg/kg (OECD Guideline 402)

### Assessment other acute effects

Assessment of STOT single:  
Causes temporary irritation of the respiratory tract.

The product has not been tested. The statement has been derived from the properties of the individual components.

### Irritation / corrosion

Assessment of irritating effects: The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. Not irritating to the eyes. Skin contact causes irritation.

### Skin

Species: rabbit  
Result: moderately irritating  
Method: OECD Guideline 404

### Eye

Species: rabbit  
Result: non-irritant  
Method: OECD Guideline 405

### Sensitization

Assessment of sensitization: Sensitization after skin contact possible.

### Buehler test

Species: guinea pig  
Result: sensitizing  
Method: OECD Guideline 406

The product has not been tested. The statement has been derived from the properties of the individual components.

## **Chronic Toxicity/Effects**

### Repeated dose toxicity

Assessment of repeated dose toxicity: The product has not been tested. The statement has been derived from the properties of the individual components.

### Information on: pyraclostrobin

Assessment of repeated dose toxicity: After repeated exposure the prominent effect is local irritation. The substance may cause damage to the olfactory epithelium after repeated inhalation.

### Genetic toxicity



# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 9/12  
(59014135/SDS\_CPA\_US/EN)

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

### Carcinogenicity

Assessment of carcinogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

### Reproductive toxicity

Assessment of reproduction toxicity: The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

### Teratogenicity

Assessment of teratogenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

### Other Information

Misuse can be harmful to health.

## Symptoms of Exposure

The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.

---

## 12. Ecological Information

### Toxicity

#### Aquatic toxicity

Assessment of aquatic toxicity:  
Very toxic (acute effect) to aquatic organisms.

#### Toxicity to fish

##### *Information on: pyraclostrobin*

*LC50 (96 h) > 0.0121 - < 0.0258 mg/l, Cyprinus carpio (OPP 72-1 (EPA-Guideline), static)*

*LC50 (96 h) > 0.0131 - < 0.0299 mg/l, Lepomis macrochirus (EPA 72-1, static)*

*The statement of the toxic effect relates to the analytically determined concentration.*

*LC50 (96 h) 0.0062 mg/l, Oncorhynchus mykiss (EPA 72-1, Flow through.)*

#### Aquatic invertebrates

##### *Information on: pyraclostrobin*

*EC50 (48 h) 0.0157 mg/l, Daphnia magna*

#### Aquatic plants

##### *Information on: pyraclostrobin*

*EC50 (96 h) > 0.843 mg/l, Pseudokirchneriella subcapitata*

#### Assessment of terrestrial toxicity

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 10/12  
(59014135/SDS CPA\_US/EN)

With high probability not acutely harmful to terrestrial organisms.

### Other terrestrial non-mammals

*Information on: pyraclostrobin*  
*LD50 > 2,000 mg/kg, Colinus virginianus*  
*Colinus virginianus*  
*LC50, Anas platyrhynchos*  
*LD50 > 100 ug/bee, Apis mellifera*

### **Persistence and degradability**

#### Assessment biodegradation and elimination (H2O)

*Information on: pyraclostrobin*

*Not readily biodegradable (by OECD criteria).*

### **Bioaccumulative potential**

#### Bioaccumulation potential

*Information on: pyraclostrobin*

*Bioconcentration factor: 379 - 507, Oncorhynchus mykiss (OECD-Guideline 305)*  
*Accumulation in organisms is not to be expected.*

### **Mobility in soil**

#### Assessment transport between environmental compartments

The product has not been tested. The statement has been derived from the properties of the individual components.

*Information on: pyraclostrobin*

*Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.*

### **Additional information**

Other ecotoxicological advice:

The ecological data given are those of the active ingredient. Do not release untreated into natural waters.

---

## 13. Disposal considerations

### **Waste disposal of substance:**

Pesticide wastes are regulated. Improper disposal of excess pesticide, spray mix or rinsate is a violation of federal law. If pesticide wastes cannot be disposed of according to label instructions, contact the State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 11/12  
(59014135/SDS CPA\_US/EN)

### Container disposal:

Rinse thoroughly at least three times (triple rinse) in accordance with EPA recommendations. Consult state or local disposal authorities for approved alternative procedures such as container recycling. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

### RCRA:

This product is not regulated by RCRA.

---

## 14. Transport Information

### Land transport

USDOT

Not classified as a dangerous good under transport regulations

### Sea transport

IMDG

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Marine pollutant: YES  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN)

### Air transport

IATA/ICAO

Hazard class: 9  
Packing group: III  
ID number: UN 3082  
Hazard label: 9, EHSM  
Proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains PYRACLOSTROBIN)

---

## 15. Regulatory Information

### Federal Regulations

#### Registration status:

Crop Protection TSCA, US released / listed

Chemical TSCA, US blocked / not listed

EPCRA 311/312 (Hazard categories): Acute;

#### NFPA Hazard codes:

Health : 2 Fire: 1 Reactivity: 1 Special:

# Safety Data Sheet

## INSIGNIA® SC INTRINSIC BRAND FUNGICIDE

Revision date : 2014/10/31  
Version: 1.0

Page: 12/12  
(59014135/SDS CPA US/EN)

### Labeling requirements under FIFRA

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label.

#### WARNING:

May be fatal if swallowed.  
May cause moderate but temporary irritation to the eyes.  
Avoid contact with the skin, eyes and clothing.

## 16. Other information

**SDS Prepared by:**  
BASF NA Product Regulations  
SDS Prepared on: 2014/10/31

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

INSIGNIA® SC INTRINSIC BRAND FUNGICIDE is a registered trademark of BASF Corporation or BASF SE

IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.

END OF DATA SHEET