

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and

Regulations Revision Date: 08/30/2018

Supersedes: 05/15/2014

Version: 1.0

SECTION 1: IDENTIFICATION

1.1. Product Identifier

Product Form: Mixture

Product Name: LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Product Code: EPA Registration No.: 10404-39; 10404-94; 10404-95; 10404-96

Synonyms: Atrazine

Other means of identification: LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer;

LESCO Professional Control Product St. Augustine Weed & Feed;

LESCO St. Augustinegrass Weed & Feed;

LESCO St. Augustine Weed & Feed;

LESCO Scenic Green St. Augustine Weed & Feed

1.2. Intended Use of the Product

Use of the substance/mixture: Pesticide & Fertilizer

1.3. Name, Address, and Telephone of the Responsible Party

Company

LESCO, Inc.

1385 East 36th St

Cleveland, OH 44114

T 800-347-4272

1.4. Emergency Telephone Number

Emergency Number : 1-800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US)

Acute Tox. 4 (Oral) H302

Skin Irrit. 2 H315

Eye Irrit. 2A H319

Skin Sens. 1 H317

STOT SE 3 H335

STOT RE 2 H373

Aquatic Acute 2 H401

Aquatic Chronic 3 H412

2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)

: Warning

Hazard Statements (GHS-US)

: H302 - Harmful if swallowed
 H315 - Causes skin irritation
 H317 - May cause an allergic skin reaction
 H319 - Causes serious eye irritation
 H335 - May cause respiratory irritation
 H373 - May cause damage to organs through prolonged or repeated exposure
 H401 - Toxic to aquatic life
 H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements (GHS-US)

: P260 - Do not breathe dust/fume/gas/mist/vapors/spray
 P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
 P264 - Wash exposed areas thoroughly after handling

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

P270 - Do not eat, drink or smoke when using this product
P271 - Use only outdoors or in a well-ventilated area
P272 - Contaminated work clothing should not be allowed out of the workplace
P273 - Avoid release to the environment
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position comfortable for breathing
P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P312 - Call a POISON CENTER/doctor/physician if you feel unwell
P314 - Get medical advice and attention if you feel unwell
P321 - Specific treatment (see Section 4)
P330 - If swallowed, rinse mouth
P332+P313 - If skin irritation occurs: Get medical advice/attention
P333+P313 - If skin irritation or rash occurs: Get medical advice/attention
P337+P313 - If eye irritation persists: Get medical advice/attention
P362 - Take off contaminated clothing and wash before reuse
P362+P364 - Take off contaminated clothing and wash it before reuse
P403+P233 - Store in a well-ventilated place. Keep container tightly closed
P405 - Store locked up
P501 - Dispose of contents/container according to local, state, national and international regulations.

2.3. Other Hazards

Other Hazards Not Contributing to the Classification: Pendimethalin is a strongly orange-red colored compound – virtually an aniline dye. Cases have been described of orange-yellow coloration of urine following heavy exposure of workers to the dust of pendimethalin. Despite its structure as both a nitro-compound and aromatic amine, exposure to pendimethalin is NOT associated with methemoglobinemia. Hazardous to the aquatic environment - Acute Hazard Category 1. Hazardous to the aquatic environment - Chronic Hazard Category 3.

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

Full text of H-phrases: see section 16

3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|---------------------------------|--------------------|----------|--|
| Urea | (CAS No) 57-13-6 | 0.1 - 99 | Not classified |
| Sulfuric acid, dipotassium salt | (CAS No) 7778-80-5 | 0.1 - 95 | Not classified |
| Diammonium phosphate | (CAS No) 7783-28-0 | 0.1 - 95 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 Aquatic Acute 3, H402 |
| Potassium chloride | (CAS No) 7447-40-7 | 0.1 - 95 | Eye Irrit. 2B, H320 |
| Monoammonium phosphate | (CAS No) 7722-76-1 | 0.1 - 95 | Skin Irrit. 2, H315 Eye Irrit. 2B, H320 STOT SE 3, H335 |
| Ammonium sulfate | (CAS No) 7783-20-2 | 0.1 - 95 | Aquatic Acute 2, H401 |
| Limestone | (CAS No) 1317-65-3 | 0.1 - 95 | Not classified |
| Sulfur | (CAS No) 7704-34-9 | 0.1 - 20 | Comb. Dust Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Aquatic Acute 3, H402 |

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Name | Product identifier | % | Classification (GHS-US) |
|---|--------------------|-------------|--|
| Iron oxide (Fe ₂ O ₃) | (CAS No) 1309-37-1 | 0.1 - 10 | Not classified |
| Magnesium sulfate | (CAS No) 7487-88-9 | 0.1 - 10 | Skin Sens. 1, H317 |
| Ferrous sulfate | (CAS No) 7720-78-7 | 0.1 - 10 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Aquatic Acute 1, H400 |
| Manganese oxide (Mn ₃ O ₄) | (CAS No) 1317-35-7 | 0.1 - 10 | Not classified |
| Atrazine | (CAS No) 1912-24-9 | 0.45 - 1.05 | Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 |

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: If medical advice is needed, have product container or label at hand. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). If exposed or concerned: Get medical advice/attention.

First-aid Measures After Inhalation: If inhaled, remove to fresh air and keep at rest in a position comfortable for breathing. If you feel unwell, seek medical advice.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes. Wash skin thoroughly with mild soap and water. Wash contaminated clothing before reuse. Obtain medical attention if irritation develops or persists.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Obtain medical attention if irritation persists.

First-aid Measures After Ingestion: Rinse mouth. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label. Call a POISON CENTER/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Harmful if swallowed. Eye irritation. Causes skin irritation. May cause an allergic reaction in sensitive individuals.

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes.

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Chronic Symptoms: May cause damage to organs through prolonged or repeated exposure.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIRE-FIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, dry chemical, carbon dioxide, water spray, fog. Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media: Do not use water jet. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not considered flammable but will burn at high temperatures. . Decomposes above 132 °C (270 °F). Under conditions of fire this material may produce: Ammonia. Nitrogen oxides. Biuret. Cyanuric acid.

Explosion Hazard: May form explosive compounds if mixed with: Calcium hypochlorite. Sodium hypochlorite. Nitrates. Nitric acid. Perchloric acid. Product itself is not explosive but if dust is generated, dust clouds suspended in air can be explosive.

Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

5.3. Advice for Firefighters

Firefighting Instructions: Not flammable. Exercise caution when fighting any chemical fire.

Protection During Firefighting: Firefighters must use full bunker gear including NIOSH-approved positive-pressure self-contained breathing apparatus to protect against potential hazardous combustion and decomposition products.

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Other information: Do not allow run-off from fire fighting to enter drains or water courses.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Handle in accordance with good industrial hygiene and safety practice. This material becomes slippery when wet. Avoid all eyes and skin contact and do not breathe vapor and mist. Do not allow product to spread into the environment.

6.1.1. For Non-emergency Personnel

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: Collect as any solid. Ventilate area. Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Wear suitable protective clothing, gloves and eye/face protection. Equip cleanup crew with proper protection. Use appropriate personal protection equipment (PPE).

Emergency Procedures: If possible, stop flow of product. Contain and collect as any solid. Evacuate unnecessary personnel. Ventilate area.

6.2. Environmental Precautions

Avoid release to the environment. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning Up: Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If spilled directly onto the ground, remove sufficient soil to ensure material is fully recovered. Material may be used if uncontaminated. Clear up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: This material becomes slippery when wet.

Precautions for Safe Handling: Handle in accordance with good industrial hygiene and safety procedures. Wear recommended personal protective equipment. Avoid creating or spreading dust. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area.

Hygiene Measures: Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure. Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Wash hands and forearms thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store tightly closed in a dry, cool and well-ventilated place. Protect from moisture. Keep container closed when not in use.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Prohibitions on mixed storage: Store away from: Ammonium nitrate. Refer to Section 10 on Incompatible Materials.

Special Rules on Packaging: Corrosive to copper and its alloys.

7.3. Specific End Use(s)

Fertilizer.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

| Iron oxide (Fe ₂ O ₃) (1309-37-1) | | |
|--|--------------------------------------|------------------------|
| USA ACGIH | ACGIH TWA (mg/m ³) | 5 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ |
| USA IDLH | US IDLH (mg/m ³) | 2500 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 5 mg/m ³ |
| Limestone (1317-65-3) | | |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ |
| USA OSHA | OSHA PEL (TWA) (mg/m ³) | 5 mg/m ³ |

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| Atrazine (1912-24-9) | | |
|----------------------|--------------------------------------|---------------------|
| USA ACGIH | ACGIH TWA (mg/m ³) | 5 mg/m ³ |
| USA NIOSH | NIOSH REL (TWA) (mg/m ³) | 5 mg/m ³ |

8.2. Exposure Controls

Appropriate Engineering Controls

: Ensure all national/local regulations are observed.

Personal Protective Equipment

: Gloves. Protective clothing. Insufficient ventilation: wear respiratory protection. Safety glasses.



Hand Protection

: Protective gloves.

Eye Protection

: Chemical goggles or safety glasses.

Skin and Body Protection

: Wear suitable protective clothing.

Respiratory Protection

: If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.

Other Information

: When using, do not eat, drink or smoke.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties

| | |
|--|--|
| Physical State | : Solid |
| Appearance | : Yellow. Gray. White. Granules. |
| Odor | : Little. |
| Odor Threshold | : No data available |
| pH | : No data available |
| pH solution | : 10 % |
| Relative Evaporation Rate (butylacetate=1) | : No data available |
| Melting Point | : 133 °C (271.4°F) Urea 347°F/175°C (Atrazine) |
| Freezing Point | : No data available |
| Boiling Point | : 200 °C (392°F) Atrazine |
| Flash Point | : No data available |
| Auto-ignition Temperature | : No data available |
| Decomposition Temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor Pressure | : No data available |
| Relative Vapor Density at 20 °C | : No data available |
| Relative Density | : No data available |
| Density | : 45 (45 - 65) lb/ft ³ |
| Solubility | : Water: Soluble |
| Partition coefficient: n-octanol/water | : No data available |
| Viscosity | : No data available |

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: This product as shipped in the form of coarse granules should not contain sufficient dust to present an explosion hazard. Prevent dust accumulation (to minimize explosion hazard).

10.2 Chemical Stability: Stable at standard temperature and pressure.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

10.4 Conditions to Avoid: Protect from moisture. Keep away from heat. Direct sunlight. Extremely high or low temperatures. Sparks, heat, open flame and other sources of ignition.

10.5 Incompatible Materials: May form explosive mixture if in contact with strong acid such as nitric or perchloric acids. Avoid contact with : Nitrates. Hypochlorites. Perchlorates. Chlorides. Corrosive to copper and its alloys. Strong acids. Strong bases. Strong oxidizers.

10.6 Hazardous Decomposition Products: Under conditions of fire this material may produce: Nitrogen oxides. Ammonia. Biuret. Carbon oxides (CO, CO₂). Formaldehyde. Cyanuric acid. Hydrogen cyanide.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity: Harmful if swallowed.

| LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer | |
|---|---|
| LD50 Dermal Rat | mg/kg |
| Sulfuric acid, dipotassium salt (7778-80-5) | |
| LD50 Oral Rat | 6600 mg/kg |
| Diammonium phosphate (7783-28-0) | |
| LD50 Oral Rat | 6500 mg/kg |
| LD50 Dermal Rabbit | > 7950 mg/kg |
| Potassium chloride (7447-40-7) | |
| LD50 Oral Rat | 2600 mg/kg |
| Monoammonium phosphate (7722-76-1) | |
| LD50 Oral Rat | 5750 mg/kg |
| LD50 Dermal Rabbit | > 7940 mg/kg |
| Ammonium sulfate (7783-20-2) | |
| LD50 Oral Rat | 2000 mg/kg |
| Sulfur (7704-34-9) | |
| LD50 Oral Rat | > 3000 mg/kg |
| LD50 Dermal Rabbit | > 2000 mg/kg |
| LC50 Inhalation Rat (mg/l) | > 9.23 mg/l/4h |
| Iron oxide (Fe ₂ O ₃) (1309-37-1) | |
| LD50 Oral Rat | > 10000 mg/kg |
| Ferrous sulfate (7720-78-7) | |
| LD50 Oral Rat | 237 mg/kg |
| Atrazine (1912-24-9) | |
| LC50 Inhalation Rat (mg/l) | 5200 mg/m ³ (Exposure time: 4 h) |
| Urea (57-13-6) | |
| ATE (Oral) | 8471.000 mg/kg |

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes serious eye irritation.

Respiratory or Skin Sensitization: May cause an allergic skin reaction.

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

| | |
|--|---|
| Iron oxide (Fe ₂ O ₃) (1309-37-1) | |
| IARC group | 3 |
| Atrazine (1912-24-9) | |
| IARC group | 3 |
| National Toxicity Program (NTP) Status | Twelfth Report - Items under consideration. |

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): May cause respiratory irritation.

Specific Target Organ Toxicity (Repeated Exposure): May cause damage to organs through prolonged or repeated exposure.

Aspiration Hazard: Not classified

Potential Adverse Human Health Effects and Symptoms: Harmful if swallowed.

Symptoms/Injuries After Inhalation: Irritating to the respiratory system and mucous membranes.

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Symptoms/Injuries After Skin Contact: Causes skin irritation. May cause an allergic skin reaction.

Symptoms/Injuries After Eye Contact: Causes serious eye irritation.

Symptoms/Injuries After Ingestion: Harmful if swallowed. Swallowing a small quantity of this material will result in serious health hazard.

Chronic Symptoms: May cause damage to organs through prolonged or repeated exposure.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecology - General : Harmful to aquatic life with long lasting effects.

| Sulfuric acid, dipotassium salt (7778-80-5) | |
|--|---|
| LC50 Fish 1 | 653 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus) |
| EC50 Daphnia 1 | 890 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 Other Aquatic Organisms 1 | 2900 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| LC 50 Fish 2 | 3550 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| Diammonium phosphate (7783-28-0) | |
| LC50 Fish 1 | 26.5 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| LC 50 Fish 2 | 24.8 - 29.4 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |
| Potassium chloride (7447-40-7) | |
| LC50 Fish 1 | 1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| EC50 Daphnia 1 | 825 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| EC50 Other Aquatic Organisms 1 | 2500 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| LC 50 Fish 2 | 750 - 1020 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Daphnia 2 | 83 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| Ammonium sulfate (7783-20-2) | |
| LC50 Fish 1 | 5.2 (5.2 - 8.2) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static]) |
| EC50 Daphnia 1 | 14 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC 50 Fish 2 | 32.2 (32.2 - 41.9) mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through]) |
| Sulfur (7704-34-9) | |
| LC50 Fish 1 | 866 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [static]) |
| LC 50 Fish 2 | 14 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static]) |
| Magnesium sulfate (7487-88-9) | |
| LC50 Fish 1 | 2610 - 3080 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static]) |
| EC50 Daphnia 1 | 266.4 - 417.3 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| EC50 Other Aquatic Organisms 1 | 2700 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| Ferrous sulfate (7720-78-7) | |
| LC50 Fish 1 | 925 mg/l (Exposure time: 96 h - Species: Poecilia reticulata [static]) |
| EC50 Daphnia 1 | 152 mg/l (Exposure time: 48 h - Species: Daphnia magna) |
| LC 50 Fish 2 | 0.56 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [semi-static]) |
| EC50 Daphnia 2 | 6.15 - 9.26 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| Atrazine (1912-24-9) | |
| LC50 Fish 1 | 4.5 - 11 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss) |
| EC50 Daphnia 1 | 5.2 - 8.1 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |
| EC50 Other Aquatic Organisms 1 | 0.03 mg/l (Exposure time: 72 h - Species: Desmodesmus subspicatus) |
| LC 50 Fish 2 | 3 - 6.75 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static]) |
| EC50 Other Aquatic Organisms 2 | 0.014 - 0.027 mg/l (Exposure time: 96 h - Species: Desmodesmus subspicatus [semi-static]) |
| Urea (57-13-6) | |
| LC50 Fish 1 | 16200 - 18300 mg/l (Exposure time: 96 h - Species: Poecilia reticulata) |
| EC50 Daphnia 1 | 3910 mg/l (Exposure time: 48 h - Species: Daphnia magna [Static]) |

12.2. Persistence and Degradability

| LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer | |
|--|---|
| Persistence and Degradability | May cause long-term adverse effects in the environment. This product is water soluble and eventually biodegrades into elemental nitrogen. Excess nitrogen and |

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|--|--|
| | nitrates in a body of water will contribute to eutrophication with visible effects such as toxic algae bloom. . Not established. |
|--|--|

12.3. Bioaccumulative Potential

| | |
|--|-------------------------------|
| LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer | |
| Bioaccumulative Potential | Not established. |
| Diammonium phosphate (7783-28-0) | |
| BCF fish 1 | (no bioaccumulation expected) |
| Monoammonium phosphate (7722-76-1) | |
| BCF fish 1 | (no bioaccumulation expected) |
| Ammonium sulfate (7783-20-2) | |
| Log Pow | -5.1 (at 25 °C) |
| Atrazine (1912-24-9) | |
| BCF fish 1 | 7.7 - 15 |
| Log Pow | 2.59 (at 20 °C) |
| Urea (57-13-6) | |
| BCF fish 1 | < 10 |
| Log Pow | -1.59 (at 25 °C) |

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

Other Information : Avoid release to the environment.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Treatment Methods: Pesticide: Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, State or local procedures. Or call (1-800-CLEANUP) for disposal instructions. Never place unused product down any indoor or outdoor drain. Container: Do not reuse bag. Dispose of emptied bag(s) in a sanitary landfill approved for pesticide disposal, or by incineration.

Additional Information: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways.

SECTION 14: TRANSPORT INFORMATION

14.1 In Accordance with DOT Not regulated for transport

14.2 In Accordance with IMDG Not regulated for transport

14.3 In Accordance with IATA Not regulated for transport

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

| | |
|---|---|
| LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer | |
| EPA TSCA Regulatory Flag | This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label. |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard Delayed (chronic) health hazard |
| Sulfuric acid, dipotassium salt (7778-80-5) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Diammonium phosphate (7783-28-0) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Potassium chloride (7447-40-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Monoammonium phosphate (7722-76-1) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| | |
|---|-------|
| Ammonium sulfate (7783-20-2) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Sulfur (7704-34-9) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Iron oxide (Fe₂O₃) (1309-37-1) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Magnesium sulfate (7487-88-9) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Ferrous sulfate (7720-78-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Limestone (1317-65-3) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Manganese oxide (Mn₃O₄) (1317-35-7) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Atrazine (1912-24-9) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |
| Listed on SARA Section 313 (Specific toxic chemical listings) | |
| SARA Section 313 - Emission Reporting | 1.0 % |
| Urea (57-13-6) | |
| Listed on the United States TSCA (Toxic Substances Control Act) inventory | |

15.2 US State Regulations

| | |
|--|--|
| Potassium chloride (7447-40-7) | |
| U.S. - Texas - Effects Screening Levels - Long Term | |
| U.S. - Texas - Effects Screening Levels - Short Term | |
| Monoammonium phosphate (7722-76-1) | |
| U.S. - Texas - Effects Screening Levels - Long Term | |
| U.S. - Texas - Effects Screening Levels - Short Term | |
| Ammonium sulfate (7783-20-2) | |
| U.S. - California - SCAQMD - Toxic Air Contaminants With Proposed Risk Values | |
| U.S. - California - Toxic Air Contaminant List (AB 1807, AB 2728) | |
| RTK - U.S. - Massachusetts - Right To Know List | |
| RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List | |
| RTK - U.S. - Pennsylvania - RTK (Right to Know) List | |
| U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - 1-Hour | |
| U.S. - Rhode Island - Air Toxics - Acceptable Ambient Levels - Annual | |
| U.S. - Texas - Effects Screening Levels - Long Term | |
| U.S. - Texas - Effects Screening Levels - Short Term | |
| Sulfur (7704-34-9) | |
| RTK - U.S. - Massachusetts - Right To Know List | |
| RTK - U.S. - New Jersey - Right to Know Hazardous Substance List | |
| U.S. - New Mexico - Air Quality - Ambient Air Quality Standards | |
| RTK - U.S. - Pennsylvania - RTK (Right to Know) List | |
| U.S. - Texas - Effects Screening Levels - Long Term | |
| U.S. - Texas - Effects Screening Levels - Short Term | |
| Iron oxide (Fe₂O₃) (1309-37-1) | |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min) | |
| U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr) | |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Acceptable Ambient Concentrations | |
| U.S. - Idaho - Non-Carcinogenic Toxic Air Pollutants - Emission Levels (ELs) | |
| U.S. - Idaho - Occupational Exposure Limits - TWAs | |
| RTK - U.S. - Massachusetts - Right To Know List | |
| U.S. - Michigan - Occupational Exposure Limits - TWAs | |
| U.S. - Minnesota - Hazardous Substance List | |

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New York - Occupational Exposure Limits - TWAs
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - Oregon - Permissible Exposure Limits - TWAs
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 25 Feet to Less Than 40 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 40 Feet to Less Than 75 Feet
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights 75 Feet or Greater
U.S. - Wisconsin - Hazardous Air Contaminants - All Sources - Emissions From Stack Heights Less Than 25 Feet

Magnesium sulfate (7487-88-9)

U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term

Ferrous sulfate (7720-78-7)

U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities
U.S. - Louisiana - Reportable Quantity List for Pollutants
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2
U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Massachusetts - Toxics Use Reduction Act
U.S. - Michigan - Polluting Materials List
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New York - Reporting of Releases Part 597 - List of Hazardous Substances
RTK - U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term

Limestone (1317-65-3)

U.S. - Idaho - Occupational Exposure Limits - TWAs
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - TWAs
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - Oregon - Permissible Exposure Limits - TWAs
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs

Manganese oxide (Mn3O4) (1317-35-7)

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - TWAs
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - North Carolina - Control of Toxic Air Pollutants
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Vermont - Permissible Exposure Limits - TWAs
U.S. - Washington - Permissible Exposure Limits - STELs
U.S. - Washington - Permissible Exposure Limits - TWAs

Atrazine (1912-24-9)

U.S. - California - California Proposition 65 (Safe Drinking Water and Toxic Enforcement Act of 1986):
*Atrazine is listed on California Prop 65.
U.S. - Colorado - Groundwater Quality Standards
U.S. - Colorado - Primary Drinking Water Regulations - Maximum Contaminant Level Goals (MCLGs)
U.S. - Colorado - Primary Drinking Water Regulations - Maximum Contaminant Levels (MCLs)
U.S. - Connecticut - Drinking Water Quality Standards - Maximum Contaminant Levels
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (30 min)
U.S. - Connecticut - Hazardous Air Pollutants - HLVs (8 hr)
U.S. - Delaware - Pollutant Discharge Requirements - Reportable Quantities
U.S. - Florida - Drinking Water Standards - Synthetic Organic Contaminants - Maximum Contaminant Levels (MCLs) U.S. - Georgia - Drinking Water - Maximum Contaminant Levels (MCLs)
U.S. - Maryland - Surface Water Quality Standards - Consumption of Water and Organisms
U.S. - Massachusetts - Drinking Water - Maximum Contaminant Levels (MCLs)
U.S. - Massachusetts - Groundwater Protection List (333 CMR12.00)
U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 1 U.S. - Massachusetts - Oil & Hazardous Material List - Groundwater Reportable Concentration - Reporting Category 2 U.S. - Massachusetts - Oil & Hazardous Material List - Reportable Quantity
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 1
U.S. - Massachusetts - Oil & Hazardous Material List - Soil Reportable Concentration - Reporting Category 2
RTK - U.S. - Massachusetts - Right To Know List
U.S. - Massachusetts - Toxics Use Reduction Act
U.S. - Michigan - Occupational Exposure Limits - TWAs
U.S. - Minnesota - Chemicals of High Concern
U.S. - Minnesota - Groundwater Health Risk Limits
U.S. - Minnesota - Hazardous Substance List
U.S. - Minnesota - Permissible Exposure Limits - TWAs
U.S. - Missouri - Drinking Water - Maximum Contaminant Levels (MCLs)
U.S. - Nebraska - Drinking Water - Maximum Contaminant Levels (MCLs)
U.S. - New Hampshire - Drinking Water - Maximum Contaminant Levels (MCLs)
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - 24-Hour
U.S. - New Hampshire - Regulated Toxic Air Pollutants - Ambient Air Levels (AALs) - Annual
U.S. - New Jersey - Discharge Prevention - List of Hazardous Substances
U.S. - New Jersey - Environmental Hazardous Substances List
U.S. - New Jersey - Primary Drinking Water Standards - Maximum Contaminant Levels - MCLs
RTK - U.S. - New Jersey - Right to Know Hazardous Substance List
U.S. - New Jersey - Water Quality - Ground Water Quality Criteria
U.S. - New Jersey - Water Quality - Practical Quantitation Levels (PQLs)
U.S. - North Dakota - Air Pollutants - Guideline Concentrations - 8-Hour
U.S. - North Dakota - Water Quality Standards - Human Health Value for Classes I, IA, II
U.S. - Pennsylvania - Drinking Water - Maximum Contaminant Levels (MCLs)
RTK - U.S. - Pennsylvania - RTK (Right to Know) List
U.S. - South Carolina - Maximum Contaminant Levels (MCLs)
U.S. - Tennessee - Occupational Exposure Limits - TWAs
U.S. - Texas - Drinking Water Standards - Maximum Contaminant Levels (MCLs)
U.S. - Texas - Effects Screening Levels - Long Term
U.S. - Texas - Effects Screening Levels - Short Term

LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

U.S. - Utah - Drinking Water - Maximum Contaminant Levels (MCLs)
 U.S. - Vermont - Permissible Exposure Limits - TWAs
 U.S. - Washington - Permissible Exposure Limits - STELS
 U.S. - Washington - Permissible Exposure Limits - TWAs
 U.S. - West Virginia - Water Quality - Groundwater Standards - Ceiling Concentrations
 U.S. - Wisconsin - Hazardous Air Contaminants - Pesticides - Emissions From Stack Heights 25 Feet to Less Than 40 Feet
 U.S. - Wisconsin - Hazardous Air Contaminants - Pesticides - Emissions From Stack Heights 40 Feet to Less Than 75 Feet
 U.S. - Wisconsin - Hazardous Air Contaminants - Pesticides - Emissions From Stack Heights 75 Feet or Greater
 U.S. - Wisconsin - Hazardous Air Contaminants - Pesticides - Emissions From Stack Heights Less Than 25 Feet

Urea (57-13-6)

U.S. - Minnesota - Hazardous Substance List
 U.S. - Texas - Effects Screening Levels - Long Term
 U.S. - Texas - Effects Screening Levels - Short Term


SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision date : 08/30/2018
Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

GHS Full Text Phrases:

| | |
|----------------------------------|---|
| Acute Tox. 4 (Oral) | Acute toxicity (oral) Category 4 |
| Acute Tox. Not classified (Oral) | Acute toxicity (oral) Not classified |
| Aquatic Acute 1 | Hazardous to the aquatic environment - Acute Hazard Category 1 |
| Aquatic Acute 2 | Hazardous to the aquatic environment - Acute Hazard Category 2 |
| Aquatic Acute 3 | Hazardous to the aquatic environment - Acute Hazard Category 3 |
| Aquatic Chronic 1 | Hazardous to the aquatic environment - Chronic Hazard Category 1 |
| Aquatic Chronic 3 | Hazardous to the aquatic environment - Chronic Hazard Category 3 |
| Comb. Dust | Combustible Dust |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Eye Irrit. 2B | Serious eye damage/eye irritation Category 2B |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| STOT RE 2 | Specific target organ toxicity (repeated exposure) Category 2 |
| STOT SE 3 | Specific target organ toxicity (single exposure) Category 3 |
| | May form combustible dust concentrations in air |
| H302 | Harmful if swallowed |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H319 | Causes serious eye irritation |
| H320 | Causes eye irritation |
| H335 | May cause respiratory irritation |
| H373 | May cause damage to organs through prolonged or repeated exposure |
| H400 | Very toxic to aquatic life |
| H401 | Toxic to aquatic life |
| H402 | Harmful to aquatic life |
| H410 | Very toxic to aquatic life with long lasting effects |
| H412 | Harmful to aquatic life with long lasting effects |

NFPA Health Hazard : 1 - Exposure could cause irritation but only minor residual injury even if no treatment is given.
NFPA Fire Hazard : 1 - Must be preheated before ignition can occur.
NFPA Reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



LESCO Atrazine (0.45%, 0.76%, 0.92%, 1.05%) Plus Fertilizer

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HMIS III Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 1 Slight Hazard

Physical : 0 Minimal Hazard

IMPORTANT: LESCO urges each customer or recipient of this Safety Data Sheet (SDS) to study it carefully and consult appropriate expertise, as necessary or appropriate, to become aware of and understand the data contained in this SDS and any hazards associated with the product. The information herein is provided in good faith and is based on our current knowledge. However, no warranty, express or implied, is given. Regulatory requirements are subject to change and may differ between various locations and jurisdictions. It is the buyer's/user's responsibility to ensure that his or her activities comply with all federal, state, provincial and local laws. The information presented here pertains only to the product as shipped. It is the buyer's/user's duty to determine the conditions necessary for safe use of this product.

The SDS serves different purposes than, and DOES NOT REPLACE OR MODIFY, THE EPA APPROVED PRODUCT LABELING (attached to and accompanying the product container). Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling.

It is a violation of federal law to use a pesticide product in any manner not prescribed on the EPA-approved label.

SDS US (GHS HazCom) - US Only 10 pt 2