

PRIMO MAXX®

Date: 6/3/2015
Replaces: 1/28/2015

1. PRODUCT IDENTIFICATION

Product identifier on label: **PRIMO MAXX®**
Product No.: A11825A
Use: Plant Growth Inhibitor
Manufacturer: Syngenta Crop Protection, LLC
Post Office Box 18300
Greensboro NC 27419
Manufacturer Phone: 1-800-334-9481

Emergency Phone: 1-800-888-8372

2. HAZARDS IDENTIFICATION

Classifications: Reproductive Toxicity: Category 2
Eye Damage/Irritation: Category 2A
Flammable Liquid: Category 4
Signal Word (OSHA): Warning
Hazard Statements: Combustible liquid
Causes serious eye irritation
Suspected of damaging fertility or the unborn child

Hazard Symbols:



Precautionary Statements: Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
If exposed or concerned: Get medical advice/attention.
Store locked up.
Keep away from heat, sparks, open flames, hot surfaces. No smoking.
Wear protective gloves, protective clothing, eye protection.
In case of fire: Use dry chemical, foam or CO2 for extinction.
Store in a well-ventilated place. Keep cool.
Wash hands and face thoroughly after handling.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice.
Dispose of contents and container in accordance with local regulations.

PRIMO MAXX®

Date: 6/3/2015
Replaces: 1/28/2015

Other Hazard Statements: Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back. During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Common Name	CAS Number	Concentration
Tetrahydrofurfuryl Alcohol	Tetrahydrofurfuryl Alcohol	97-99-4	Trade Secret
Other ingredients	Other ingredients	Trade Secret	88.7%
4-(Cyclopropyl-a-hydroxymethylene)-3,5-dioxo-cyclohexanecarboxylic acid ethylester	Trinexapac-Ethyl	95266-40-3	11.3%

Ingredients not precisely identified are proprietary or non-hazardous. Values are not product specifications.

4. FIRST AID MEASURES

Have the product container, label or Safety Data Sheet with you when calling Syngenta (800-888-8372), a poison control center or doctor, or going for treatment.

Ingestion: If swallowed: Call Syngenta (800-888-8372), a poison control center or doctor immediately for treatment advice. Do not give any liquid to the person. Do not induce vomiting unless told to do so after calling 800-888-8372 or by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Eye Contact: If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes, then continue rinsing eye. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Skin Contact: If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call Syngenta (800-888-8372), a poison control center or doctor for treatment advice.

Inhalation: If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call Syngenta (800-888-8372), a poison control center or doctor for further treatment advice.

Most important symptoms/effects:

Eye irritation

Indication of immediate medical attention and special treatment needed:

There is no specific antidote if this product is ingested.

Treat symptomatically.

5. FIRE FIGHTING MEASURES

Suitable (and unsuitable) extinguishing media:

Use dry chemical, foam or CO2 extinguishing media. If water is used to fight fire, dike and collect runoff.

Specific Hazards:

Combustible liquid. Can release vapors that form explosive mixtures at temperatures at or above the flash point. Heavy vapors can flow along surfaces to distant ignition sources and flash back.

During a fire, irritating and possibly toxic gases may be generated by thermal decomposition or combustion.

PRIMO MAXX®

Date: 6/3/2015
Replaces: 1/28/2015

Special protective equipment and precautions for firefighters:

Wear full protective clothing and self-contained breathing apparatus. Evacuate nonessential personnel from the area to prevent human exposure to fire, smoke, fumes or products of combustion.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment, and emergency procedures:

Follow exposure controls/personal protection outlined in Section 8.

Methods and materials for containment and cleaning up:

Control the spill at its source. Contain the spill to prevent from spreading or contaminating soil or from entering sewage and drainage systems or any body of water. Clean up spills immediately, observing precautions outlined in Section 8. Cover entire spill with absorbing material and place into compatible disposal container. Scrub area with hard water detergent (e.g. commercial products such as Tide, Joy, Spic and Span). Pick up wash liquid with additional absorbent and place into compatible disposal container. Once all material is cleaned up and placed in a disposal container, seal container and arrange for disposition.

7. HANDLING AND STORAGE

Precautions for safe handling:

Store the material in a well-ventilated, secure area out of reach of children and domestic animals. Do not store food, beverages or tobacco products in the storage area. Prevent eating, drinking, tobacco use, and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Conditions for safe storage, including any incompatibilities:

Store locked up.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

THE FOLLOWING RECOMMENDATIONS FOR EXPOSURE CONTROLS/PERSONAL PROTECTION ARE INTENDED FOR THE MANUFACTURE, FORMULATION AND PACKAGING OF THIS PRODUCT.

FOR COMMERCIAL APPLICATIONS AND/OR ON-FARM APPLICATIONS CONSULT THE PRODUCT LABEL.

Occupational Exposure Limits:

Chemical Name	OSHA PEL	ACGIH TLV	Other	Source
Tetrahydrofurfuryl Alcohol	Not Established	Not Established	0.5 ppm TWA	AIHA
Other ingredients	Not Applicable	Not Applicable	Not Applicable	Not Applicable
Trinexapac-Ethyl	Not Established	Not Established	5 mg/m ³ TWA	Syngenta

Appropriate engineering controls:

Use effective engineering controls to comply with occupational exposure limits (if applicable).

Individual protection measures:

Ingestion:

Prevent eating, drinking, tobacco usage and cosmetic application in areas where there is a potential for exposure to the material. Wash thoroughly with soap and water after handling.

Eye Contact:

Where eye contact is likely, use chemical splash goggles. Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

PRIMO MAXX®

Date: 6/3/2015

Replaces: 1/28/2015

Skin Contact:

Where contact is likely, wear chemical-resistant gloves (such as barrier laminate, butyl rubber, nitrile rubber, neoprene rubber, polyvinyl chloride [PVC] or Viton), coveralls, socks and chemical-resistant footwear.

Inhalation:

A combination particulate/organic vapor respirator should be used until effective engineering controls are installed to comply with occupational exposure limits, or until exposure limits are established. Use a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P or HE filter.

Use a self-contained breathing apparatus in cases of emergency spills, when exposure levels are unknown, or under any circumstances where air-purifying respirators may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Amber liquid

Odor: Odorless

Odor Threshold: Not Available

pH: 3.63 (1% solution in H₂O @ 77°F (25°C))

Melting point/freezing point: Not Applicable

Initial boiling point and boiling range: Not Available

Flash Point (Test Method): 170°F

Flammable Limits (% in Air): Not Available

Flammability: Combustible liquid

Vapor Pressure: Trinexapac-Ethyl 1.6 x 10⁻⁵ mmHg @ 77°F (25°C)

Vapor Density: Not Available

Relative Density: 1.0698 g/cm³ @ 68°F (20°C)

Solubility (ies): Trinexapac-Ethyl 10.2 g/l @ 77°F (25°C)

Partition coefficient: n-octanol/water: Not Available

Autoignition Temperature: Not Available

Decomposition Temperature: Not Available

Viscosity: Not Available

Other: Not Available

10. STABILITY AND REACTIVITY

Reactivity: Not reactive.

Chemical stability: Stable under normal use and storage conditions.

Possibility of hazardous reactions: Will not occur.

Conditions to Avoid: None known.

Incompatible materials: None known.

Hazardous Decomposition Products: None known.

PRIMO MAXX®

Date: 6/3/2015
Replaces: 1/28/2015

11. TOXICOLOGICAL INFORMATION

Health effects information

Likely routes of exposure: Dermal, Inhalation

Symptoms of exposure: Eye irritation

Delayed, immediate and chronic effects of exposure: Eye irritation

Numerical measures of toxicity (acute toxicity/irritation studies (finished product))

Ingestion:	Oral (LD50 Rat) :	> 5050 mg/kg body weight
Dermal:	Dermal (LD50 Rabbit) :	> 2020 mg/kg body weight
Inhalation:	Inhalation (LC50 Rat) :	> 2.75 mg/l air - 4 hours
Eye Contact:	Moderately Irritating (Rabbit)	
Skin Contact:	Non-Irritating (Rabbit)	
Skin Sensitization:	Not a Sensitizer (Guinea Pig)	

Reproductive/Developmental Effects

Trinexapac-Ethyl: None observed.

Chronic/Subchronic Toxicity Studies

Trinexapac-Ethyl: Liver, kidney and brain (dogs) effects at high doses (>5000 ppm).

Carcinogenicity

Trinexapac-Ethyl: Slight increase in forestomach tumors in male rats at high doses (20000 mg/kg/day). Not applicable to humans.

Chemical Name	NTP/IARC/OSHA Carcinogen
Tetrahydrofurfuryl Alcohol	No
Other ingredients	No
4-(Cyclopropyl-a-hydroxymethylene)-3,5-dioxo-cyclohexanecarboxylic acid ethylester	No

Other Toxicity Information

None

Toxicity of Other Components

Other ingredients
Not Applicable

Tetrahydrofurfuryl Alcohol
Acute exposure causes slight irritation of the skin. Prolonged exposure may cause mild nervous system effects, liver and kidney damage.

Target Organs

Active Ingredients

Trinexapac-Ethyl: Liver, kidney, brain

Inert Ingredients

PRIMO MAXX®

Date: 6/3/2015

Replaces: 1/28/2015

Other ingredients:	Not Applicable
Tetrahydrofurfuryl Alcohol:	Skin, central nervous system, liver, kidney

12. ECOLOGICAL INFORMATION

Eco-Acute Toxicity

Trinexapac-Ethyl:

Fish (Rainbow Trout) 96-hour LC50 65.7 ppm
Green Algae 5-day EC50 < 1.4 ppm
Invertebrate (Water Flea) Daphnia Magna 48-hour EC50 > 142.5 ppm
Bird (Mallard Duck) 14-day LD50 > 2000 mg/kg

Environmental Fate

Trinexapac-Ethyl:

The information presented here is for the active ingredient, trinexapac-ethyl.
Low bioaccumulation potential. Not persistent in soil or water. Moderate mobility in soil. Sinks in water (after 24 h).

13. DISPOSAL CONSIDERATIONS

Disposal:

Do not reuse product containers. Dispose of product containers, waste containers, and residues according to local, state, and federal health and environmental regulations.

Characteristic Waste: Not Applicable

Listed Waste: Not Applicable

14. TRANSPORT INFORMATION

DOT Classification

Ground Transport - NAFTA
Containers < 119 gallons cap: Not regulated
Containers > 119 gallons cap:
Proper Shipping Name: Combustible liquid, N.O.S. (Tetrahydrofurfuryl Alcohol)
Hazard Class: Class 3
Identification Number: NA1993
Packing Group: PG III

Comments

Water Transport - International
Containers < 119 gallons cap: Not regulated
Containers > 119 gallons cap:
Proper Shipping Name: Combustible liquid, N.O.S. (Tetrahydrofurfuryl Alcohol)
Hazard Class: Class 3
Identification Number: NA1993
Packing Group: PG III

Air Transport

Containers < 119 gallons cap: Not regulated
Containers > 119 gallons cap: Prohibited

PRIMO MAXX®

Date: 6/3/2015
 Replaces: 1/28/2015

15. REGULATORY INFORMATION

Pesticide Registration:

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Caution: Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with eyes, skin, or clothing.

EPA Registration Number(s):
 100-937

EPCRA SARA Title III Classification:

Section 311/312 Hazard Classes: Acute Health Hazard
 Fire Hazard

Section 313 Toxic Chemicals: None

California Proposition 65:

This product does not contain chemicals known to the State of California to cause cancer and birth defects or other reproductive harm.

CERCLA/SARA 304 Reportable Quantity (RQ):
 None

RCRA Hazardous Waste Classification (40 CFR 261):
 Not Applicable

TSCA Status:
 Exempt from TSCA, subject to FIFRA

16. OTHER INFORMATION

NFPA Hazard Ratings

Health: 2
 Flammability: 2
 Instability: 0

HMIS Hazard Ratings

Health: 2*
 Flammability: 2
 Reactivity: 0

0	Minimal
1	Slight
2	Moderate
3	Serious
4	Extreme
*	Chronic

Syngenta Hazard Category: B,S

For non-emergency questions about this product call:

1-800-334-9481

Original Issued Date: 10/6/1998
 Revision Date: 6/3/2015 Replaces: 1/28/2015
 Section(s) Revised: 2, 4, 11

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein.