

LebanonTurf

Country Club[®] Blended Fertilizer

25-0-15




METH-EX[®]

expo[®]
POTASSIUM
SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	25%
3.9% Water Insoluble Nitrogen*	
14.8% Urea Nitrogen	
6.3% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	15%
Sulfur (S)	5.1%
5.1% Combined Sulfur (S)	
Iron (Fe)	2.0%
0.4% Water Soluble Iron (Fe)	



F699 **22-35760**

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate.
Chlorine (Cl) not more than 2.0%
*10.2% Slowly available Nitrogen from Methylene Ureas.

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Green Industries BMP's at: <http://www.flaes.org/pdf/Green%20Industries%20BMP's.pdf>
FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.flaes.org/pdf/Golf%20Course%20BMP's.pdf>

Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 157 lbs. per acre.
To feed at the rate of 1/2 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.

SUGGESTED SPREADER SETTINGS					
Spreader	0.9 #N/1,000 sq. ft.	0.5 #N/1,000 sq. ft.	Spreader	0.9 #N/1,000 sq. ft.	0.5 #N/1,000 sq. ft.
LebanonTurf	3	2	Lesco (letter/Numeric)	I/17	G/15
Andersons AccuPro	F	D	PennMulch HVO	J	E
Earthway Rotary	12	10	ProScape SS	J	E
Gandy	27	23	Spyker	3	2
Lely	5 1/2 II	4 1/2 II	Vicon (all models)	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

LebanonTurf

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight

25-0-15




METH-EX®

expo® POTASSIUM SULFATE

GUARANTEED ANALYSIS

Total Nitrogen (N)	25%
3.9% Water Insoluble Nitrogen*	
14.8% Urea Nitrogen	
6.3% Other Water Soluble Nitrogen*	
Soluble Potash (K ₂ O)	15%
Sulfur (S)	5.1%
5.1% Combined Sulfur (S)	
Iron (Fe)	2.0%
0.4% Water Soluble Iron (Fe)	



F699

22-35760

i/13

Derived From: Methylene Ureas, Urea, Sulfate of Potash, Iron Sulfate.

Chlorine (Cl) not more than 2.0%

*10.2% Slowly available Nitrogen from Methylene Ureas.

Information regarding the contents and levels of metals in this product is available on the Internet at:

<http://www.regulatory-info-lebsea.com>

NOTICE: This product contains the secondary nutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

FOR FLORIDA: We recommend that you follow the Green Industries BMP's at: <http://www.flaes.org/pdf/Green%20Industries%20BMP's.pdf>

FOR FLORIDA: We recommend that you follow the Golf Course BMP's at: <http://www.flaes.org/pdf/Golf%20Course%20BMP's.pdf>

Application Rates

To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.6 lbs per 1,000 sq. ft. or 157 lbs. per acre. To feed at the rate of ½ lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 2 lbs per 1,000 sq. ft. or 87 lbs. per acre.

SUGGESTED SPREADER SETTINGS

Spreader	0.9 #N/1,000 sq. ft.	0.5 #N/1,000 sq. ft.	Spreader	0.9 #N/1,000 sq. ft.	0.5 #N/1,000 sq. ft.
LebanonTurf	3	2	Lesco (letter/Numeric)	I/17	G/15
Andersons AccuPro	F	D	PennMulch HVO	J	E
Earthway Rotary	12	10	ProScape SS	J	E
Gandy	27	23	Spyker	3	2
Lely	5½ II	4½ II	Vicon (all models)	22	16

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

CAUTION

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your turf, and sweep any product that lands on impervious surfaces back into your turf.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.



For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042

50 Lbs. (22.7 kg) Net Weight