

LebanonTurf

Country Club[®] MD

Maximum Dispersion

- Utilizes a unique, highly dispersing granule technology
- Contains North Atlantic Ocean sea kelp
- Features METH-EX[®] slow release nitrogen
- SGN 125 is ideal for low-cut turf on tees and fairways

FERTILIZER

16-4-8



GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
11.2% Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
1.2% Urea Nitrogen	
2.4% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	8%
Magnesium (Mg)	0.8%
0.8% Water Soluble Magnesium (Mg)	
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Derived From: Ammonium Sulfate, Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*2.8% Slowly Available Nitrogen from Methylene Urea.
Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS
SOIL/PLANT AMENDING INGREDIENTS
Active Ingredients:
Humic Acids (derived from Leonardite) 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

Country Club MD products contain humic acids, which may aid in nutrient availability.

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	16%
11.2% Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
1.2% Urea Nitrogen	
2.4% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	8%
Magnesium (Mg)	0.8%
0.8% Water Soluble Magnesium (Mg)	
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe) (actual)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) (actual)	0.5%
0.5% Water Soluble Manganese (Mn)	
Chlorine (Cl) (maximum)	2.0%

Derived From: Ammonium Sulfate, Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*2.8% Slowly Available Nitrogen from Methylene Urea.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS
SOIL/PLANT AMENDING INGREDIENTS
Active Ingredients:
Humic Acids (derived from Leonardite) 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients

Country Club MD products contain humic acids, which may aid in nutrient availability.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.6 lbs per 1,000 sq. ft. or 244 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre.

Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4 1/2	3
Andersons AccuPro	K	G
Earthway Rotary	15	12
Gandy	26	23
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	I
ProScape SS	L	I
Spyker	4 1/2	3
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when

- 1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
- 2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
- or 3) Re-establishing or repairing a turf area.

*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.



Warning

Hazard Statements
May be harmful if inhaled repeatedly over prolonged periods.
Suspected of causing cancer by prolonged periods.

Precautionary Statements
Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.

Dispose in accordance with all federal, state and local regulations.
KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY

NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.4 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.3 kg of product per 100 sq. meters.

Spreader	0.43kg N/100 m ² .	0.22kg N/100 m ² .
Lebanon Turf	4 1/2	3
Andersons AccuPro	K	G
Earthway Rotary	15	12
Gandy	26	23
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	I
ProScape SS	L	I
Spyker	4 1/2	3
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



Information regarding the contents and levels of metals in this product is available on the Internet at: <http://www.regulatory-info-lebsea.com>
800-233-0628 • (717) 273-1685

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation
1600 E. Cumberland St • Lebanon, PA 17042
800-233-0628 • (717-273-1685)

50 Lbs. (22.7 kg) Net Weight

FERTILIZER

16-4-8



GUARANTEED ANALYSIS

Total Nitrogen (N)	16%
11.2% Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
1.2% Urea Nitrogen	
2.4% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	8%
Magnesium (Mg)	0.8%
0.8% Water Soluble Magnesium (Mg)	
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn)	0.5%
0.5% Water Soluble Manganese (Mn)	

Derived From: Ammonium Sulfate, Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*2.8% Slowly Available Nitrogen from Methylene Urea.
Chlorine (Cl) not more than 2.0%

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients
Country Club MD products contain humic acids, which may aid in nutrient availability.

GUARANTEED MINIMUM ANALYSIS

Total Nitrogen (N)	16%
11.2% Ammoniacal Nitrogen	
1.2% Water Insoluble Nitrogen*	
1.2% Urea Nitrogen	
2.4% Other Water Soluble Nitrogen *	
Available Phosphate (P ₂ O ₅)	4%
Soluble Potash (K ₂ O)	8%
Magnesium (Mg)	0.8%
0.8% Water Soluble Magnesium (Mg)	
Sulfur (S)	15.0%
15.0% Combined Sulfur (S)	
Iron (Fe) (actual)	1.6%
0.2% Water Soluble Iron (Fe)	
Manganese (Mn) (actual)	0.5%
0.5% Water Soluble Manganese (Mn)	
Chlorine (Cl) (maximum)	2.0%

Derived From: Ammonium Sulfate, Ammonium Phosphate, Methylene Ureas, Urea, Sulfate of Potash, Kelp Meal, Sulfate of Potash Magnesia, Ferric Oxide, Ferrous Sulfate, Manganese Sulfate.

*2.8% Slowly Available Nitrogen from Methylene Urea.

ALSO CONTAINS NON PLANT FOOD INGREDIENTS SOIL/PLANT AMENDING INGREDIENTS

Active Ingredients:
Humic Acids (derived from Leonardite) 1.0%
Inert Ingredients (as soil amending) 99.0%
99.0% Fertilizer Ingredients
Country Club MD products contain humic acids, which may aid in nutrient availability.

NOTICE: This product contains the secondary micronutrient iron. Iron may stain concrete surfaces and should not be applied on dry or water dampened concrete and should be removed from these areas promptly by sweeping or blowing. Do not wash off with water.

Application Rates:
To feed at the rate of 0.9 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 5.6 lbs per 1,000 sq. ft. or 244 lbs. per acre. To feed at the rate of 0.5 lb. Nitrogen (N) per 1,000 sq. ft., apply this product at 3.1 lbs per 1,000 sq. ft. or 135 lbs. per acre.

SUGGESTED SPREADER SETTINGS		
Spreader	0.9#N/1,000 sq. ft.	0.5#N/1,000 sq. ft.
Lebanon Turf	4½	3
Andersons AccuPro	K	G
Earthway Rotary	15	12
Gandy	26	23
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	I
ProScape SS	L	I
Spyker	4½	3
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.

Apply only to actively growing turf. Do not exceed 3.2 lbs. of total nitrogen per 1,000 sq. ft. annually.

In Maryland and Virginia: This fertilizer contains phosphorus and may not be used for lawn maintenance on turf in the states of Maryland or Virginia except when
1) Providing nutrients to specific soils and target vegetation as determined to be necessary in accordance with a soil test that was conducted by a laboratory* performed no more than 3 years before the application;
2) Establishing vegetation for the first time, such as after land disturbance, provided the application is conducted in accordance with the recommended application rates established by the State;
or 3) Re-establishing or repairing a turf area.
*In Maryland, the laboratory must be identified under Section 8-803.7 of the Agriculture Article, Annotated Code of Maryland.

In New Hampshire: This fertilizer contains phosphate. In New Hampshire, phosphate fertilizers may only be used for turf maintenance in golf courses, parks, athletic fields, and sod farms.



Warning

Hazard Statements

May be harmful if inhaled repeatedly over prolonged periods.
Suspected of causing cancer by prolonged periods.

Precautionary Statements

Avoid breathing dust.
Use appropriate personal protective equipment as required to avoid breathing dust.

Dispose in accordance with all federal, state and local regulations.

KEEP OUT OF REACH OF CHILDREN.

Fertilizer may cause irritation of eyes, nose, throat, and skin. In case of contact with skin or eyes, flush with plenty of water; for eyes get medical attention.

Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan.

Do not apply near water, storm drains or drainage ditches. Do not apply if heavy rain is expected. Apply this product only to your lawn, and sweep any product that lands on the driveway, sidewalk, or street back on to your lawn.

WARRANTY


NOTE To the extent consistent with applicable law, Buyer assumes all responsibility for safety and performance if this product is not used according to the directions.

Application Rates:
To feed at the rate of 0.43 kg Nitrogen (N) Equivalent to 2.4 kg of product per 100 sq. meters.

To feed at the rate of 0.22 kg Nitrogen (N) Equivalent to 1.3 kg of product per 100 sq. meters.

SUGGESTED SPREADER SETTINGS		
Spreader	0.43kg N/100 m ² .	0.22kg N/100 m ² .
Lebanon Turf	4½	3
Andersons AccuPro	K	G
Earthway Rotary	15	12
Gandy	26	23
Lely	5 II	4 II
Lesco (letter/numeric)	i/17	H/15
PennMulch HVO	L	I
ProScape SS	L	I
Spyker	4½	3
Vicon	24	21

These settings were calibrated and field tested. However, age and condition of spreader, speed of operation and evenness of terrain may require slightly different settings for desired coverage.



0 88685 29089 3
F699 **21-29089** h/15

Information regarding the contents and levels of metals in this product is available on the Internet at:
<http://www.regulatory-info-lebsea.com>

800-233-0628 • (717) 273-1685

For technical assistance or more information about our products visit www.LebanonTurf.com

Lebanon Seaboard Corporation

1600 E. Cumberland St • Lebanon, PA 17042

800-233-0628 • (717-273-1685)

50 Lbs. (22.7 kg) Net Weight