



CrossCheck® 0.096% Plus Fertilizer

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and aquatic invertebrates. Do not apply when the weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street back onto the treated are of the lawn or garden will help to prevent runoff to water bodies or drainage systemes.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Not for use on turf being grown for sale or other commercial seed production, or for commercial seed production or research purposes.

USE RESTRICTIONS:

- Do not apply more than 414 pounds of LESCO CrossCheck 0.096% Plus Fertilizer per acre per year.
- Do not water to the poing of run-off.
- Do not make applications during rain.
- Not for use on golf courses, sod farms, nurseries, commercial greenhouses, or grass grown for seed.
- In New York State, this product may NOT be applied to any grass or turfgrass within 100 feet of a water body (lake, pond, river, stream, wetland, or drainage ditch).
- In New York State do make a single repeat application of LESCO CrossCheck 0.096% Plus Fertilizer if there are signs of renewed insect activity, but not sooner than 2 weeks after the first application.

FLORIDA APPLICATIONS:

- For use on golf courses or other athletic turf in FL, we recommend you follow SL191. Recommendations for N, P, K & Mg for Golf Course and Athletic Field Fertilization Based on Mehlich Extractant available on the internet at <http://edis.lfas.ufl.edu/SS404>.

FLORIDA APPLICATIONS:

- For commercial application to urban turf or lawns in FL, we recommend you follow the Best Management Practices for Protection of Water Resources in Florida, June 2002, Florida Green Industries, available on the internet at title [//www.dep.state.fl.us/central/Home/Meetings/Trainings/FL_Green/BMP.Book.final.pdf](http://www.dep.state.fl.us/central/Home/Meetings/Trainings/FL_Green/BMP.Book.final.pdf).

LESCO CrossCheck 0.096% Plus Fertilizer is for use in residential, institutional, industrial, public, and commercial buildings; parks, recreational areas, and athletic fields.

Resistance Management:

Some insects are known to develop resistance to products used repeatedly for control. Because the development of resistance cannot be predicted, the use of this product should conform to resistance management strategies established for the use area. Consult your local or state pest management authorities for details. If resistance to this product develops in your area, this product, or other products with a similar mode of action, may not provide adequate control.

If poor performance cannot be attributed to improper application or extreme weather conditions, a resistant strain of insect may be present. If you experience difficulty with control and suspect that resistance is a reasonable cause, immediately consult your local company representative or pest management advisor for the best alternative method of control for your area.

STORAGE AND DISPOSAL

Prohibitions

Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place and avoid excess heat. Carefully open containers. After partial use close tightly. In case of spill, avoid contact, isolate area and keep out animals and unprotected persons. Confine spills.

To confine spill: Cover to prevent dispersal. Place damaged package in a holding container. Identify contents.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Handling: Non-refillable container. Do not reuse or refill this container. Paper and Plastic bags: Completely empty bag into application equipment. Then offer for recycling, if available, or dispose of empty bag in a sanitary landfill or by incineration, or by burning. Do not burn unless allowed by state or local authorities. If burned, stay out of smoke.

LAWN AND PERIMETER APPLICATIONS

Perimeter Application: Apply to ground area 6 to 10 feet wide around and adjacent to the structure using an application rate of 4.75 pounds per 1,000 square feet.

Lawn Application: Broadcast LESCO CrossCheck 0.096% Plus Fertilizer with suitable application equipment to ensure uniform coverage over the treatment area. Apply 2.4 to 4.8 pounds per 1,000 square feet to control the following pests:

Annual Bluegrass, Weevils (Hyperodes) (Adults)	Dear Ticks ¹
Ants	Fleas
Armyworms	Imported Fire Ants ²
Billbugs (Adults)	Leafhoppers
Black Turfgrass Ataenius (Adults)	Mealybugs
Centipedes	Millipedes
Chinchbugs	Mole Crickets
Cutworms	Sod Webworms
	Ticks

Note:

¹ Deer Ticks (Ixodes sp.) have a complicated life cycle that ranges over a two year period and involves four life stages. Applications should be made in mid to late-spring to control larvae and nymphs that reside in the soil and leaf litter.

² Imported Fire Ants: Control will be optimized by combining broadcast applications (of suitable EPA approved product) that will control foraging workers and newly mated fly-in queens with mound treatments that will control existing colonies.

The higher application rate may be required to control Ants, Centipedes, Chinch Bugs, Fleas, Imported Fire Ants, Millipedes, Mole Crickets & Ticks.

RECOMMENDED SPREADER SETTINGS

Recommended Rates lbs per 1,000 sq ft	
SPREADER TYPE	4.75 lb
LESCO Rotary	Calibration Gauge #16
Cyclone® or Spyker®	4½

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated a the time of application to achieve the desired application rate.

CONDITION OF SALE AND LIMITATION OF WARRANTY AND LIABILITY
NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully and completely. It is impossible to eliminate all risks inherently associated with the use of this product. To the extent consistent with applicable law, Buyer and/or User assume all risks of ineffectiveness or other unintended consequences or damages that may result from conditions outside or beyond the control of LESCO, Inc. including but not limited to, such factors as manner of use or application, weather or weather conditions outside the range considered normal at the application site or for the time period in which the product is applied, the presence of other materials, incompatible products, or other influencing factors which are beyond the control of LESCO, Inc.. To the extent consistent with applicable law, all such risks shall be assumed by Buyer and/or User, and Buyer and/or User agrees to hold LESCO, Inc. harmless for any claims relating to such factors.

To the extent consistent with applicable law, LESCO, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated in the Directions for Use, subject to the inherent risks referred to above, when used in accordance with the Directions for Use under normal use conditions. To the extent consistent with applicable law, this warranty does not extend to the use of this product contrary to label instructions, or under abnormal conditions or under conditions not reasonably foreseeable to or beyond the control of LESCO, Inc. and Buyer and/or User assume the risk of any such use. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, LESCO, INC. MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE BUYER AND/OR USER AND THE EXCLUSIVE LIABILITY OF LESCO, INC. FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF LESCO, INC. REPLACEMENT OF THE PRODUCT, OR IF NOT ACQUIRED BY PURCHASE, REPLACEMENT OF SUCH QUANTITY. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, IN NO EVENT SHALL LESCO, Inc., BE LIABLE FOR ANY INCIDENTAL, CONSEQUENTIAL OR SPECIAL DAMAGES.

LESCO, Inc. offers this product, and Buyer and/or User accepts it, subject to the foregoing Conditions of Sale and Limitation of Warranty and Liability, which may not be modified except by written agreement signed by a duly authorized representative of LESCO, Inc.

Information concerning the raw materials composing this product can be obtained by writing to: LESCO, Inc., Attn. RA Dept., 1385 East 36th Street, Cleveland, Ohio 44114-4114, referring to the item number found on this bag.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.htm>.

LESCO, CrossCheck are registered trademarks and the sweeping design is a trademark of LESCO Technologies, LLC. Cyclone and Spyker are registered trademarks of Spyker Spreaders LLC. N:\Regulatory\WP\Regul Private\MstrLbl_ERIEVIEW ADDRESS\Landscape Style Master Lbls Rev. 5/12/15 VT (121806)

Net Weight: 50 lb (22.7 kg)

SGN 240

EPA REG. NO. 53883-337-10404

EPA EST. NO. 961-PA-01 (L), 961-IL-01 (D), 8378-IN-1 (K), 9404-FL-1 (C), 59144-GA-1 (A), 32802-MO-1 (B), 61842-CA-1 (T), 37351-CO-1 (E), 82757-OH-001 (M), 82757-FL-001 (S), 82757-MA-002 (H)

First letter of lot code indicates manufacturing site.

F1560

Distributed by: **LESCO, Inc.**
1385 East 36th Street
Cleveland, OH 44114-4114

**#291520
PP**

Only for use and storage by commercial applicators for use to control of Ants (including imported Fire Ants), Mole Crickets, and other listed insect pest on lawns in landscaped areas, around residential, institutional, public, commercial and industrial buildings, parks, recreational areas, athletic fields.

Active Ingredient:	
Bifenthrin*	0.096%
Other Ingredients	99.904%
	100.000%

*Cis isomers 97% minimum; trans isomers 3% maximum

KEEP OUT OF REACH OF CHILDREN CAUTION

See other panels for additional precautionary information.

FIRST AID

If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
-------------------------	---

HOTLINE NUMBER

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information on this product, contact the National Pesticide Information Center, 1-800-858-7378, Monday-Friday, 7:30 AM-3:30 PM PST. You may also contact the National Poison Control Center, 1-800-222-1222, day or night, for emergency medical treatment information or SafetyCall at (866) 897-8050.

NOTE TO PHYSICIAN

This product is a pyrethroid. If large amounts have been ingested, milk, cream or other digestible fats and oils may increase absorption and so should be avoided.

0-0-15

GUARANTEED ANALYSIS

SOLUBLE POTASH (K₂O)	15.00%
MAGNESIUM (Mg) Total	1.10%
1.10% Water Soluble Magnesium	
SULFUR (S) Total	6.38%
6.38% Combined Sulfur (S)	
IRON (Fe) Total	10.00%
0.10% Water Soluble Iron (Fe)	
MANGANESE (Mn) Total	2.00%
0.28% Water Soluble Manganese	

DERIVED FROM: Sulfate of Potash, Iron Sucrate, Manganese Sucrate, Sulfate of Potash-Magnesia.

CHLORINE (Cl) Max......2.00%